

DAFTAR PUSTAKA

- [1] B. Liu, "Sentiment Analysis and Mining of Opinions," *Stud. Big Data*, vol. 30, no. May, pp. 503–523, 2012, doi: 10.1007/978-3-319-60435-0_20.
- [2] R. Prajamukti, Jayanta, and M. M. Santoni, "Klasifikasi Dan Analisis Sentimen Pada Data Twitter Menggunakan Algoritma Naïve Bayes (Studi Kasus: Timnas Indonesia Senior, U-23, Dan U-19)," *Semin. Nas. Inform. Sist. Informasi, dan Keamanan Siber*, vol. 4, no. 1, pp. 102–109, 2021.
- [3] M. Z. Rahman, Y. A. Sari, and N. Yudistira, "Analisis Sentimen Tweet COVID-19 menggunakan Word Embedding dan Metode Long Short-Term Memory (LSTM)," *J. Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 5, no. 11, pp. 5120–5127, 2021, [Online]. Available: <http://j-ptiik.ub.ac.id>
- [4] R. Naqitasia, D. H. Fudholi, and L. Iswari, "Analisis Sentimen Berbasis Aspek pada Wisata Halal dengan Metode Deep Learning," *J. Teknoinfo*, vol. 16, no. 2, p. 156, 2022, doi: 10.33365/jti.v16i2.1516.
- [5] W. Astriningsih and D. Hatta Fudholi, "Identifikasi Multi Aspek Dan Sentimen Analisis Pada Review Hotel Menggunakan Deep Learning," *J. Tek. Inform. dan Sist. Inf.*, vol. 10, no. 3, p. 433, 2023, [Online]. Available: <http://jurnal.mdp.ac.id>
- [6] J. Pardede and I. Pakpahan, "Analisis Sentimen Penanganan Covid-19 Menggunakan Metode Long Short-Term Memory Pada Media Sosial Twitter," *J. Publ. Tek. Inform.*, vol. 2, no. 3, pp. 12–25, 2023.
- [7] F. N. Hasanah, *Buku Ajar Rekayasa Perangkat Lunak*. 2020. doi: 10.21070/2020/978-623-6833-89-6.
- [8] A. Torfi, R. A. Shirvani, Y. Keneshloo, N. Tavaf, and E. A. Fox, "Natural Language Processing Advancements By Deep Learning: A Survey," pp. 1–23, 2020, [Online]. Available: <http://arxiv.org/abs/2003.01200>
- [9] D. Jurafsky and J. H. Martin, "Speech and Language Processing An

Introduction to Natural Language Processing, Computational Linguistics, and Speech Recognition Third Edition,” *Fairness versus Welf.*, pp. vii–viii, 2023, doi: 10.4159/9780674039315-001.

- [10] L. Zhang, S. Wang, and B. Liu, “Deep Learning for Sentiment Analysis: A Survey,” *A + U-Architecture Urban.*, no. 487, p. 121, 2011.
- [11] J. M. Czum, “Dive Into Deep Learning,” *J. Am. Coll. Radiol.*, vol. 17, no. 5, pp. 637–638, 2020, doi: 10.1016/j.jacr.2020.02.005.
- [12] J. Ha, M. Kambe, and J. Pe, *Data Mining: Concepts and Techniques*. 2011. doi: 10.1016/C2009-0-61819-5.
- [13] X. Rong, “word2vec Parameter Learning Explained,” pp. 1–21, 2014, [Online]. Available: <http://arxiv.org/abs/1411.2738>
- [14] A. Nurdin, B. Anggo Seno Aji, A. Bustamin, and Z. Abidin, “Perbandingan Kinerja Word Embedding Word2Vec, Glove, Dan Fasttext Pada Klasifikasi Teks,” *J. Tekno Kompak*, vol. 14, no. 2, p. 74, 2020, doi: 10.33365/jtk.v14i2.732.
- [15] N. V. Chawla, K. W. Bowyer, L. O. Hall, and W. P. Kegelmeyer, “SMOTE: Synthetic Minority Over-sampling Technique,” *J. Artif. Intell. Res.*, vol. 16, no. Sept. 28, pp. 321–357, 2002, [Online]. Available: <https://arxiv.org/pdf/1106.1813.pdf%0Ahttp://www.snopes.com/horrors/insects/telamonia.asp>
- [16] Z. Gao and X. Wang, “Deep learning,” *EEG Signal Process. Featur. Extr.*, pp. 325–333, 2019, doi: 10.1007/978-981-13-9113-2_16.
- [17] K. Kowsari, K. J. Meimandi, M. Heidarysafa, S. Mendu, L. Barnes, and D. Brown, “Text classification algorithms: A survey,” *Inf.*, vol. 10, no. 4, pp. 1–68, 2019, doi: 10.3390/info10040150.
- [18] A. Arkadia, B. Hananto, and D. S. Prasvita, “Optimasi Long Short Term Memory Dengan Adam Menggunakan Data Udara Kota DKI Jakarta,”

Semin. Nas. Mhs. Ilmu Komput. dan Apl., pp. 92–101, 2022.

- [19] J. M. Johnson and T. M. Khoshgoftaar, “Survey on deep learning with class imbalance,” *J. Big Data*, vol. 6, no. 1, 2019, doi: 10.1186/s40537-019-0192-5.
- [20] J. Terven, D. M. Cordova-Esparza, A. Ramirez-Pedraza, and E. A. Chavez-Urbiola, “Loss Functions and Metrics in Deep Learning,” pp. 1–76, 2023, [Online]. Available: <http://arxiv.org/abs/2307.02694>