

DAFTAR PUSTAKA

- [1] Y. Durna dan F. Ari, "Design of a Binocular Pupil and Gaze Point Detection System Utilizing High Definition Images," *Applied Sciences*, vol. 7, no. 5, hlm. 498, Mei 2017, doi: 10.3390/app7050498.
- [2] M. Bouton, *How to spot lies like the FBI: protect your money, heart, and sanity using proven tips*, 1st ed. Emmett, Kan.: Cosmic Wind Press, 2010.
- [3] Asep Nana Hermana, Irma Amelia Dewi, dan Rhyaldi Yunus, "Implementasi Circular Hough Transform untuk Pendeteksian Kebohongan pada Anak melalui Pergerakan Kornea Mata," *jumanji*, vol. 3, no. 01, hlm. 53, Jul 2019, doi: 10.26874/jumanji.v3i01.51.
- [4] Reza Adriansyah Rusmanto, "Detektor Kebohongan Dengan Analisis Pembesaran Diameter Pupil Dan Pergerakan Mata Dengan Menggunakan Metode Klasifikasi Support Vector Machine," *eProceedings of Engineering*, vol. 5, no. 3, 2018, [Daring]. Tersedia pada:
<https://openlibrarypublications.telkomuniversity.ac.id/index.php/engineering/article/view/7997/7888>
- [5] M. A. Nurdin, R. C. Wihandika, dan F. Utaminigrum, "Deteksi Pergerakan Arah Mata menggunakan Convolution Neural Network berdasarkan Facial Landmark," *Jurnal Pengembangan Teknologi Informasi Dan Ilmu Komputer*, 2020, [Daring]. Tersedia pada:
<https://j-ptiik.ub.ac.id/index.php/j-ptiik/article/view/7961>
- [6] A. K. Jain, "Fundamentals of Digital Image Processing," *Prentice Hall*.
- [7] C. Cortes dan V. Vapnik, "Support-vector networks," *Mach Learn*, vol. 20, no. 3, hlm. 273–297, Sep 1995, doi: 10.1007/BF00994018.
- [8] Y. LeCun, Y. Bengio, dan G. Hinton, "Deep Learning," *Nature*, vol. 521, hlm. 436–444, 2015.
- [9] C. Elmadjian, C. Gonzales, R. L. D. Costa, dan C. H. Morimoto, "Online eye-movement classification with convolutional neural networks," *Behav Res*, vol. 55, no. 7, hlm. 3602–3620, Okt 2022, doi: 10.3758/s13428-022-01978-2.
- [10] S. Li, W. Li, C. Cook, C. Zhu, dan Y. Gao, "Independently Recurrent Neural Network (IndRNN): Building A Longer and Deeper RNN," 22 Mei 2018, *arXiv*:

arXiv:1803.04831. Diakses: 4 Mei 2024. [Daring]. Tersedia pada:
<http://arxiv.org/abs/1803.04831>

[11] A. Vrij, S. A. Mann, R. P. Fisher, S. Leal, R. Milne, dan R. Bull, “Increasing cognitive load to facilitate lie detection: The benefit of recalling an event in reverse order,” *Law and Human Behavior*, vol. 32, no. 3, hlm. 253–265, Jun 2008, doi: 10.1007/s10979-007-9103-y.

[12] A. Vrij, M. Hartwig, dan P. A. Granhag, “Reading Lies: Nonverbal Communication and Deception,” *Annu. Rev. Psychol.*, vol. 70, no. 1, hlm. 295–317, Jan 2019, doi: 10.1146/annurev-psych-010418-103135.

[13] M. Gamer, “Detecting of deception and concealed information using neuroimaging techniques,” dalam *Memory Detection*, 1 ed., B. Verschuere, G. Ben-Shakhar, dan E. Meijer, Ed., Cambridge University Press, 2011, hlm. 90–113. doi: 10.1017/CBO9780511975196.006.

[14] B. Draganski *dkk.*, “Genotype–phenotype interactions in primary dystonias revealed by differential changes in brain structure,” *NeuroImage*, vol. 47, no. 4, hlm. 1141–1147, Okt 2009, doi: 10.1016/j.neuroimage.2009.03.057.

[15] Lee Ann Remington dan Denise Goodwin, *Clinical Anatomy and Physiology of the Visual System*, 3 ed. Elsevier Health Sciences, 2004.

[16] K. Holmqvist dan R. Andersson, *Eye tracking: a comprehensive guide to methods, paradigms, and measures*, 2nd edition. Lund, Sweden: Lund Eye-Tracking Research Institute, 2017.

[17] A. Vrij, P. A. Granhag, dan S. Porter, “Pitfalls and Opportunities in Nonverbal and Verbal Lie Detection,” *Psychol Sci Public Interest*, vol. 11, no. 3, hlm. 89–121, Des 2010, doi: 10.1177/1529100610390861.

[18] K. Fukuda, “Eye blinks: new indices for the detection of deception,” *International Journal of Psychophysiology*, vol. 40, no. 3, hlm. 239–245, Apr 2001, doi: 10.1016/S0167-8760(00)00192-6.

[19] Titik Rahmawati, “Otomasi Tagihan Listrik Dengan Citra Digital,” *teknomatika*, vol. 9, no. 1, Mei 2020, Diakses: 7 Mei 2024. [Daring]. Tersedia pada:
<https://ejournal.unjaya.ac.id/index.php/teknomatika/article/view/464>

[20] Aryunto, Komang Somawirata, dan F. Yudi Limpraptono, "A New Color Segmentation Method Based on Normalized RGB Chromaticity Diagram," *Intelligent Technology and Its Applications*, 2009, [Daring]. Tersedia pada: <https://api.semanticscholar.org/CorpusID:145952153>

[21] W. Kong dan S. Zhu, "Multi-face detection based on downsampling and modified subtractive clustering for color images," *J. Zhejiang Univ. - Sci. A*, vol. 8, no. 1, hlm. 72–78, Jan 2007, doi: 10.1631/jzus.2007.A0072.

[22] Hasbi Ardianto Pratama dan Muhammad Sam'an, "Implementasi Metode Interpolasi Bilinear Untuk Perbesaran Skala Citra," *Jurnal Komputer dan Teknologi Informasi*, vol. 1, no. 1, 2023, doi: 10.26714/v1i1.11803.

[23] I. Permana dan F. N. S. Salisah, "Pengaruh Normalisasi Data Terhadap Performa Hasil Klasifikasi Algoritma Backpropagation: The Effect of Data Normalization on the Performance of the Classification Results of the Backpropagation Algorithm," *IJIRSE*, vol. 2, no. 1, hlm. 67–72, Mar 2022, doi: 10.57152/ijirse.v2i1.311.

[24] Linda G. Shapiro dan George C. Stockman, *Computer Vision*, Berilustrasi. University of California: Prentice Hall, 2001.

[25] C. Shorten dan T. M. Khoshgoftaar, "A survey on Image Data Augmentation for Deep Learning," *J Big Data*, vol. 6, no. 1, hlm. 60, Des 2019, doi: 10.1186/s40537-019-0197-0.

[26] W. S. Eka Putra, "Klasifikasi Citra Menggunakan Convolutional Neural Network (CNN) pada Caltech 101," *JTITS*, vol. 5, no. 1, Mar 2016, doi: 10.12962/j23373539.v5i1.15696.

[27] Sakib Mostafa dan Fang-Xiang Wu, "Diagnosis of autism spectrum disorder with convolutional autoencoder and structural MRI images," *Academic Press*, hlm. 23–38, 2021, doi: <https://doi.org/10.1016/B978-0-12-822822-7.00003-X>.

[28] Nair, V dan Hinton, G. E, "Rectified Linear Units Improve Restricted Boltzmann Machines," 2010.

[29] Peryanto, Ari and Yudhana, Anton and Umar, dan Rusydi, "Klasifikasi Citra Menggunakan Convolutional Neural Network dan K Fold Cross Validation," *Journal of*

Applied Informatics and Computing, vol. 4, hlm. 45–51, 2020, doi: 10.30871/jaic.v4i1.2017.

[30] E. D. Tarkus, “Implementasi Metode Recurrent Neural Network pada Pengklasifikasian Kualitas Telur Puyuh,” *Ejournal Unsrat*, vol. 15, 2020.

[31] P. L. Parameswari dan Prihandoko, “Penggunaan Convolutional Neural Network Untuk Analisis Sentimen Opini Lingkungan Hidup Kota Depok Di Twitter,” *tekno*, vol. 27, no. 1, hlm. 29–42, 2022, doi: 10.35760/tr.2022.v27i1.4671.

[32] F. Fitroh dan F. Hudaya, “Systematic Literature Review: Analisis Sentimen Berbasis Deep Learning,” *TEKNOSI*, vol. 9, no. 2, hlm. 132–140, Agu 2023, doi: 10.25077/TEKNOSI.v9i2.2023.132-140.

[33] R. Achmad, Y. Tokoro, J. Haurissa, dan A. Wijanarko, “Recurrent Neural Network-Gated Recurrent Unit for Indonesia-Sentani Papua Machine Translation,” *J. Inf. Syst. Informatics*, vol. 5, no. 4, hlm. 1449–1460, Des 2023, doi: 10.51519/journalisi.v5i4.597.

[34] Hanif Annur Rahman, “Implementasi deep learning untuk pendeteksian kantuk berdasarkan fitur kedipan,” *Universitas Islam Indonesia*, [Daring]. Tersedia pada: <https://dspace.uui.ac.id/123456789/30230>

[35] Ian Goodfellow, Yoshua Bengio, dan Aaron Courville, *Deep Learning*. The MIT Press, 2016.

[36] S. Ioffe dan C. Szegedy, “Batch Normalization: Accelerating Deep Network Training by Reducing Internal Covariate Shift,” *Arxiv*, 2015, doi: <https://doi.org/10.48550/arXiv.1502.03167>.

[37] Nitish Srivastava, Geoffrey Hinton, Alex Krizhevsky, dan Ilya Sutskever, “Dropout: A Simple Way to Prevent Neural Networks from Overfitting,” *Journal of Machine Learning Research*, 2014.

[38] John S. Bridle, *Probabilistic Interpretation of Feedforward Classification Network Outputs, with Relationships to Statistical Pattern Recognition*, vol. 68. Springer, Berlin, Heidelberg, 1990.

[39] D. P. Kingma dan J. Ba, “Adam: A Method for Stochastic Optimization,” 29 Januari 2017, *arXiv*: arXiv:1412.6980. Diakses: 1 Juni 2024. [Daring]. Tersedia pada: <http://arxiv.org/abs/1412.6980>

- [40] Bottou, L, “Large-Scale Machine Learning with Stochastic Gradient Descent,” *Proceedings of COMPSTAT*, hlm. 177–186, 2010, doi: https://doi.org/10.1007/978-3-7908-2604-3_16.
- [41] Dami Choi, Jaehoon Lee, Christopher J. Shallue, Chris J. Maddison, Zachary Nado, dan George E. Dahl, “On Empirical Comparisons of Optimizers for Deep Learning,” *arXiv preprint*, [Daring]. Tersedia pada: <https://arxiv.labs.arxiv.org/html/1910.05446>
- [42] S. Zhang, L. Yao, A. Sun, dan Y. Tay, “Deep Learning Based Recommender System: A Survey and New Perspectives,” *ACM Comput. Surv.*, vol. 52, no. 1, hlm. 1–38, Jan 2020, doi: 10.1145/3285029.
- [43] David M. W. Powers, “Evaluation: From Precision, Recall and F-Measure to ROC, Informedness, Markedness and Correlation,” *Journal of Machine Learning Technologies*, 2011, doi: <https://doi.org/10.48550/arXiv.2010.16061>.
- [44] Marina Sokolova dan Guy Lapalme, “A systematic analysis of performance measures for classification tasks,” *Information Processing & Management*, vol. 45, hlm. 427–437, 2009, doi: <https://doi.org/10.1016/j.ipm.2009.03.002>.
- [45] Karina Amadea, Fitra A. Bachtiar, dan Gusti Pangestu, “Klasifikasi Pola Pergerakan Bola Mata Menggunakan Metode Multilayer Backpropagation,” *JTIK*, vol. 9, no. 2, hlm. 391–400, Feb 2022, doi: 10.25126/jtiik.2022925668.