

DAFTAR PUSTAKA

- [1] A. Saleh, M. Harahap, and E. Indra, “Kombinasi Jaringan Learning Vector Quantization Dan Normalized Cross Correlation Pada Pengenalan Wajah,” vol. 3, no. 2, 2020.
- [2] A. of T. Y. Maulana, “Sistem Deteksi Citra Wajah Menggunakan Algoritma Viola Jones Dan Adaboost Cascade Classifier,” p. 11, 2019, [Online]. Available: <http://eprints.uty.ac.id/id/eprint/3560>.
- [3] D. R. Sembiring *et al.*, “Analisis Accurate Learning Backpropagation Neural Network Pengenalan Wajah,” *J. Mantik Penusa*, vol. 3, no. 1, pp. 70–73, 2019.
- [4] B. Nugroho, W. S. J. Saputra, and E. Y. Puspaningrum, “Pengenalan Multi-Wajah Menggunakan Metode Ekstraksi Fitur Viola Jones Untuk Presensi Perkuliahan,” no. September, pp. 6–11, 2019.
- [5] D. Suprianto, “Sistem Pengenalan Wajah Secara Real-Time,” *Sist. Pengenalan Wajah Secara Real-Time dengan Adab. Eig. PCA MySQL*, vol. 7, no. 2, pp. 179–184, 2013.
- [6] S. Duffner and C. Garcia, “Face recognition using non-linear image reconstruction,” *2007 IEEE Conf. Adv. Video Signal Based Surveillance, AVSS 2007 Proc.*, pp. 459–464, 2007, doi: 10.1109/AVSS.2007.4425354.
- [7] A. A. Lubis, P. Sirait, and A. Tanrisiono, “Klasifikasi Citra Multi Wajah Menggunakan Domain Adaptive Faster Region Convolutional Neural Network,” *J. SIFO Mikroskil*, vol. 20, no. 2, pp. 159–168, 2019.
- [8] K. A. Shianto, K. Gunadi, and E. Setyati, “Deteksi Jenis Mobil Menggunakan Metode YOLO Dan Faster R-CNN,” *J. Infra*, vol. 7, no. 1, pp. 157–163, 2019.
- [9] F. Charli, H. Syaputra, M. Akbar, S. Sauda, and F. Panjaitan, “Implementasi Metode Faster Region Convolutional Neural Network (Faster R-CNN) Untuk Pengenalan Jenis Burung Lovebird,” vol. 1, no. 3, pp. 185–197, 2020.
- [10] A. L. Blank, “Computer Vision Machine Learning and Future- Oriented

- Ethics,” *Honor. Proj.*, 2019.
- [11] T. Huang, Z. Xiong, and Z. Zhang, *Face Recognition Applications*. 2011.
 - [12] S. Ren, K. He, R. Girshick, and J. Sun, “Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 39, no. 6, pp. 1137–1149, 2017, doi: 10.1109/TPAMI.2016.2577031.
 - [13] J. Hui, “What do we learn from region based object detectors (Faster R-CNN, R-FCN, FPN)? | by Jonathan Hui | Medium.” <https://jonathan-hui.medium.com/what-do-we-learn-from-region-based-object-detectors-faster-r-cnn-r-fcn-fpn-7e354377a7c9> (accessed Jan. 24, 2021).
 - [14] D. L. Z. Astuti and Samsuryadi, “Kajian Pengenalan Ekspresi Wajah menggunakan Metode PCA dan CNN,” *Annu. Res. Semin. Fak. Ilmu Komput.*, vol. 4, no. 1, pp. 293–297, 2018.
 - [15] M. A. Talab, S. Awang, and S. A. D. M. Najim, “Super-Low Resolution Face Recognition using Integrated Efficient Sub-Pixel Convolutional Neural Network (ESPCN) and Convolutional Neural Network (CNN),” *2019 IEEE Int. Conf. Autom. Control Intell. Syst. I2CACIS 2019 - Proc.*, pp. 331–335, 2019, doi: 10.1109/I2CACIS.2019.8825083.
 - [16] F. Nashrullah, S. Adhi, and G. Budiman, “Investigasi Parameter Epoch Pada Arsitektur ResNet- 50 Untuk Klasifikasi Pornografi,” *J. Comput. Electron. Telecommun.*, 2020.
 - [17] A. M. Ma’ali and M. S. H. A, “Rancang Bangun Sistem Pengendali Lampu Lalu Lintas Berdasarkan Pengenalan Citra Digital Kendaraan Menggunakan Metode Faster R-Cnn,” 2019, [Online]. Available: <http://eprints.uty.ac.id/3335/>.
 - [18] H. Jiang and E. Learned-Miller, “Face Detection with the Faster R-CNN,” *Proc. - 12th IEEE Int. Conf. Autom. Face Gesture Recognition, FG 2017 - 1st Int. Work. Adapt. Shot Learn. Gesture Underst. Prod. ASL4GUP 2017, Biometrics Wild, Bwild 2017, Heteroge*, pp. 650–657, 2017, doi: 10.1109/FG.2017.82.
 - [19] “Demystifying Region Proposal Network (RPN) | oleh Nabil MADALI |

- Medium.” <https://medium.com/@nabil.madali/demystifying-region-proposal-network-rpn-faa5a8fb8fce> (accessed Jan. 28, 2021).
- [20] J. D. Dignam, P. L. Martin, B. S. Shastry, and R. G. Roeder, “TensorFlow: A System for Large-Scale Machine Learning,” *Methods Enzymol.*, vol. 101, no. C, pp. 582–598, 1983, doi: 10.1016/0076-6879(83)01039-3.
 - [21] J. Moolayil, *Learn Keras for Deep Neural Networks: A Fast-Track Approach to Modern Deep Learning with Python*. 2019.
 - [22] J. T. Townsend, “Erratum to: Theoretical analysis of an alphabetic confusion matrix.,” *Percept. Psychophys.*, vol. 10, no. 4, p. 256, 1971, doi: 10.3758/BF03212817.
 - [23] I. Maliki and F. S. Jarockohir, “Facial Expressions Recognition Using Markov Stationary Feature - Vector Quantization and Support Vector Machine Method,” *IOP Confere Eng.*, vol. 662, no. 2, 2019, doi: 10.1088/1757-899X/662/2/022023.