

## Daftar Pustaka

- [1] B. Reed and B. Reed, “How much water is needed in emergencies,” 2013. [Online]. Available: [https://www.who.int/water\\_sanitation\\_health/publications/2011/tn9\\_how\\_much\\_water\\_en.pdf](https://www.who.int/water_sanitation_health/publications/2011/tn9_how_much_water_en.pdf).
- [2] H. Valtin, “‘Drink at least eight glasses of water a day.’ Really? Is there scientific evidence for ‘8 × 8’?,” *Am. J. Physiol. Integr. Comp. Physiol.*, vol. 283, no. 5, pp. R993–R1004, Nov. 2002, doi: 10.1152/ajpregu.00365.2002.
- [3] L. E. Armstrong and E. C. Johnson, “Water Intake, Water Balance, and the Elusive Daily Water Requirement,” *Nutrients*, vol. 10, no. 12, p. 1928, Dec. 2018, doi: 10.3390/nu10121928.
- [4] D. Agatha, “Sambut Hari Kesehatan Nasional ke-55, Kemenkes Sosialisasikan GERMAS,” 2019. <https://www.liputan6.com/health/read/4067614/sambut-hari-kesehatan-nasional-ke-55-kemenkes-sosialisasikan-germas> (accessed Jan. 25, 2020).
- [5] J. Gandy, “Water intake: validity of population assessment and recommendations,” *Eur. J. Nutr.*, vol. 54, no. 2, pp. 11–16, 2015, doi: 10.1007/s00394-015-0944-8.
- [6] M. Sukardi, “50% Orang Indonesia Malas Minum Air Putih Loh,” 2019. <https://lifestyle.okezone.com/read/2019/03/17/481/2031204/50-orang-indonesia-malas-minum-air-putih-loh> (accessed Mar. 15, 2020).
- [7] M. I. Zein *et al.*, “Developing information media as dehydration prevention strategy in indonesia recreational futsal players,” *Bangladesh J. Med. Sci.*, 2020, doi: 10.3329/bjms.v19i1.43884.
- [8] StatCounter, “Mobile Operating System Market Share Indonesia,” 2020. <https://gs.statcounter.com/os-market-share/mobile/indonesia> (accessed Mar. 15, 2020).
- [9] S. Surahman and E. B. Setiawan, “Aplikasi Mobile Driver Online Berbasis Android Untuk Perusahaan Rental Kendaraan,” *J. Ultim. InfoSys*, vol. 8, no. 1, pp. 35–42, 2017, doi: 10.31937/si.v8i1.554.
- [10] P. Siirtola and J. Rönning, “Recognizing Human Activities User-independently on Smartphones Based on Accelerometer Data,” *Int. J.*

- Interact. Multimed. Artif. Intell.*, vol. 1, no. 5, p. 38, 2012, doi: 10.9781/ijimai.2012.155.
- [11] J. Wannenburg and R. Malekian, “Physical Activity Recognition from Smartphone Accelerometer Data for User Context Awareness Sensing,” *IEEE Trans. Syst. Man, Cybern. Syst.*, vol. 47, no. 12, pp. 3143–3149, 2017, doi: 10.1109/TSMC.2016.2562509.
- [12] Y. W. Bai, C. H. Yu, and S. C. Wu, “Using a three-axis accelerometer and GPS module in a smart phone to measure walking steps and distance,” in *Canadian Conference on Electrical and Computer Engineering*, 2014, pp. 1–6, doi: 10.1109/CCECE.2014.6901041.
- [13] Sugiyono, “Metode Penelitian Kuantitatif, Kualitatif dan R&D. Bandung: PT Alfabet.,” Sugiyono. (2017). *Metode Penelitian Kuantitatif, Kualitatif dan R&D. Bandung: PT Alfabet.* 2017, doi: 10.1017/CBO9781107415324.004.
- [14] Institute of Medicine, *Dietary reference intakes for water, potassium, sodium, chloride, and sulfate.* 2005.
- [15] A. Y. Rosinger, H. G. Lawman, L. J. Akinbami, and C. L. Ogden, “The role of obesity in the relation between total water intake and urine osmolality in US adults, 2009-20121-3,” *Am. J. Clin. Nutr.*, vol. 104, no. 6, pp. 1554–1561, 2016, doi: 10.3945/ajcn.116.137414.
- [16] B. M. Popkin and I. H. Rosenberg, “Water, Hydration and Health,” *NIH Public Access*, vol. 68, no. 8, pp. 439–458, 2011, doi: 10.1111/j.1753-4887.2010.00304.x.Water.
- [17] K. MELLANBY, “Human water requirements,” *British medical journal*, vol. 1, no. 4508. p. 774, 1947, doi: 10.1136/bmj.1.4508.774.
- [18] Familydoctor.org, “Hydration for Athletes,” 2017. <https://familydoctor.org/athletes-the-importance-of-good-hydration/> (accessed Dec. 14, 2019).
- [19] Kosidin and R. N. Farizah, “Pemodelan Aplikasi Mobile Reminder Berbasis Android,” *Semin. Nas. Teknol. Inf. dan Komun. 2016 (SENTIKA 2016)*, 2016.
- [20] E. B. Setiawan and A. T. Ramdany, *Membangun Aplikasi Android Web dan Webservice.* Bandung: Informatika Bandung, 2019.

- [21] M. Riyadi, U. Hangtuh, W. Wahyudi, U. P. Raya, I. Setiawan, and U. Diponegoro, "Pendeteksi Posisi Menggunakan Sensor Accelerometer MMA7260Q Berbasis Mikrokontroler ATMEGA 32," vol. 12, no. 2, pp. 76–81, 2010, doi: 10.12777/transmisi.12.2.76-81.
- [22] M. H. MZ, "Aplikasi Rekomendasi Spot Area Wisata Berbasis Android dengan Teknik Geotag," *J. Inf.*, 2017, doi: 10.25139/ojsinf.v2i1.400.
- [23] B. Jin, S. Sahni, and A. Shevat, *Designing Web APIs: Building APIs That Developers Love*, 1st ed. O'Reilly Media, Inc., 2018.
- [24] R. Ariyanti, Khairil, and I. Kanedi, "Pemanfaatan Google Maps Api Pada Sistem Informasi Geografis Direktori Perguruan Tinggi Di Kota Bengkulu," *J. Media Infotama*, vol. 11, no. 2, 2015.
- [25] Google, "Mengenal Android Studio," *Google Developers*, 2020. <https://developer.android.com/studio/intro> (accessed Mar. 25, 2020).
- [26] F. Wongso, "Perancangan Sistem Informasi Penjualan Berbasis Java Studi Kasus Pada Toko Karya Gemilang Pekanbaru," *J. Ilm. Ekon. dan Bisnis*, vol. 12, no. 1, pp. 46–60, 2015.
- [27] L. Bassett, *Introduction to JavaScript Object Notation: A To-the-Point Guide to JSON*. 2015.
- [28] F. Pezoa, J. L. Reutter, F. Suarez, M. Ugarte, and D. Vrgoč, "Foundations of JSON schema," *25th Int. World Wide Web Conf. WWW 2016*, pp. 263–273, 2016, doi: 10.1145/2872427.2883029.
- [29] S. Achmad, *Pemrograman web dengan PHP7*. 2016.
- [30] I. A. Rahman and I. Ikbali, "PERANCANGAN LITESPEED CACHE MENGGUNAKAN METODE PPDIIO DI PT. ABC," *Komputa J. Ilm. Komput. dan Inform.*, 2019, doi: 10.34010/komputa.v8i2.3051.
- [31] D. W. T. Putra and R. Andriani, "Unified Modelling Language (UML) dalam Perancangan Sistem Informasi Permohonan Pembayaran Restitusi SPPD," *J. TeknoIf*, vol. 7, no. 1, p. 32, 2019, doi: 10.21063/jtif.2019.v7.1.32-39.
- [32] A. A. Raka, M. H. Maulana, C. D. Andini, and F. Nadziroh, "Sistem Peminjaman Ruang Online (SPRO) dengan Metode UML," *J. Teknol. dan Terap. Bisnis*, vol. 1, no. 1, pp. 1–8, 2018.
- [33] R. C. Martin and R. Cecil, *UML for Java Programmers*. .

- [34] M. Destiningrum and Q. J. Adrian, "Sistem Informasi Penjadwalan Dokter Berbasis Web Dengan Menggunakan Framework Codeigniter (Studi Kasus: Rumah Sakit Yukum Medical Centre)," *J. Teknoinfo*, vol. 11, no. 2, p. 30, 2017, doi: 10.33365/jti.v11i2.24.
- [35] I. K. Raharjana and A. Justitia, "Pembuatan Model Sequence Diagram Dengan Reverse Engineering Aplikasi Basis Data Pada Smartphone Untuk Menjaga Konsistensi Desain Perangkat Lunak," *JUTI J. Ilm. Teknol. Inf.*, vol. 13, no. 2, p. 133, 2015, doi: 10.12962/j24068535.v13i2.a482.
- [36] T. Noakes and L. G. Maharam, "Fluid replacement during marathon running," *Clin. J. Sport Med.*, vol. 13, no. 5, pp. 309–318, 2003, doi: 10.1097/00042752-200309000-00007.