

DAFTAR PUSTAKA

- [1] Y. Astriani, A. Kurniasari, E. R. Priandana, and N. A. Aryono, “Penyeimbangan State of Charge Baterai Lead Acid Pada Prototipe Battery Management System a Prototype Battery Management System for Balancing,” vol. 17, no. 1, pp. 43–52, 2018.
- [2] M. A. A. M, “Perancangan Sistem Monitoring Power BTS (Base Transceiver Station) Menggunakan SMS Gateway Berbasis Mikrokontroler ATmega 8535,” *J. Tek. Elektro dan Komputasi*, vol. 1, no. 1, pp. 10–17, 2019, doi: 10.32528/elkom.v1i1.2178.
- [3] T. Pamungkas, R. Alit, A. Kusyanti, and W. Yahya, “Implementasi Algoritme Poly1305-AES pada Protokol MQTT,” vol. 3, no. 4, pp. 4006–4013, 2019.
- [4] H. Wijaksana and A. Subandi, “Rancang Bangun Sistem Kelistrikan dan Sistem Manajemen Baterai Pada Kendaraan Listrik,” pp. 1–9, 2018.
- [5] J. T. Mesin and F. T. Industri, *INFLUENCE OF CHARGING VOLTAGE TO*. 2016.
- [6] J. Lee, H. Kim, and I. Lee, “SOC and SOH Monitoring Algorithms for Lithium Batteries Using Multilayer Neural Networks,” vol. 69, pp. 206–213, 2020.
- [7] D. Setiadi and M. N. Abdul Muhaemin, “PENERAPAN INTERNET OF THINGS (IoT) PADA SISTEM MONITORING IRIGASI (SMART IRIGASI),” *Infotronik J. Teknol. Inf. dan Elektron.*, vol. 3, no. 2, p. 95, 2018, doi: 10.32897/infotronik.2018.3.2.108.
- [8] A. Mulyana and J. A. Ualubun, “The Dual-Protocol of the Internet of Things (IoT) Platform for Environment Monitoring System,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 879, no. 1, 2020, doi: 10.1088/1757-899X/879/1/012075.
- [9] M. Nahlah, M. Paramudia, M. Amiruddin, and M. Lukman, “The Implementation of OOP (Object Oriented Programming) in Building an E-Commerce Website,” vol. 227, no. Icamr 2018, pp. 522–526, 2019, doi: 10.2991/icamr-18.2019.125.

- [10] I. Sittón-Candanedo and J. M. Corchado, “An Edge Computing Tutorial,” *Orient. J. Comput. Sci. Technol.*, vol. 12, no. 2, pp. 34–38, 2019, doi: 10.13005/ojctst12.02.02.
- [11] I. Harjanto, “IoT Gateway Menggunakan Protokol MQTT pada Perangkat Kendali Berbasis Modbus-RTU,” vol. VI, no. 1, pp. 12–19, 2020.
- [12] T. Tosin, “Perancangan dan Implementasi Komunikasi RS-485 Menggunakan Protokol Modbus RTU dan Modbus TCP Pada Sistem Pick-By-Light,” *Komputika J. Sist. Komput.*, vol. 10, no. 1, pp. 85–91, 2021, doi: 10.34010/komputika.v10i1.3557.
- [13] A. Mulyana and M. N. Arifin, “Smart Socket untuk Smart Home berbasis Message Queuing Telemetry Transport (MQTT),” *Komputika J. Sist. Komput.*, vol. 8, no. 2, pp. 111–117, 2019, doi: 10.34010/komputika.v8i2.1684.
- [14] A. Mulyana and D. Kurniawan, “DEVELOPMENT OF HARDWARE MITIGATION SYSTEM AND INTEGRATED FLOOD MONITORING USING FUSION SENSOR,” pp. 58–67, 2020.
- [15] M. K. Wicaksono, Mochammad Fajar, S.Kom., *Mudah Belajar Mikrokontroler Arduino*. Bandung: Informatika Bandung, 2017.
- [16] B. Skyline, “Botol solar SuperHero,” *Univ. Telkom*, vol. 2, no. 2, pp. 1909–1916, 2013, [Online]. Available: <http://physicsbuzz.%0Aphysicscentral.com/2011/09/solar-bottle-%0Asuperhero.html.%0A>.
- [17] A. Fitriandi, E. Komalasari, H. G.-J. R. dan, and undefined 2016, “Rancang Bangun Alat Monitoring Arus dan Tegangan Berbasis Mikrokontroler dengan SMS Gateway,” *Academia.Edu*, vol. 10, no. 2, 2016, [Online]. Available: <https://www.academia.edu/download/52674667/215-260-1-PB.pdf>.
- [18] S. Siswanto, M. Anif, D. N. Hayati, and Y. Yuhefizar, “Pengamanan Pintu Ruang Menggunakan Arduino Mega 2560, MQ-2, DHT-11 Berbasis Android,” *J. RESTI (Rekayasa Sist. dan Teknol. Informasi)*, vol. 3, no. 1, pp. 66–72, 2019, doi: 10.29207/resti.v3i1.797.

- [19] G. Yurko *et al.*, “Real-Time Sensor Response Characteristics of 3 Commercial Metal Oxide Sensors for Detection of BTEX and Chlorinated Aliphatic Hydrocarbon Organic Vapors,” *Chemosensors*, vol. 7, no. 3, p. 40, 2019, doi: 10.3390/chemosensors7030040.
- [20] M. Arduino and D. A. N. Protokol, “Hibah pengabdian bagi Penerapan Teknologi Perjanjian No: III/LPPM/2015-02/6-PM,” 2015.