

DAFTAR PUSTAKA

- [1] R. Yan, S. Pang, H. Sun, and Y. Pang, “Development and missions of unmanned surface vehicle,” *J. Mar. Sci. Appl.*, vol. 9, no. 4, pp. 451–457, Dec. 2010, doi: 10.1007/s11804-010-1033-2.
- [2] E. D. Sugita, “Pembuatan Purwarupa Tes Model Untuk Menguji Sistem Autopilot Pada Unmanned Surface Vehiche (USV),” Undergraduate, Institut Teknologi Sepuluh Nopember, 2017. Accessed: Aug. 10, 2021. [Online]. Available: <https://repository.its.ac.id/47737/>
- [3] A. Tanoe, *GPS bagi pemula, dasar-dasar pemakaian sehari hari*. Jakarta, 2009.
- [4] L. Tang and P. Abplanalp, “GPS guided farm mapping and waypoint tracking mobile robotic system,” in *2014 9th IEEE Conference on Industrial Electronics and Applications*, Jun. 2014, pp. 1676–1681. doi: 10.1109/ICIEA.2014.6931437.
- [5] “ESTIMASI LOKASI OBJEK BERBASIS WIFI PADA GEDUNG BERTINGKAT MENGGUNAKAN METODE NAÏVE BAYES.”
- [6] I. G. Awantara and M. N. Cahyadi, “ANALISIS DATA NAVIGASI WAHANA BERGERAK DENGAN METODE KALMAN FILTERING,” p. 101.
- [7] Y. Lei and W. Yuanfei, “Marine navigation services based on COMPASS(Beidou) and GPS,” in *2012 Ubiquitous Positioning, Indoor Navigation, and Location Based Service (UPINLBS)*, Oct. 2012, pp. 1–7. doi: 10.1109/UPINLBS.2012.6409785.

- [8] Dr. H. Kopetz, “Elmenreich Dissertation Sensor Fusion InTimeTriggered Systems.” Institut fur Technische Informatik 182, Oktober 2002.
- [9] N. Y. Ko, H. T. Choi, C.-M. Lee, and Y. S. Moon, “Navigation of unmanned surface vehicle and detection of GPS abnormality by fusing multiple sensor measurements,” in *OCEANS 2016 MTS/IEEE Monterey*, Sep. 2016, pp. 1–5. doi: 10.1109/OCEANS.2016.7761456.
- [10] “RANCANG BANGUN SISTEM NAVIGASI INERSIA DENGAN KALMAN FILTER PADA MIKROKONTROLER AVR - PDF Free Download.” <https://docplayer.info/70468660-Rancang-bangun-sistem-navigasi-inersia-dengan-kalman-filter-pada-mikrokontroler-avr.html> (accessed Aug. 23, 2020).
- [11] G. Welch and G. Bishop, “An Introduction to the Kalman Filter,” p. 16, 2006.
- [12] D. Simon, *Kalman filtering. Embedded systems programming*, vol. 14(6). 2001.
- [13] M. Zaky, A. Mufti, and A. Rahman, “Perancangan Sistem Kendali Berbasis GPS (Global Positioning System) Pada Kapal Tanpa Awak,” p. 8.
- [14] A. V. Kramlikh, I. A. Lomaka, and S. V. Shafran, “Estimating the Inertial Characteristics of a Nanosatellite Using a Radio Compass Based on GNSS Technology,” in *2019 26th Saint Petersburg International Conference on Integrated Navigation Systems (ICINS)*, May 2019, pp. 1–4. doi: 10.23919/ICINS.2019.8769358.
- [15] E. D. Sugita, “Pembuatan Purwarupa Tes Model Untuk Menguji Sistem Autopilot Pada Unmanned Surface Vehiche (USV),” Undergraduate, Institut

- Teknologi Sepuluh Nopember, 2017. Accessed: May 22, 2020. [Online]. Available: <http://repository.its.ac.id/47737/>
- [16] “NMEA_Format_v0.1.pdf.” Accessed: Jan. 30, 2021. [Online]. Available: http://navspark.mybigcommerce.com/content/NMEA_Format_v0.1.pdf
- [17] I. A. Tafa, “ANALISIS TINGKAT AKURASI GLOBAL POSITIONING SYSTEM SMARTPHONE DALAM MENENTUKAN TITIK LOKASI PADA GOOGLE MAP,” *J. Tek. Elektro Univ. Tanjungpura*, vol. 1, no. 1, Art. no. 1, Jan. 2018, Accessed: Aug. 10, 2021. [Online]. Available: <https://jurnal.untan.ac.id/index.php/jteuntan/article/view/23426>
- [18] F. S. T. V. Diggelen, *A-GPS: Assisted GPS, GNSS, and SBAS*. Artech House, 2009.
- [19] E. Nakata, T. Ebihara, and K. Mizutani, “Mobile robotic access point for transitional optimization of wireless access point positioning,” in *2014 IEEE 3rd Global Conference on Consumer Electronics (GCCE)*, Oct. 2014, pp. 439–441. doi: 10.1109/GCCE.2014.7031245.
- [20] Inamullah, M. M. Kamal, I. Khan, and S. K. Haider, “Compensation of magnetic sensor with electric compass,” in *2017 7th IEEE International Symposium on Microwave, Antenna, Propagation, and EMC Technologies (MAPE)*, Oct. 2017, pp. 467–470. doi: 10.1109/MAPE.2017.8250898.
- [21] M. N. H. Ma’arif, “TA : Sistem Navigasi pada Mobile Robot Menggunakan Sensor Kompas,” undergraduate, Institut Bisnis dan Informatika Stikom Surabaya, 2016. Accessed: Aug. 27, 2021. [Online]. Available: <https://repository.dinamika.ac.id/id/eprint/2687/>

- [22] A. Nur N C, “PENGGUNAAN MICROCONTROLLER SEBAGAI PENDETEKSI POSISI DENGAN MENGGUNAKAN SINYAL GSM,” *J. Inform.*, vol. 4, no. 1, Jan. 2010.