

Daftar pustaka

- [1] F. Y. Arthatiani, “Partisipasi konsumsi sebagai indikator konsumsi pangan hewani di daerah rendah konsumsi ikan,” vol. 3, no. November, pp. 327–339, 2019.
- [2] Y. R. Prayogi, C. L. Wibisono, and A. H. Abror, “Deteksi Kesegaran Ikan Bandeng Berbasis Pengolahan Citra Digital,” *REMIK (Riset dan E-Jurnal Manaj. Inform. Komputer)*, vol. 4, no. 1, p. 53, 2019, doi: 10.33395/remik.v4i1.10228.
- [3] O. N. Shpakov and G. V. Bogomolov, “Technogenic activity of man and local sources of environmental pollution,” *Stud. Environ. Sci.*, vol. 17, no. C, pp. 329–332, 1981, doi: 10.1016/S0166-1116(08)71924-1.
- [4] H. Mohammadi Lalabadi, M. Sadeghi, and S. A. Mireei, “Fish freshness categorization from eyes and gills color features using multi-class artificial neural network and support vector machines,” *Aquac. Eng.*, vol. 90, no. October 2019, p. 102076, 2020, doi: 10.1016/j.aquaeng.2020.102076.
- [5] M. Sarimin, M. Bettiza, N. Hayaty, and S. Nugraha, “Jurnal Sustainable : Jurnal Hasil Penelitian dan Industri Terapan Implementasi HSV dan GLCM untuk Deteksi Kesegaran Ikan Bawal menggunakan Radial Basis Function Berbasis Android,” vol. 08, no. 01, pp. 1–7, 2019.
- [6] D. Bee, W. Weku, and A. Rindengan, “Aplikasi Penentuan Tingkat Kesegaran Ikan Selar Berbasis Citra Digital Dengan Metode Kuadrat Terkecil,” *d'CARTESIAN*, vol. 5, no. 2, p. 121, 2016, doi: 10.35799/dc.5.2.2016.14985.
- [7] R. Umar, I. Riadi, and D. A. Faroek, “Komparasi Image Matching Menggunakan Metode K-Nearest Neighbor (KNN) dan Metode Support Vector Machine (SVM),” *J. Appl. Informatics Comput.*, vol. 4, no. 2, pp. 124–131, 2020.
- [8] D. Panjaitan, “KLASIFIKASI KESEGARAN IKAN BANDENG DALAM SMART PACKAGING BERBASIS IMAGE PROCESSING MENGGUNAKAN METODE FUZZY,” pp. 1–16, 2011, [Online]. Available: <http://library1.nida.ac.th/termpaper6/sd/2554/19755.pdf>.


- [9] K. Somawirata and F. Y. Limpraptono, “A New Color Segmentation Method Based on Normalized RGB Chromaticity Diagram,” pp. 1–6, 2009.
- [10] D. Dimitrova, A. Popov, S. Kliment, and J. B. Blvd, “Finding face features in color images using fuzzy hit-or-miss transform,” pp. 5–10.
- [11] C. Science, “Alasdair McAndrew School of Computer Science and Mathematics Victoria University of Technology,” *Image Process.*, 2004.
- [12] I. J. and G. B. J. Rumbaugh, “The Unified Modeling Language Reference Manual Second Edition, New York: Addison-Wesley,” *Perform. Comput. Rev.*, vol. 14, no. 13, pp. 41–48, 2004, doi: 10.1016/b978-0-12-382020-4.00003-3.
- [13] A. Hendini, “PEMODELAN UML SISTEM INFORMASI MONITORING PENJUALAN DAN STOK BARANG (STUDI KASUS: DISTRO ZHEZHA PONTIANAK),” *J. KATULISTIWA Inform.*, vol. IV, no. 2, pp. 107–116, 2016, doi: 10.2135/cropsci1983.0011183x002300020002x.
- [14] Escontrela , A., 2018. Towards Data Science. [Online] Available at: <https://towardsdatascience.com/convolutional-neural-networks-from-the-groundup-c67bb41454e1>
- [15] Prabhu, 2018. Understanding of Convolutional Neural Network (CNN)—Deep Learning. [Online] Available at: <https://medium.com/@RaghavPrabhu/understanding-of-convolutional-neuralnetwork-cnn-deep-learning-99760835f148>
- [16] Kadir, A. & Susanto, A., 2013. Teori dan Aplikasi Pengolahan Citra. Yogyakarta: Andi Offset.
- [17] Nielsen, M., 2018. CHAPTER 3 Improving The Way Neural Networks Learn. [Online] Available at: http://neuralnetworksanddeeplearning.com/chap3.html#introducing_the_crossentropy_cost_function,
- [18] Sivasurya, 2018. Neural Networks from Scratch. Easy vs hard. [Online] Available at:


<https://towardsdatascience.com/neural-networks-from-scratch-easy-vs-hardb26ddc2e89c7>

- [19] Narkhede, S., 2018. Understanding Confusion Matrix. [Online] Available at: <https://towardsdatascience.com/understanding-confusion-matrix-a9ad42dcfd62> diakses tgl 23 Juli 2019.
- [20] Blessy, A. & Wise, D. D. C. J. W., 2018. Detection of Affected Part of Plant Leaves and Classification of Diseases Using CNN Technique. International Journal of Engineering and Techniques, 4(2), pp. 823-829.


LAMPIRAN


a. Data Sample Train


No	Segar	Tidak
1		
2		
3		
4		
5		



13		
14		
15		
16		
17		
18		
19		









34				
35				
36				
37				
38				
39				
40				

b. Data Sampel Test

No	Segar	Tidak
1		
2		
3		
4		



12			
13			
14			
15			
16			
17			
18			

19				
20				
21				
22				
23				
24				
25				