

DAFTAR PUSTAKA

- [1] S. M. Sarsam, H. Al-Samarraie, A. I. Alzahrani, and B. Wright, “Sarcasm detection using machine learning algorithms in Twitter: A systematic review,” *International Journal of Market Research*, vol. 62, no. 5, pp. 578–598, Sep. 2020, doi: 10.1177/1470785320921779.
- [2] M. Taboada, “Sentiment Analysis: An Overview from Linguistics,” *Annual Review of Linguistics*, vol. 2. Annual Reviews Inc., pp. 325–347, Jan. 14, 2016. doi: 10.1146/annurev-linguistics-011415-040518.
- [3] H. Zhu and L. Lei, “The Research Trends of Text Classification Studies (2000–2020): A Bibliometric Analysis,” *Sage Open*, vol. 12, no. 2, Apr. 2022, doi: 10.1177/21582440221089963.
- [4] P. H. Prastyo, A. S. Sumi, A. W. Dian, and A. E. Permanasari, “Tweets Responding to the Indonesian Government’s Handling of COVID-19: Sentiment Analysis Using SVM with Normalized Poly Kernel,” *Journal of Information Systems Engineering and Business Intelligence*, vol. 6, no. 2, p. 112, Oct. 2020, doi: 10.20473/jisebi.6.2.112-122.
- [5] R. Ardianto, T. Rivanie, Y. Alkhalifi, F. Septia Nugraha, and W. Gata, “SENTIMENT ANALYSIS ON E-SPORTS FOR EDUCATION CURRICULUM USING NAIVE BAYES AND SUPPORT VECTOR MACHINE,” 2020.
- [6] Y. Veronika Aritonang, D. Purnama Napitupulu, M. Halomoan Sinaga, J. Amalia, F. Industri dan Teknik Elektro, and I. Teknologi Del, “Pengaruh Hyperparameter Pada Fasttext Terhadap Performa Model Deteksi Sarkasme Berbasis Bi-LSTM,” *Jurnal Teknik Informatika dan Sistem Informasi*, vol. 9, no. 3, 2022, [Online]. Available: <http://jurnal.mdp.ac.id>

- [7] Y. Wang, H. Wang, D. Zou, and H. Fu, “Ship roll prediction algorithm based on Bi-LSTM-TPA combined model,” *J Mar Sci Eng*, vol. 9, no. 4, Apr. 2021, doi: 10.3390/jmse9040387.
- [8] Hermanto, A. Y. Kuntoro, T. Asra, E. B. Pratama, L. Effendi, and R. Ocanitra, “Gojek and Grab User Sentiment Analysis on Google Play Using Naive Bayes Algorithm and Support Vector Machine Based Smote Technique,” in *Journal of Physics: Conference Series*, IOP Publishing Ltd, Nov. 2020. doi: 10.1088/1742-6596/1641/1/012102.
- [9] Y. A. Singgalen, “Sentiment Analysis on Customer Perception towards Products and Services of Restaurant in Labuan Bajo,” *Journal of Information Systems and Informatics*, vol. 4, no. 3, 2022, [Online]. Available: <http://journal-isi.org/index.php/isi>
- [10] S. A. Alex, N. Z. Jhanjhi, M. Humayun, A. O. Ibrahim, and A. W. Abulfaraj, “Deep LSTM Model for Diabetes Prediction with Class Balancing by SMOTE,” *Electronics (Switzerland)*, vol. 11, no. 17, Sep. 2022, doi: 10.3390/electronics11172737.
- [11] R. M. Chandrasekaran and G. Vinodhini, “Sentiment Analysis and Opinion Mining: A Survey,” 2012. [Online]. Available: www.zdnet.com
- [12] K. A. Sukarto and F. Fauziah, “Satire and Sarcasm on the ‘YouTube Got Talent’ Video: A Case Study on Skinnyindonesian24 Channel,” *ELS Journal on Interdisciplinary Studies in Humanities*, vol. 5, no. 2, pp. 374–386, Jun. 2022, doi: 10.34050/elsjish.v5i2.21725.
- [13] K. Johnson and D. Goldwasser, “‘All I know about politics is what I read in Twitter’: Weakly Supervised Models for Extracting Politicians’ Stances From Twitter,” *Proceedings of COLING 2016*, pp. 2966–2977, 2016.
- [14] S. García, S. Ramírez-Gallego, J. Luengo, J. M. Benítez, and F. Herrera, “Big data preprocessing: methods and prospects,” *Big Data Anal*, vol. 1, no. 1, Dec. 2016, doi: 10.1186/s41044-016-0014-0.

- [15] A. Viloria, O. B. P. Lezama, and N. Mercado-Caruzo, “Unbalanced data processing using oversampling: Machine learning,” in *Procedia Computer Science*, Elsevier B.V., 2020, pp. 108–113. doi: 10.1016/j.procs.2020.07.018.
- [16] B. S. Wiguna, C. V. Hudiyanti, A. Alqis Rausanfita, and A. Z. Arifin, “Sarcasm Detection Engine for Twitter Sentiment Analysis using Textual and Emoji Feature,” *Jurnal Ilmu Komputer dan Informasi*, vol. 14, no. 1, pp. 1–8, Feb. 2021, doi: 10.21609/jiki.v14i1.812.
- [17] S. Zhang, O. Jafari, and P. Nagarkar, “A Survey on Machine Learning Techniques for Auto Labeling of Video, Audio, and Text Data,” *New Mexico State University*, Sep. 2021, [Online]. Available: <http://arxiv.org/abs/2109.03784>
- [18] S. Minaee, E. Azimi, and A. Abdolrashidi, “Deep-Sentiment: Sentiment Analysis Using Ensemble of CNN and Bi-LSTM Models,” *New York University*, Apr. 2019, [Online]. Available: <http://arxiv.org/abs/1904.04206>
- [19] S. A. Alex, N. Z. Jhanjhi, M. Humayun, A. O. Ibrahim, and A. W. Abulfaraj, “Deep LSTM Model for Diabetes Prediction with Class Balancing by SMOTE,” *Electronics (Switzerland)*, vol. 11, no. 17, Sep. 2022, doi: 10.3390/electronics11172737.
- [20] D. P. Kingma and J. Ba, “Adam: A Method for Stochastic Optimization,” *ICLR 2015*, Dec. 2014, [Online]. Available: <http://arxiv.org/abs/1412.6980>