

## DAFTAR PUSTAKA

- [1] A. L. T., A. M. Y. dan B. M. S., “Application of a Hybrid Bi-LSTM-CRF model to the task of Russian Named Entity Recognition,” 2017.
- [2] Rusliani, “Named Entity Recognition Pada Teks Berbahasa Indonesia Untuk Pembangkit Pertanyaan Otomatis,” UNIKOM, Bandung, 2017.
- [3] G. Lample, M. Ballesteros, S. Subramanian, K. Kawakami dan C. Dyer, “Neural Architectures for Named Entity Recognition,” *arxiv:1603.01360v3*, 2016.
- [4] Z. Huang, W. Xu dan K. Yu, “Bidirectional LSTM-CRF Models for Sequence Tagging,” *arxiv:1508.01991v1*, 2015.
- [5] M. Fachri, “Pengenalan Entitas Bernama Pada Teks Bahasa Indonesia Menggunakan Hidden Markov Model,” Universitas Gadjah Mada, Yogyakarta, 2014.
- [6] Z. A. Hasibuan, *Metodologi Penelitian Pada Bidang Ilmu Komputer Dan Teknologi Informasi*, Depok: Universitas Indonesia, 2007.
- [7] R. S. Pressmann, *Software Engineering*, Yogyakarta: Andi, 2010.
- [8] K. Budiman, “Dasar - Dasar Jurnalistik,” dalam *Pelatihan Jurnalistik*, Jawa, Info Jawa, 2005, pp. 1 - 4.
- [9] F. Amin, “Sistem Temu Kembali Informasi dengan Metode Vector Space Model,” *Jurnal Sistem Informasi Bisnis*, vol. 02, pp. 78-83, 2012.
- [10] M. Maimaiti, A. Wumaier, K. Abiderexiti dan T. Yibulayin, “Bidirectional Long Short-Term Memory Network with a Conditional Random Field Layer for Uyghur Part-Of-Speech Tagging,” 2017.

- [11] D. Bell, "An introduction to the Unified Modeling Language," IBM, 15 June 2003. [Online]. Available: <https://www.ibm.com/developerworks/rational/library/769.html>. [Diakses 4 October 2018].
- [12] S. W. Ambler, "Introduction to the Diagrams of UML 2.X," Agile Modeling, [Online]. Available: <http://www.agilemodeling.com/essays/umlDiagrams.htm>. [Diakses 4 October 2018].
- [13] F. A. Aslam dan H. N. Mohammed, "Efficient Way Of Web Development Using Python And Flask," *International Journal of Advanced Research in Computer Science*, vol. 6, no. 2, pp. 54-57, 2015.
- [14] I. A. Diana, *Sistem Komunikasi*, Bandung: Universitas Pendidikan Indonesia, 2012.
- [15] K. Xu, Z. Zhou, T. Hao dan W. Liu, "A Bidirectional LSTM and Conditional Random Fields Approach to Medical Named Entity Recognition," 2017.
- [16] Z. Liu, B. Tang, X. Wang dan Q. Chen, "De-identification of clinical notes via recurrent neural network and conditional random field," *Journal of Biomedical Informatics*, 2017.
- [17] A. Solihin, *PEMROGRAMAN WEB DENGAN PHP DAN MYSQL*, Penerbit Budi Luhur, 2016.
- [18] K. Xu, Z. Zhou, T. Hao dan W. Liu, "A Bidirectional LSTM and Conditional Random Fields Approach to Medical Named Entity Recognition," 2018.
- [19] A. Setioaji, L. Muflikhah dan M. A. Fauzi, "Named Entity Recognition Menggunakan Hidden Markov Model dan Algoritma Viterbi pada Teks Tanaman Obat," *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer*, vol. I, no. 12, pp. 1858-1864, 2017.
- [20] N. Jaariyah, "Pengenalan Entitas Bernama pada Teks Bahasa Indonesia Menggunakan Conditional Random Fields," Perpustakaan UNIKOM, Bandung, 2017.

- [21] M. I. Tiarasani, "Pengenalan Entitas Bernama Pada Artikel Berita Berbahasa Indonesia Menggunakan Metode Hidden Markov Model Dan Rule Based," UGM, Yogyakarta, 2018.
- [22] I. Irfana, "Pengenalan Entitas Bernama Pada Artikel Berita Bahasa Indonesia Menggunakan Metode Berbasis Aturan," UGM, Yogyakarta, 2015.