LAMPIRAN-LAMPIRAN

Regression

[DataSet1]

Descriptive Statistics

	Mean	Std. Deviation	N
Y	-2.6792	3.15455	7
X1	4.2972	1.57487	7
X2	1.0320	.10063	7

Correlations

		Y	X1	X2
Pearson Correlation	Y	1.000	.624	-.360
	X1	.624	1.000	-.605
	X2	-.360	-.605	1.000
Sig. (1-tailed)	Y	.	.067	.214
	X1	.067	.	.075
	X2	.214	.075	.
N	Y	7	7	7
	X1	7	7	7
	X2	7	7	7

Variables Entered/Removed[b]

Model	Variables Entered	Variables Removed	Method
1	X2, X1[a]	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y

Model Summary[b]

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.624[a]	.390	.085	3.01830	2.456

a. Predictors: (Constant), X2, X1

b. Dependent Variable: Y

ANOVA[b]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	23.266	2	11.633	1.277	.372[a]
	Residual	36.440	4	9.110		
	Total	59.707	6			

a. Predictors: (Constant), X2, X1

b. Dependent Variable: Y

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-9.113	18.774		-.485	.653
	X1	1.284	.983	.641	1.306	.262
	X2	.888	15.385	.028	.058	.957

a. Dependent Variable: Y

Uji Multikolinieritas

Coefficients[a]

Model		Collinearity Statistics	
		Tolerance	VIF
1	X1	.633	1.579
	X2	.633	1.579

a. Dependent Variable: Y

Uji Normalitas


One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		7
Normal Parameters[a,b]	Mean	.0000000
	Std. Deviation	2.46442986
Most Extreme Differences	Absolute	.258
	Positive	.258
	Negative	-.125
Kolmogorov-Smirnov Z		.684
Asymp. Sig. (2-tailed)		.738

a. Test distribution is Normal.

b. Calculated from data.

Normal P-P Plot of Regression Standardized Residual




Uji Heteroskedastisitas

Correlations

			absolut_error
Spearman's rho	X1	Correlation Coefficient	.000
		Sig. (2-tailed)	1.000
		N	7
	X2	Correlation Coefficient	.286
		Sig. (2-tailed)	.535
		N	7

Scatterplot



Lanjutan Uji Autokorelasi

Runs Test

	Unstandardized Residual
Test Value[a]	-.65998
Cases < Test Value	3
Cases >= Test Value	4
Total Cases	7
Number of Runs	7
Z	1.758
Asymp. Sig. (2-tailed)	.079

a. Median

Partial Corr

```
[DataSet1]
```

Correlations

Control Variables			X1	Y
X2	X1	Correlation	1.000	.547
		Significance (2-tailed)	.	.262
		df	0	4
	Y	Correlation	.547	1.000
		Significance (2-tailed)	.262	.
		df	4	0

Partial Corr

```
[DataSet1]
```

Correlations

Control Variables			X2	Y
X1	X2	Correlation	1.000	.029
		Significance (2-tailed)	.	.957
		df	0	4
	Y	Correlation	.029	1.000
		Significance (2-tailed)	.957	.
		df	4	0