LAMPIRAN

CODING

IndexFiles

index.php

```
<!doctypehtmlpublic"-
//w3c//dtdxhtml1.0transitional//en""http://www.w3.org/tr/xhtml1/dt
d/xhtml1-transitional.dtd">
<htmlxmlns="http://www.w3.org/1999/xhtml">
<head>
<metahttp-equiv="content-type"content="text/html;charset=iso-8859-
1"/>
<title>homepage</title>
<linkrel="stylesheet"type="text/css"href="style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#ffffff;font-size:10px;}
.style4{color:#000000}
.style5{font-weight:bold}
.style7{font-weight:bold;color:#860b0b;font-size:14px;}
-->
</style>
</head>
<body>
<center>
<tablewidth="743"border="0"bgcolor="#860b0b">
<tr>
<tdalign="center"><imgsrc="img/logo.png"width="890"></td>
</tr>
<tr>
<center><?phpinclude("style/nav.php");?></center>
</tr>
<tr>
<td><tablewidth="674"height="511"border="0"align="center"bgcolor="
#ffffff"><td></td>
<tr><td><center><spanclass="style7">.::yoursatisfyisourduty::.</sp
an></center></td></tr>
<tr><td><center><imgsrc="img/welcome.gif"width="383"height="338"/>
</center></td>
</tr>
</tr>
</table><tr><td><divalign="center"class="style3">copyleftbygroovew
arrior@gmail.com</div></td></tr>
</p>
</center>
</div></td>
</body>
</html>
```

indexA.php

```
<!doctypehtmlpublic"-
//w3c//dtdxhtml1.0transitional//en""http://www.w3.org/tr/xhtml1/dt
d/xhtml1-transitional.dtd">
<htmlxmlns="http://www.w3.org/1999/xhtml">
<head>
<metahttp-equiv="content-type"content="text/html;charset=iso-8859-
1"/>
<?php
session_start();?>
<title><?phpprint$_session['nm']?>homepage</title>
<linkrel="stylesheet"type="text/css"href="style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#ffffff;font-size:10px;}
.style4{color:#000000}
.style5{font-weight:bold}
.style6{font-weight:bold;color:#ffffff;}
-->
</style>
</head>
<body>
<center>
<tablewidth="743"border="0"bgcolor="#860b0b">
<tr>
<tdalign="center"><imgsrc="img/logo.png"width="890"></td>
</tr>
<?php
if(!empty($_session['nm'])&&!empty($_session['jns']))
{
?>
<tr>
<center><?phpinclude("style/nava.php");?></center>
</tr>
<tr>
<td>
<divclass="style6"align="right">welcome,<?phpprint$_session['nm']?
></div>
</td>
</tr><?php
}
else
{
include("style/nav.php");
echo'<tralign="center"><td><divclass="style6">youarenotallowedtoac
cessthispage,pleaselogin!!!</td></tr></div>';
}?>
<tr>
<td>
<tablewidth="491"height="275"border="0"align="center"bgcolor="#fff
fff">
</table>
<divalign="center"class="style3"></div></td>
</tr>
</table>
```

```
</p>
</center>
<divalign="center">copyleftbygroovewarrior@gmail.com</div>
</div>
</body>
</html>
```

frm_login_adm.php

```
<html>
<head>
<title>loginadmin</title>
<linkrel="stylesheet"type="text/css"href="style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#ffffff;font-size:10px;}
.style5{font-weight:bold;color:#860b0b}
.style7{font-weight:bold;color:#ff0000;font-size:10px;}
.style6{
font-family:geneva,arial,helvetica,sans-serif;
font-weight:bold;
}
-->
</style>
</head>
<body>
<center>
<formmethod="post"action="#">
<tablewidth="743"border="0"bgcolor="#860b0b">
<tr>
<tdalign="center"><imgsrc="img/logo.png"width="890"></td>
</tr>
<tr>
<center><?phpinclude("style/nav.php");?></center>
</tr>
<tr>
<td><tablewidth="491"height="295"border="0"align="center"bgcolor="
#ffffff">
<tr>
<tdcolspan="4"><divalign="center"class="style5"><strong>loginadmin
</strong></div></td>
</tr>
<tr><td><spanclass="style7">*mustbefilled</tr>
<trbordercolor="#ff0000">
<td><divalign="right"class="style5"><spanclass="style5"><b>adminid
</b></font></span></div></td>
<td>:</td>
<tdcolspan="2"><inputtype="text"size="10"name="username"autocomple
te="off">
<spanclass="style7">*</span></td>
</tr>
<trbordercolor="#ff0000">
<td><divalign="right"class="style5"><spanclass="style5"><b>passwor
d</b></font></span></div></td>
```

```
<td>:</td>
<tdcolspan="2"><inputtype="password"size="16"name="pwd">
<spanclass="style7">*</span></td>
</tr>
<trbordercolor="#ff0000">
<tdcolspan="4"><divalign="right"spanclass="style2">
<inputname="submit"type="submit"value="login">
</span><spanclass="style2">
<inputtype="reset"name="reset"value="cancel">
</span></div>
<center><?php
if(!empty($_post['username'])&&!empty($_post['pwd']))
{
require_once("config/koneksi.php");
$username=strtoupper($_post['username']);
$pwd=($_post['pwd']);
$query="select*from017_loginwhereusername='$username'andpwd='".md5
($pwd)."'andjns='1'";
$result=mysql_query($query);
$rows=mysql_num_rows($result);
$insert_statement=mysql_query($query);
while($row=mysql_fetch_array($result))
{$nm=$row["nm"];
$username=$row["username"];
$jns=$row["jns"];}
if($rows>0)
{header("location:indexa.php");
session_start();
$_session['nm']=$nm;
$_session['jns']=$jns;
setcookie("admin",$username,0);}
else
{echo"<divalign=\"center\"class=\"style7\">loginfailed!!!</div>";}
}
else
{echo"<divalign=\"center\"class=\"style7\">fillintheblankfield!!!<
/div>";}
echo'</center>
<divalign="center"></div>
</div>';
?></center></td>
</tr>
</td>
</table></td>
</tr>
<td><divalign="center"class="style3">
<divalign="center">copyleftbygroovewarrior@gmail.com</div>
</div>
</table>
</p>
</form>
</body>
</html>
```

au.php

```
<!doctypehtmlpublic"-
//w3c//dtdxhtml1.0transitional//en""http://www.w3.org/tr/xhtml1/dt
d/xhtml1-transitional.dtd">
<htmlxmlns="http://www.w3.org/1999/xhtml">
<head>
<metahttp-equiv="content-type"content="text/html;charset=iso-8859-
1"/>
<title>aboutus</title>
<linkrel="stylesheet"type="text/css"href="style/style.css"/>
<styletype="text/css">
<!--
.style3{font-weight:bold;color:#ffffff;font-size:10px;}
a:link{
color:#ffffff;
}
a:visited{
color:#ffffff;
}
a:hover{
color:#ffffff;
}
a:active{
color:#ffffff;
}
-->
</style>
</head>
<body>
<center><tablewidth="743"height="0"border="0"bgcolor="#860b0b">
<tr>
<tdalign="center"><imgsrc="img/logo.png"width="890"></td>
</tr>
<tr>
<center><?phpinclude("style/nav.php");?></center>
</tr>
<tr>
<td><tablewidth="799"align="center"bgcolor="#ffffff"><tr><td>
<palign="center"><fontcolor="#860b0b"size="+2"><strong>tokohapepro
file</strong></font></p>
<palign="center"><strong>.....................................
.............................................................
...</strong></p>
</td></tr>
<tr>
<td><divalign="center"><strong>establishedsince</strong>:2001</div
></td>
</tr>
<tr>
<td><divalign="center"><strong>telephone</strong>:0223456789</div>
</td>
</tr>
<tr>
<td><divalign="center"><strong>sms</strong>:081908993694</div></td
>
</tr>
```

```
<tr>
<td><divalign="center"><strong>email</strong>:contact@tokohape.com
</div></td>
</tr>
<tr>
<td><divalign="center"><strong>faximile</strong>:0229876543</div><
/td>
</tr>
<tr>
<td><divalign="center"><strong>lineofbusiness</strong>:sellingqual
itycellphones</div></td>
</tr>
<tr>
<td><divalign="center"><strong>ourvision</strong>:aworldclasscompa
nyasabreedinggroundforfutureentrepreneurswithspiritofitutilization
</div></td>
</tr>
<tr>
<td><divalign="center"><strong>ourmission</strong>:tobeindonesia's
no.1cakestore</div></td>
</tr>
<tr>
<td>
<divalign="center"><imgsrc="img/nice.gif"/></div>
</td>
</tr>
</table>
<tr><td><divalign="center"class="style3"></div></td></tr></table>
</body>
</html>
```

logout.php

```
<?php
session_start();
if(!empty($_session['nm']))
{
session_destroy();
header("location:index.php");
?>
<?php
}
else
{
echo"<h2>404notfound</h2>";
}
?>
```

Style Files

style.css

```
body,h1,h2,h3,p,quote,small,form,input,ul,li,ol,label{
margin:0px;
padding:0px;
```

```
}
body{
color:#860B0B;
font-size:13px;
background:url(img/singlepx.png)#ffffff;
font-family:Arial,Helvetica,sans-serif;
}
.clear{
clear:both;
}
#main-container{
width:400px;
margin:30pxauto;
}
#form-container{
background-color:#f5f5f5;
padding:15px;
-moz-border-radius:12px;
-khtml-border-radius:12px;
-webkit-border-radius:12px;
border-radius:12px;
}
td{
white-space:nowrap;
}
a,a:visited{
color:#00000;
text-decoration:none;
outline:none;
}
a:hover{
text-decoration:underline;
}

h1{
color:#777777;
font-size:22px;
font-weight:normal;
text-transform:uppercase;
margin-bottom:5px;
}
h2{
font-weight:normal;
font-size:10px;
text-transform:uppercase;
color:#aaaaaa;
margin-bottom:15px;
border-bottom:1pxsolid#eeeeee;
margin-bottom:15px;
padding-bottom:10px;
}
label{
text-transform:uppercase;
font-size:10px;
font-family:Tahoma,Arial,Sans-serif;
}
```

```
textarea{
color:#404040;
font-family:Arial,Helvetica,sans-serif;
font-size:12px;
}
td>button{
text-indent:8px;
}
.error{
background-color:#AB0000;
color:white;
font-size:10px;
font-weight:bold;
margin-top:10px;
padding:10px;
text-transform:uppercase;
width:240px;
}
#loading{
position:relative;
bottom:9px;
visibility:hidden;
}
.tutorial-info{
color:white;
text-align:center;
padding:10px;
margin-top:10px;
}
<styletype="text/css"media="screen">
body{behavior:url("csshover2.htc");}
.pd_menu{float:left;padding:0;margin:0;color:#860B0B;background:#F
FFFFF;width:100%;border:solid1px#860B0B;clear:both;}/*Colornavigat
ionbarnormalmode*/
.pd_menua,.pd_menua:visited{
font-family:Arial,Helvetica,sans-serif;
font-style:normal;
font-weight:bold;
font-size:12px;
color:#860B0B;
background-color:#FFFFFF;
text-decoration:none;
}
.pd_menuul{list-style-type:none;padding:0;margin:0;}
.pd_menuulli{float:left;position:relative;z-
index:auto!important;z-index:1000;border-
right:solid1px#860B0B;border-left:solid1px#860B0B;}
.pd_menuullia{color:#860B0B;background:#FFFFFF;float:none!importan
t;float:left;display:block;height:30px;line-
height:30px;padding:010px010px;text-decoration:none;}
.pd_menuulliul{display:none;border:none;color:#860B0B;background:#
FFFFFF;width:1px}
.pd_menuulli:hovera{background-color:#FF0000;text-
decoration:none;color:#FFFFFF;}/*Colormaincellshoveringmode*/
.pd_menuulli:hoverul{display:block;position:absolute;z-
index:999;top:29px;margin-top:1px;left:0;}
```

```
.pd_menuulli:hoverullia{display:block;width:12em;height:auto;line-
height:1.3em;margin-left:-1px;padding:5px10px5px10px;border-
left:solid1px#860B0B;border-bottom:solid1px#860B0B;background-
color:#FF0000;color:#FFFFFF;}/*Colorsubcellsnormalmode*/
.pd_menuulli:hoverullia:hover{background-color:#E63C40;text-
decoration:none;color:#FFFFFF;}/*Colorsubcellshoveringmode*/
.pd_menuullia:hover{background-color:#FF0000;text-
decoration:none;color:#FFFFFF;}/*Colormaincellshoveringmode*/
.pd_menuullia:hoverul{display:block;width:12em;position:absolute;z
-index:999;top:29px;left:0;}
.pd_menuulliullia:visited{background-
color:#FF0000;color:#FFFFFF;}/*Colorsubcellsnormalmode*/
.pd_menuullia:hoverullia{display:block;width:12em;height:1px;line-
height:1.3em;padding:4px16px4px16px;border-
left:solid1px#860B0B;border-bottom:solid1px#860B0B;background-
color:#FF0000;color:#FFFFFF;}
.pd_menuullia:hoverullia:hover{background-color:#E63C40;text-
decoration:none;color:#FFFFFF;}/*Colorsubcellshoveringmode*/
</style>
<styletype="text/css"media="screen">
body{behavior:url("csshover2.htc");}
.pd_menu_01{float:left;padding:0;margin:0;color:#860B0B;background
:#FFFFFF;width:100%;border:solid1px#860B0B;clear:both;}/*Colornavi
gationbarnormalmode*/
.pd_menu_01a,.pd_menu_01a:visited{
font-family:Arial,Helvetica,sans-serif;
font-style:normal;
font-weight:bold;
font-size:12px;
color:#860B0B;
background-color:#FFFFFF;
text-decoration:none;
}
.pd_menu_01ul{list-style-type:none;padding:0;margin:0;}
.pd_menu_01ulli{float:left;position:relative;z-
index:auto!important;z-index:1000;border-
right:solid1px#860B0B;border-left:solid1px#860B0B;}
.pd_menu_01ullia{color:#860B0B;background:#FFFFFF;float:none!impor
tant;float:left;display:block;height:30px;line-
height:30px;padding:010px010px;text-decoration:none;}
.pd_menu_01ulliul{display:none;border:none;color:#860B0B;backgroun
d:#FFFFFF;width:1px}
.pd_menu_01ulli:hovera{background-color:#FF0000;text-
decoration:none;color:#FFFFFF;}/*Colormaincellshoveringmode*/
.pd_menu_01ulli:hoverul{display:block;position:absolute;z-
index:999;top:29px;margin-top:1px;left:0;}
.pd_menu_01ulli:hoverullia{display:block;width:12em;height:auto;li
ne-height:1.3em;margin-left:-1px;padding:5px10px5px10px;border-
left:solid1px#860B0B;border-bottom:solid1px#860B0B;background-
color:#FF0000;color:#FFFFFF;}/*Colorsubcellsnormalmode*/
.pd_menu_01ulli:hoverullia:hover{background-color:#E63C40;text-
decoration:none;color:#FFFFFF;}/*Colorsubcellshoveringmode*/
.pd_menu_01ullia:hover{background-color:#FF0000;text-
decoration:none;color:#FFFFFF;}/*Colormaincellshoveringmode*/
.pd_menu_01ullia:hoverul{display:block;width:12em;position:absolut
e;z-index:999;top:29px;left:0;}
```

```
.pd_menu_01ulliullia:visited{background-
color:#FF0000;color:#FFFFFF;}/*Colorsubcellsnormalmode*/
.pd_menu_01ullia:hoverullia{display:block;width:12em;height:1px;li
ne-height:1.3em;padding:4px16px4px16px;border-
left:solid1px#860B0B;border-bottom:solid1px#860B0B;background-
color:#FF0000;color:#FFFFFF;}
.pd_menu_01ullia:hoverullia:hover{background-color:#E63C40;text-
decoration:none;color:#FFFFFF;}/*Colorsubcellshoveringmode*/
</style>
<styletype="text/css"media="screen">
body{behavior:url("csshover2.htc");}
.pd_menu_02{float:left;padding:0;margin:0;color:#860B0B;background
:#FFFFFF;width:100%;border:solid1px#860B0B;clear:both;}/*Colornavi
gationbarnormalmode*/
.pd_menu_02a,.pd_menu_02a:visited{
font-family:Arial,Helvetica,sans-serif;
font-style:normal;
font-weight:bold;
font-size:12px;
color:#860B0B;
background-color:#FFFFFF;
text-decoration:none;
}
.pd_menu_02ul{list-style-type:none;padding:0;margin:0;}
.pd_menu_02ulli{float:left;position:relative;z-
index:auto!important;z-index:1000;border-
right:solid1px#860B0B;border-left:solid1px#860B0B;}
.pd_menu_02ullia{color:#860B0B;background:#FFFFFF;float:none!impor
tant;float:left;display:block;height:30px;line-
height:30px;padding:010px010px;text-decoration:none;}
.pd_menu_02ulliul{display:none;border:none;color:#860B0B;backgroun
d:#FFFFFF;width:1px}
.pd_menu_02ulli:hovera{background-color:#FF0000;text-
decoration:none;color:#FFFFFF;}/*Colormaincellshoveringmode*/
.pd_menu_02ulli:hoverul{display:block;position:absolute;z-
index:999;top:29px;margin-top:1px;left:0;}
.pd_menu_02ulli:hoverullia{display:block;width:12em;height:auto;li
ne-height:1.3em;margin-left:-1px;padding:5px10px5px10px;border-
left:solid1px#860B0B;border-bottom:solid1px#860B0B;background-
color:#FF0000;color:#FFFFFF;}/*Colorsubcellsnormalmode*/
.pd_menu_02ulli:hoverullia:hover{background-color:#E63C40;text-
decoration:none;color:#FFFFFF;}/*Colorsubcellshoveringmode*/
.pd_menu_02ullia:hover{background-color:#FF0000;text-
decoration:none;color:#FFFFFF;}/*Colormaincellshoveringmode*/
.pd_menu_02ullia:hoverul{display:block;width:12em;position:absolut
e;z-index:999;top:29px;left:0;}
.pd_menu_02ulliullia:visited{background-
color:#FF0000;color:#FFFFFF;}/*Colorsubcellsnormalmode*/
.pd_menu_02ullia:hoverullia{display:block;width:12em;height:1px;li
ne-height:1.3em;padding:4px16px4px16px;border-
left:solid1px#860B0B;border-bottom:solid1px#860B0B;background-
color:#FF0000;color:#FFFFFF;}
.pd_menu_02ullia:hoverullia:hover{background-color:#E63C40;text-
decoration:none;color:#FFFFFF;}/*Colorsubcellshoveringmode*/
</style>
<styletype="text/css">
```

```
#v_mnu_01ul{
list-style:none;
margin:0;
padding:0;
font-family:Arial,Helvetica,sans-serif;
font-size:12px;
font-style:normal;
font-weight:bold;
text-decoration:none;
      }
#v_mnu_01{
width:150px;
margin:10px;
border-top-width:1px;
border-right-width:1px;
border-bottom-width:1px;
border-left-width:1px;
border-top-style:solid;
border-right-style:solid;
border-bottom-style:solid;
border-left-style:solid;
border-top-color:#FFFFFF;
border-right-color:#FFFFFF;
border-bottom-color:#FFFFFF;
border-left-color:#FFFFFF;
      }
#v_mnu_01lia{
text-decoration:none;
border-top-width:1px;
border-right-width:1px;
border-bottom-width:1px;
border-left-width:1px;
border-top-style:none;
border-right-style:none;
border-bottom-style:solid;
border-left-style:none;
border-bottom-color:#FFFFFF;
}
#v_mnu_01.notopbrdr0xNone{
border-top-style:none;
border-right-style:none;
border-bottom-style:none;
border-left-style:none;
      }
#v_mnu_01lia:link,#v_mnu_01lia:visited{
color:#FFFFFF;
display:block;
background-color:#7D0407;
padding-top:3px;
padding-right:0;
padding-bottom:3px;
padding-left:10px;
}
#v_mnu_01lia:hover{
color:#FFFFFF;
background:#ff0000;
```

```
padding-top:3px;
padding-right:0;
padding-bottom:3px;
padding-left:10px;
}
</style>
<!--[ifIE]>
<styletype="text/css"media="screen">
#v_mnu_01ul,#v_mnu_01ullia{height:1%}
</style>
<![endif]-->
<styletype="text/css">
#v_mnu_02ul{
list-style:none;
margin:0;
padding:0;
font-family:Arial,Helvetica,sans-serif;
font-size:12px;
font-style:normal;
font-weight:bold;
text-decoration:none;
      }
#v_mnu_02{
width:85px;
margin:10px;
border-top-width:1px;
border-right-width:1px;
border-bottom-width:1px;
border-left-width:1px;
border-top-style:solid;
border-right-style:solid;
border-bottom-style:solid;
border-left-style:solid;
border-top-color:#FFFFFF;
border-right-color:#FFFFFF;
border-bottom-color:#FFFFFF;
border-left-color:#FFFFFF;
}
#v_mnu_02lia{
text-decoration:none;
border-top-width:1px;
border-right-width:1px;
border-bottom-width:1px;
border-left-width:1px;
border-top-style:none;
border-right-style:none;
border-bottom-style:solid;
border-left-style:none;
border-bottom-color:#FFFFFF;
}
#v_mnu_02.notopbrdr0xNone{
border-top-style:none;
border-right-style:none;
border-bottom-style:none;
border-left-style:none;
}
```

```
#v_mnu_02lia:link,#v_mnu_02lia:visited{
color:#800000;
display:block;
background-color:#FFFFFF;
padding-top:3px;
padding-right:0;
padding-bottom:3px;
padding-left:10px;
}
#v_mnu_02lia:hover{
color:#FFFFFF;
background:#D70000;
padding-top:3px;
padding-right:0;
padding-bottom:3px;
padding-left:10px;
}
</style>
<!--[ifIE]>
<styletype="text/css"media="screen">
#v_mnu_02ul,#v_mnu_02ullia{height:1%}
</style>
<![endif]-->
```

nav.php

```
<?php
echo'
<tdwidth="650"align="center"><divclass="pd_menu">
<ul><li><ahref="http://localhost/tokocokelaties/index.php">HOME</a
>
</li></ul>
<ul><li><ahref="http://localhost/tokocokelaties/customer/frm_login
_cust.php">LOGIN</a>
</li></ul>
<ul><li><ahref="http://localhost/tokocokelaties/customer/frm_inp_c
ust.php">REGISTER</a>
</li></ul>
<ul><li><ahref="http://localhost/tokocokelaties/product/show_pro.p
hp">PRODUCTS</a>
</li></ul>
<ul><li><ahref="http://localhost/tokocokelaties/au.php">ABOUTUS</a
>
</li></ul>
<ul><li><ahref="http://localhost/tokocokelaties/tos.php">TERMSOFSE
RVICE</a>
</li></ul>
<ul><li><ahref="http://localhost/tokocokelaties/frm_login_adm.php"
>ADMIN</a>
</div>
</td>
';
?>
```

navA.php

```
<?php
echo'<tdwidth="650"align="center">
<divclass="pd_menu_01">
<ul><li><ahref="http://localhost/tokocokelaties/indexA.php">HOME</
a>
</li></ul>
<ul><li><ahref="http://localhost/tokocokelaties/product/frm_view_m
st_pro.php">MASTERPRODUCTS</a>
<ul>
<li><ahref="http://localhost/tokocokelaties/product/frm_inp_mst_pr
o.php">INPUT</a></li>
<li><ahref="http://localhost/tokocokelaties/product/frm_view_mst_p
ro.php">VIEW</a></li>
</ul>
</li></ul>
<ul><li><ahref="http://localhost/tokocokelaties/product/frm_view_d
tl_pro.php">DETAILPRODUCTS</a>
<ul>
<li><ahref="http://localhost/tokocokelaties/product/frm_inp_dtl_pr
o.php">INPUT</a></li>
<li><ahref="http://localhost/tokocokelaties/product/frm_view_dtl_p
ro.php">VIEW</a></li>
</ul>
</li></ul>
<ul><li><ahref="http://localhost/tokocokelaties/order/frm_manage_o
rd.php">ORDER</a>
<ul>
<li><ahref="http://localhost/tokocokelaties/order/frm_manage_ord.p
hp">MANAGEORDER</a></li>
<li><ahref="http://localhost/tokocokelaties/order/frm_rep_all_ord.
php">REPORTORDER</a></li>
</ul>
</li></ul>
<ul><li><ahref="#">REPORTS</a>
<ul>
<li><ahref="http://localhost/tokocokelatiescustomer/frm_rep_cust.p
hp">CUSTOMERREPORTS</a></li>
<li><ahref="http://localhost/tokocokelaties/product/frm_rep_pro.ph
p">PRODUCTSREPORTS</a></li>
</ul>
</li></ul>
<ul><li><ahref="http://localhost/tokocokelaties/logout.php">LOGOUT
</a>
</div>
</td>
';
?>
```

navC.php

```
<?php
echo'<tdwidth="650"align="center"><divclass="pd_menu_02">
```

```
<ul><li><ahref="http://localhost/tokocokelaties/customer/index_cus
t.php">HOME</a>
</li></ul>
<ul><li><ahref="http://localhost/tokocokelaties/customer/frm_data_
cust.php">PROFILE</a>
<ul>
<li><ahref="http://localhost/tokocokelaties/customer/frm_edit_cust
.php">EDITPROFILE</a></li>
<li><ahref="http://localhost/tokocokelaties/customer/frm_chpw_cust
.php">CHANGEPASSWORD</a></li>
</ul>
</li></ul>
<ul><li><ahref="http://localhost/tokocokelaties/product/show_pro.p
hp">PRODUCTS</a>
</li></ul>
<ul><li><ahref="http://localhost/tokocokelaties/tos.php">TERMSOFSE
RVICE</a>
</li></ul>
<ul><li><ahref="http://localhost/tokocokelaties/logout.php">LOGOUT
</a>
</div>
</td>';
?>
```

Config Files

koneksi.php

```
<?php
$dbuser="root";
$dbpass="";
$dbname="dbtoko";
$dbhost="localhost";
//koneksikedatabase
$koneksi=@mysql_connect($dbhost,$dbuser,$dbpass)ordie("Error!!!Can
'tConnect:<BR>".mysql_error());
//pilihdatabase
$mydb=@mysql_select_db($dbname,$koneksi)ordie("Error!!!Couldn'tCon
ecttoDB:<BR>".mysql_error());
functionsetID($param,$pref)
{
$query="$param";
$result=mysql_query($query);
$count=mysql_num_rows($result);
$id=$count+1;
if($id<=9)
{
$id1=$pref."000".$id;
}
elseif($id>9&&$id<100)
{
$id1=$pref."00".$id;
}
elseif($id>=100&&$id<1000)
{
$id1=$pref.$id;
```

```
}
return$id1;
}
?>
```

koneksi1.php

```
<?php
define('DB_HOST','localhost');
define('DB_USER','root');
define('DB_PASSWORD','');
define('DB_DATABASE','dbtoko');
mysql_connect(DB_HOST,DB_USER,DB_PASSWORD);
mysql_select_db(DB_DATABASE)ordie("GagalKoneksiDatabase");
?>
```

orderfunc.php

```
<?php
functionwriteShoppingCart(){
$cart=$_SESSION['cart'];
if(!$cart){
return'<p>Youhavenoitemsinyourshoppingcart</p>';
}else{
//Parsethecartsessionvariable
$items=explode(',',$cart);
$s=(count($items)>1)?'s':'';
return'<p>Youhave<ahref="../order/frm_a2cart.php">'.count($items).
'item'.$s.'inyourshoppingcart</a></p>';
}
}
functionshowCart(){
//global$db;
$cart=$_SESSION['cart'];
if($cart)
{
$items=explode(',',$cart);
$contents=array();
foreach($itemsas$item)
{
$contents[$item]=(isset($contents[$item]))?$contents[$item]+1:1;
}
echo'<formaction="../order/frm_a2cart.php?action=update"method="po
st"id="cart">';
echo'<tablewidth="625"cellpadding="2"cellspacing="2"align="center"
><trbgcolor="#860B0B"align="center">
<td><spanclass="style8">MENU</td>
<td><spanclass="style8">PICTURE</td>
<td><spanclass="style8">NAME</td>
<td><spanclass="style8">PRICE/UNIT</td>
<td><spanclass="style8">QUANTITIES</td>
<td><spanclass="style8">TOTALPRICE</td>
</tr>';
foreach($contentsas$id=>$qty){
//$query=mysql_query("select*fromtes_cartorderbyid_product");
$query=mysql_query("SELECT*FROM017_dtl_hpWHEREid_hp='$id'");
```

```
while($baris=mysql_fetch_array($query))
{
echo'<tralign="center">';
echo'<td><ahref="../order/frm_a2cart.php?action=delete&id='.$id.'"
class="r"><imgsrc="../img/shopping_cart_remove.ico"height="35"widt
h="35"title="RemoveFromCart"/></a></td>';
if($baris[7]=="")
{
$gambar="../img/unavailable.png";
}
else
{
$gambar=$baris[7];
}
echo'<td><spanclass="style6"><imgheight="55"width="35"src=../produ
ct/'.$gambar.'></span></td>
<inputtype="hidden"value="'.$baris[1].'">
<td><spanclass="style6">'.$baris[2].'</span></td>
<td><spanclass="style6">Rp'.$baris[4].'</span></td>
<td><inputtype="text"name="qty'.$id.'"value="'.$qty.'"size="3"maxl
ength="3"/></td>
<td>Rp'.($baris[4]*$qty).'</td>';
$total+=$baris[4]*$qty;
}
}
echo'</tr>';
echo'</table>';
echo'<br><palign="right">Grandtotal:<strong>Rp'.$total.'</strong><
/p>';
echo'<br><div><buttontype="submit">UpdateCart</button></div>';
echo'</form>';
}
$_SESSION['total']=$total;
}
?>
```

CUSTOMER FILES

searchdata.php

```
<?php
include("../config/koneksi.php");
if(!empty($_POST['id_hp']))
{
$id_hp=strtoupper($_POST['id_pro']);
$query=mysql_query("select*from017_DTL_HPwhereid_hp='$id_hp'");
while($baris=mysql_fetch_array($query))
{
echo"
<tr>
<td><tablewidth=\"491\"height=\"263\"border=\"0\"align=\"center\"b
gcolor=\"#FFFFFF\"></td><inputtype=\"hidden\"value=\"$baris[0]\"na
me=\"kd_hp\">
</tr>
<tr>
```

```
<tdcolspan=\"3\"><divalign=\"center\"class=\"style5\"><strong>EDIT
DETAILPRODUCT</strong></div></td>
</tr><tr><tdheight=\"34\"><spanclass=\"style7\">*mustbefilled</tr>
<tr>
<td> </td>
</tr>
<tr>
<td><b><divalign=\"right\"class=\"style5\">PRODUCTID</div></b></td
>
<td>:</td>
<td><inputtype=\"text\"size=\"10\"readonly=\"readonly\"value=\"$ba
ris[1]\"name=\"id_hp\"/></td>
</tr>
<tr>
<td><b><divalign=\"right\"class=\"style5\">PRODUCTNAME</div></b></
td>
<td>:</td>
<td><inputtype=\"text\"size=\"30\"value=\"$baris[2]\"name=\"nm_hp\
"/><spanclass=\"style7\">*</span></td>
</tr>
<tr>
<td><b><divalign=\"right\"class=\"style5\">STATUS</div></b></font>
</td>
<td>:</td>
<td>";
if($baris[3]==1)
{
echo
"
<selectname='jns_hp'>
<optionvalue='1'selected>Kering</option>
<optionvalue='2'>Basah</option>
<optionvalue='3'>Cake</option>
</select>
";
}
elseif($baris[3]==2)
{
echo
"
<selectname='jns_hp'>
<optionvalue='1'>CDMA</option>
<optionvalue='2'selected>GSM</option>
<optionvalue='3'>DUAL</option>
</select>
";
}
elseif($baris[3]==3)
{
echo
"
<selectname='jns_hp'>
<optionvalue='1'>CDMA</option>
<optionvalue='2'>GSM</option>
<optionvalue='3'selected>DUAL</option>
</select>
```

```
";
}
echo"
</td>
</tr>
<tr>
<td><b><divalign=\"right\"class=\"style5\">PRODUCTPRICE</div></b><
/td>
<td>:</td>
<td>Rp<inputtype=\"text\"size=\"10\"value=\"$baris[4]\"name=\"hrg_
hp\"/><spanclass=\"style7\">*</span></td>
</tr>
<tr>
<td><b><divalign=\"right\"class=\"style5\">STATUS</div></b></font>
</td>
<td>:</td>
<td>";
if($baris[5]==0)
{
echo
"
<selectname='stat_hp'>
<optionvalue='0'selected>AVAILABLE</option>
<optionvalue='1'>UNAVAILABLE</option>
</select>
";
}
else
{
echo
"
<selectname='stat_hp'>
<optionvalue='0'>AVAILABLE</option>
<optionvalue='1'selected>UNAVAILABLE</option>
</select>
";
}
echo"
</td>
</tr>
<tr>
<td><divalign=\"right\"class=\"style5\"><b>IMAGE</b></div></td>
<td>:</td>
<td><inputtype=\"file\"name=\"fupload\"id=\"fupload\"/></td>
</tr>
<tr>
<td><divalign=\"right\"class=\"style5\"><spanclass=\"style5\"><b>P
RODUCTSPECIFICATION</b></span></div></td>
<td>:</td>
<tdcolspan=\"2\"><textareaname=\"spec_hp\"rows=\"10\">$baris[8]</t
extarea></td>
</tr>";
}}
?>
```

index_cust.php

```
<!DOCTYPEhtmlPUBLIC"-
//W3C//DTDXHTML1.0Transitional//EN""http://www.w3.org/TR/xhtml1/DT
D/xhtml1-transitional.dtd">
<htmlxmlns="http://www.w3.org/1999/xhtml">
<head>
<metahttp-equiv="Content-Type"content="text/html;charset=iso-8859-
1"/>
<?php
session_start();?>
<title><?phpprint$_SESSION['nm']?>HOMEPAGE</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#000000}
.style5{font-weight:bold}
.style6{font-weight:bold;color:#FFFFFF;}
-->
</style>
</head>
<body>
<center>
<tablewidth="743"border="0"bgcolor="#860B0B">
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
<?php
if(!empty($_SESSION['nm']))
{
?>
<tr>
<center><?phpinclude("../style/navC.php");?></center>
</tr>
<tr>
<td>
<divclass="style6"align="right">Welcome,<?phpprint$_SESSION['nm']?
></div>
</td>
</tr><?php
}
else
{
include("../style/nav.php");
echo'<tralign="center"><td><divclass="style6">YouareNotAllowedToAc
cessThisPage,PleaseLogin!!!</td></tr></div>';
}?>
<tr>
<tdheight="375"><divalign="center"class="style3"></div></td>
</tr>
</table>
</p>
</center>
<divalign="center"></div>
</div>
```

```
</body>
</html>
```

frm_search.php

```
<html>
<head>
<title>SEARCHPRODUCTS</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
                        <styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#000000}
.style5{font-weight:bold}
.style6{font-weight:bold;color:#FFFFFF;}
.style7{font-weight:bold;color:#FF0000;font-size:10px;}
-->
</style>
</head>
<body>
<scripttype='text/javascript'>
functioncreateRequestObject(){
varro;
varbrowser=navigator.appName;
if(browser=="MicrosoftInternetExplorer"){
ro=newActiveXObject("Microsoft.XMLHTTP");
}else{
ro=newXMLHttpRequest();
}
returnro;
}
varxmlhttp=createRequestObject();
functionrubah(combobox)
{
varkd_hp=combobox.value;
if(!kd_hp)return;
xmlhttp.open('get','ambildata.php?kd_hp='+kd_hp,true);
xmlhttp.onreadystatechange=function(){
if((xmlhttp.readyState==4)&&(xmlhttp.status==200))
{
document.getElementById("divkedua").innerHTML=xmlhttp.responseText
;
}
returnfalse;
}
xmlhttp.send(null);
}
functionceksubmit()
{
varid_hp=combobox.value;
if(!id_hp)return;
xmlhttp.open('get','search.php?id_hp='+id_hp,true);
xmlhttp.onreadystatechange=function(){
if((xmlhttp.readyState==4)&&(xmlhttp.status==200))
{
```

```
document.getElementById("divkedua").innerHTML=xmlhttp.responseText
;
}
returnfalse;
}
xmlhttp.send(null);

}
</script>
<?php
require_once("../config/koneksi.php");
$query="SELECTkd_hp,mrk_hpFROM017_mst_hpORDERBYkd_hp";
$rs=mysql_query($query)ordie(mysql_error());
$cbstr="";
while($r=mysql_fetch_array($rs))
{
$cbstr.="<optionvalue='$r[kd_hp]'>$r[mrk_hp]</option>";
}
?>
<center>
<tablewidth="441"height="0"border="0"bgcolor="#860B0B">
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
<tr>
<center><?phpinclude("../style/navA.php");?></center>
</tr>
<tr>
<td>
<tablewidth="491"height="263"border="0"align="center"bgcolor="#FFF
FFF"></td></tr>
<tr>
<tdcolspan="3"><divalign="center"class="style5"><strong>SEARCH</st
rong></div></td>
</tr>
<formmethod='post'action='frm_edit_dtl_pro.php'>
<tr><tdalign='right'>BRAND</td><td>:</td><td>
<selectname='pilihan1'onchange='javascript:rubah(this)'>
<option>--ChooseOne--</option>
<?phpecho$cbstr;?>
</select></td></tr>
<tr><tdalign='right'>NAME</td><tdclass='tebal'>:</td><td><divid='d
ivkedua'></div></td></tr>
<inputtype='hidden'name='pilihan'value=''>
<tr><tdcolspan='3'align='center'><inputtype='submit'name='simpan'v
alue='SEARCHPRODUCTS'></td></tr>
</form></table>
</td></tr><tr><td><divalign="center"class="style3">Copyleftbygroov
ewarrior@gmail.com</div></td></tr></table></center>
</body></html>
```

frm_rep_cust.php

```
<?php
require('C:\wamp\www\fpdf\fpdf.php');
require_once('../config/koneksi.php');
```

```
classPDFextendsFPDF
{
functionLoadData()
{
$query="SELECTusername,nm,jk,telp,emailFROM017_loginwherejns=2orde
rbyusername";
$result=mysql_query($query)ordie("Selecterror:".mysql_error());
$data=array();
$y=0;
while($a_row=mysql_fetch_row($result))
{
$x=0;
foreach($a_rowas$field)
{
$data[$y][$x]=stripslashes($field);
$x++;
}
$y++;
}
return$data;
echo'tes';
}
functionHeader()
{
$this->Image('nice.gif',10,8,35,35);
$this->SetFont('Arial','B',12);
$this->Cell(135);
$this->Cell(100,10,'CustomerReport',1,0,'C');
$this->Ln(30);
$this->SetFillColor('Red','','');
}
functionFooter()
{
$this->SetY(-15);
$this->SetFont('Arial','I',8);
$this->Cell(0,10,'Page'.$this->PageNo().'/{nb}',0,0,'C');
}
functionFancyTable($header,$data)
{
//Colors,linewidthandboldfont
$this->SetFillColor(255,0,0);
$this->SetTextColor(255);
$this->SetDrawColor(128,0,0);
$this->SetLineWidth(.3);
$this->SetFont('','B');
//Header
$w=array(50,50,50,50,50);
for($i=0;$i<count($header);$i++)
$this->Cell($w[$i],5,$header[$i],1,0,'C',true);
$this->Ln();
//Colorandfontrestoration
$this->SetFillColor(224,235,255);
$this->SetTextColor(0);
$this->SetFont('');
//Data
$fill=false;
```

```
foreach($dataas$row)
{
$this->Cell($w[0],8,$row[0],'LR',0,'L',$fill);
$this->Cell($w[1],8,$row[1],'LR',0,'L',$fill);
if($row[2]==1)
{$stat="MALE";}
else
{$stat="FEMALE";}
$this->Cell($w[2],8,$stat,'LR',0,'L',$fill);
$this->Cell($w[3],8,$row[3],'LR',0,'L',$fill);
$this->Cell($w[4],8,$row[4],'LR',0,'L',$fill);
$this->Ln();
$fill=!$fill;
}
$this->Cell(array_sum($w),0,'','T');
}
}
$pdf=newPDF('L','mm','A4');
$Header=array('USERNAME','NAME','SEX','TELEPHONE','EMAIL');
$data=$pdf->LoadData();
$pdf->SetFont('Arial','',8);
$pdf->AliasNbPages();
$pdf->AddPage();
$pdf->FancyTable($Header,$data);
            $pdf->Output();
?>
```

frm_login_cust.php

```
<html>
<head>
<title>LOGINCUSTOMER</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style5{font-weight:bold;color:#860B0B}
.style7{font-weight:bold;color:#FF0000;font-size:10px;}
.style6{
font-family:Geneva,Arial,Helvetica,sans-serif;
font-weight:bold;
}
-->
</style>
</head>
<body>
<center>
<formmethod="post"action="#">
<tablewidth="743"border="0"bgcolor="#860B0B">
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
<tr>
```

```
<center><?phpinclude("../style/nav.php");?></center>
</tr>
<tr>
<td><tablewidth="491"height="295"border="0"align="center"bgcolor="
#FFFFFF">
<tr>
<tdcolspan="4"><divalign="center"class="style5"><strong>LOGINCUSTO
MER</strong></div></td>
</tr>
<tr><td><spanclass="style7">*mustbefilled</tr>
<trbordercolor="#FF0000">
<td><divalign="right"class="style5"><spanclass="style5"><b>USERNAM
E</b></font></span></div></td>
<td>:</td>
<tdcolspan="2"><inputtype="text"size="10"name="username"autocomple
te="off">
<spanclass="style7">*</span></td>
</tr>
<trbordercolor="#FF0000">
<td><divalign="right"class="style5"><spanclass="style5"><b>PASSWOR
D</b></font></span></div></td>
<td>:</td>
<tdcolspan="2"><inputtype="password"size="16"name="pwd">
<spanclass="style7">*</span></td>
</tr>
<trbordercolor="#FF0000">
<tdcolspan="4"><divalign="right"spanclass="style2">
<inputname="submit"type="submit"value="LOGIN">
</span><spanclass="style2">
<inputtype="reset"name="reset"value="CANCEL">
</span></div>
<center><?php
if(!empty($_POST['username'])&&!empty($_POST['pwd']))
{include("../config/koneksi.php");

$username=strtoupper($_POST['username']);
$pwd=($_POST['pwd']);
$query="SELECT*FROM017_loginWHEREusername='$username'ANDpwd='".md5
($pwd)."'ANDjns='2'";
$result=mysql_query($query);
$rows=mysql_num_rows($result);
$insert_statement=mysql_query($query);
while($row=mysql_fetch_array($result))
{
$nm=$row["nm"];
$username=$row["username"];
$alamat=$row["alm"];
$telp=$row["telp"];
}
if($rows>0)
{
header("location:index_cust.php");
session_start();
$_SESSION['nm']=$nm;
$_SESSION['uname']=$username;
$_SESSION['alamat']=$alamat;
```

```
$_SESSION['telp']=$telp;
}
else
{
echo"<divalign=\"center\"class=\"style7\">LOGINFAILED!!!</div>";
}
echo'</center>
<divalign="center"></div>
</div>';
}
else
{
echo"<divalign=\"center\"class=\"style7\">FILLINTHEBLANKFIELD!!!</
div>";
}
?></center></td>
</tr>
</td>
</table></td>
</tr>
<td><divalign="center"class="style3">
<divalign="center"></div>
</div>
</table>
</p>
</form>
</body>
</html>
```

frm_inp_cust.php

```
<html>
<head>
<title>LOGINCUSTOMER</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style5{font-weight:bold;color:#860B0B}
.style7{font-weight:bold;color:#FF0000;font-size:10px;}
.style6{
font-family:Geneva,Arial,Helvetica,sans-serif;
font-weight:bold;
}
-->
</style>
</head>
<body>

<center>
<formmethod="post"action="#">
<tablewidth="743"border="0"bgcolor="#860B0B">
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
```

```
<tr>
<center><?phpinclude("../style/nav.php");?></center>
</tr>
<tr>
<td><tablewidth="491"height="295"border="0"align="center"bgcolor="
#FFFFFF">
<tr>
<tdcolspan="4"><divalign="center"class="style5"><strong>LOGINCUSTO
MER</strong></div></td>
</tr>
<tr><td><spanclass="style7">*mustbefilled</tr>
<trbordercolor="#FF0000">
<td><divalign="right"class="style5"><spanclass="style5"><b>USERNAM
E</b></font></span></div></td>
<td>:</td>
<tdcolspan="2"><inputtype="text"size="10"name="username"autocomple
te="off">
<spanclass="style7">*</span></td>
</tr>
<trbordercolor="#FF0000">
<td><divalign="right"class="style5"><spanclass="style5"><b>PASSWOR
D</b></font></span></div></td>
<td>:</td>
<tdcolspan="2"><inputtype="password"size="16"name="pwd">
<spanclass="style7">*</span></td>
</tr>
<trbordercolor="#FF0000">
<tdcolspan="4"><divalign="right"spanclass="style2">
<inputname="submit"type="submit"value="LOGIN">
</span><spanclass="style2">
<inputtype="reset"name="reset"value="CANCEL">
</span></div>
<center><?php
if(!empty($_POST['username'])&&!empty($_POST['pwd']))
{include("../config/koneksi.php");
$username=strtoupper($_POST['username']);
$pwd=($_POST['pwd']);$query="SELECT*FROM017_loginWHEREusername='$u
sername'ANDpwd='".md5($pwd)."'ANDjns='2'";
$result=mysql_query($query);
$rows=mysql_num_rows($result);
$insert_statement=mysql_query($query);
while($row=mysql_fetch_array($result))
{
$nm=$row["nm"];
$username=$row["username"];
$alamat=$row["alm"];
$telp=$row["telp"];
}
if($rows>0)
{
header("location:index_cust.php");
session_start();
$_SESSION['nm']=$nm;
$_SESSION['uname']=$username;
$_SESSION['alamat']=$alamat;
$_SESSION['telp']=$telp;
```

```
}
else
{
echo"<divalign=\"center\"class=\"style7\">LOGINFAILED!!!</div>";
}
echo'</center>
<divalign="center"></div>
</div>';
}
else
{
echo"<divalign=\"center\"class=\"style7\">FILLINTHEBLANKFIELD!!!</
div>";
}
?></center></td>
</tr>
</td>
</table></td>
</tr>

      <td><divalign="center"class="style3">
<divalign="center"></div>
</div>
</table>
</p>
</form>
</body>
</html>
```

frm_edit_cust.php

```
<!DOCTYPEhtmlPUBLIC"-
//W3C//DTDXHTML1.0Transitional//EN""http://www.w3.org/TR/xhtml1/DT
D/xhtml1-transitional.dtd">
<htmlxmlns="http://www.w3.org/1999/xhtml">
<head>
<metahttp-equiv="Content-Type"content="text/html;charset=iso-8859-
1"/>
<?php
session_start();?>
<title><?phpprint$_SESSION['nm']?>EDITPROFILE</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#000000}
.style5{font-weight:bold}
.style6{font-weight:bold;color:#FFFFFF;}
.style8{font-weight:bold;color:#0B0FA6;font-size:10px;}
.style7{font-weight:bold;color:#FF0000;font-size:10px;}


-->
</style>
</head>
<body>
```

```
<center><formmethod="post"action="frm_edit_cust.php"enctype="multi
part/form-data">
<tablewidth="743"border="0"bgcolor="#860B0B">
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
<?php
if(!empty($_SESSION['nm']))
{
?>
<tr>
<center><?phpinclude("../style/navC.php");?></center>
</tr>
<tr>
<td>
<divclass="style6"align="right">Welcome,<?phpprint$_SESSION['nm']?
></div>
</td>
</tr>
<?php
include("../config/koneksi.php");
if(!empty($_SESSION['uname']))
{
$u_name=$_SESSION['uname'];
$cust_nm=$_SESSION['nm'];
//$kd_hp=strtoupper($_GET['kd_hp']);
$query=mysql_query("select*from017_loginwhereusername='$u_name'");
while($baris=mysql_fetch_array($query))
{
echo"
<tr>
<td><tablewidth=\"674\"border=\"0\"align=\"center\"bgcolor=\"#FFFF
FF\"></td>
</tr>
<tr>
<tdcolspan=\"4\"><divalign=\"center\"class=\"style5\"><strong>".$c
ust_nm."PROFILE</strong><br></div></td>
<tr>
";
if($baris[6]=="")
{
$gambar="../img/unavailablep.png";
}
else
{
$gambar=$baris[6];
}
echo"
<tdalign=\"center\"width=\"188\"rowspan=\"5\"><imgheight=\"125\"wi
dth=\"120\"src=".$gambar."title=".$cust_nm."PHOTO></td>
<tdwidth=\"122\"><divalign=\"right\">NAME</div></td>
<tdwidth=\"12\">:</td>
<tdwidth=\"500\"><inputtype=\"text\"size=\"30\"value=\"$baris[3]\"
name=\"nm\"/></td>
</tr>
<tr>
```

```
<td><divalign=\"right\">SEX</div></td>
<td>:</td>
<td>";
if($baris[4]==1)
{
echo
"
<selectname='jk'>
<optionvalue='1'selected>MALE</option>
<optionvalue='0'>FEMALE</option>
</select>
";
}
else
{
echo
"
<selectname='jk_cust'>
<optionvalue='1'>MALE</option>
<optionvalue='0'selected>FEMALE</option>
</select>
";
}
echo"</td>";
echo"
</tr>
<tr>
<td><divalign=\"right\">PHONENUMBER</div></td>
<td>:</td>
<td><inputtype=\"text\"size=\"15\"value=\"$baris[7]\"name=\"telp\"
/></td>
</tr>
<tr>
<td><divalign=\"right\">EMAIL</div></td>
<td>:</td>
<td><inputtype=\"text\"size=\"40\"value=\"$baris[8]\"name=\"email\
"/></td>
</tr>
<tr>
<td><divalign=\"right\">ADDRESS</div></td>
<td>:</td>
<td><textareaname=\"add\"rows=\"5\">$baris[9]</textarea></td>
</tr>
<tr>
<td><inputtype=\"file\"name=\"fupload\"id=\"fupload\"/></td><td></
td><tdcolspan=\"3\"><inputtype=\"submit\"name=\"submit\"value=\"UP
DATE\"><inputtype=\"reset\"name=\"reset\"value=\"CANCEL\"></td>
</tr>
</p>
</form>
";
}
}
?>
<tr>
<?php
```

```
}
else
{
require_once("../style/nav.php");
echo'<tralign="center"><td><divclass="style6">YouareNotAllowedToAc
cessThisPage,PleaseLogin!!!</td></tr></div>';
}?>
<?php
if(!empty($_SESSION['nm'])&&(empty($_POST['nm'])||empty($_POST['te
lp'])||empty($_POST['email'])||empty($_POST['add'])))
{echo'<center><tr><td><divclass="style7"align="center">PLEASECOMPL
ETEYOURDATA!!!</div></td></tr></center>';
?>
<td></td><td></td><td></td><td></td></tr></table>
<?php
}
else
{
$_SESSION['uname']=$u_name;
$nm=strtoupper($_POST['nm']);
$jk=strtoupper($_POST['jk']);
$telp=strtoupper($_POST['telp']);
$email=strtoupper($_POST['email']);
$add=strtoupper($_POST['add']);
$lokasi_file=$_FILES['fupload']['tmp_name'];
$nama_file=$u_name."."."jpeg";
$ukuran_file=$_FILES['fupload']['size'];
$type_file=$_FILES['fupload']['type'];
$direktori="pict/$nama_file";
if($type_file!="image/gif"&&$type_file!="image/jpeg"&&$type_file!=
"image/png"&&$type_file!="image/jpg"&&$type_file!="")
{
//header("location:frm_inf_dtl_product_edit.php?id_product=$id_pro
&col_product=$warna");
echo'<divalign="center"class="style7"align="center">ONLYALLOWEDGIF
,JPEG,JPG,PNGTYPE!!!</div>';
}
if($ukuran_file>=204800)
{
//header("location:frm_inf_dtl_product_input.php");
echo'<divalign="center"class="style7"align="center">IMAGESIZEISTOO
BIG(MAX.200KB)!!!</div>';
}
else
{
if(move_uploaded_file($lokasi_file,$direktori))
{
$sql="update017_loginsetnm='$nm',jk='$jk',telp='$telp',email='$ema
il',alm='$add',pict='$nama_file',dir='$direktori'whereusername='$u
_name'";
$query=mysql_query($sql);
header("location:frm_data_cust.php");
//echo'<divclass="style8"align="center">DATASUCCESFULLYUPDATED!!!<
/div>';
}
else
```

```
{
$sql="update017_loginsetnm='$nm',jk='$jk',telp='$telp',email='$ema
il',alm='$add',pict='$nama_file',dir='$direktori'whereusername='$u
_name'";
$query=mysql_query($sql);
header("location:frm_data_cust.php");
//echo'<divclass="style8"align="center">DATASUCCESFULLYUPDATED!!!<
/div>';
}
}}
?><tr>
<td><divalign="center"class="style3">Copyleftbygroovewarrior@gmail
.com</div></td>
</tr>
</p>
</center>
<divalign="center"></div>
</div></form>
</body>
</html>
```

frm_data_cust.php

```
<!DOCTYPEhtmlPUBLIC"-
//W3C//DTDXHTML1.0Transitional//EN""http://www.w3.org/TR/xhtml1/DT
D/xhtml1-transitional.dtd">
<htmlxmlns="http://www.w3.org/1999/xhtml">
<head>
<metahttp-equiv="Content-Type"content="text/html;charset=iso-8859-
1"/>
<?php
session_start();?>
<title><?phpprint$_SESSION['nm']?>PROFILE</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#000000}
.style5{font-weight:bold}
.style6{font-weight:bold;color:#FFFFFF;}
a:link{
color:#FFFFFF;
}
a:visited{
color:#FFFFFF;
}
a:hover{
color:#FFFFFF;
}
a:active{
color:#FFFFFF;
}
-->
</style>
</head>
<body>
```

```
<center>
<tablewidth="743"border="0"bgcolor="#860B0B">
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
<?php
if(!empty($_SESSION['nm']))
{
?>
<tr>
<center><?phpinclude("../style/navC.php");?></center>
</tr>
<tr>
<td>
<divclass="style6"align="right">Welcome,<?phpprint$_SESSION['nm']?
></div>
</td>
</tr>
<?php
include("../config/koneksi.php");
if(!empty($_SESSION['uname']))
{
$u_name=$_SESSION['uname'];
$cust_nm=$_SESSION['nm'];
//$kd_hp=strtoupper($_GET['kd_hp']);
$query=mysql_query("select*from017_loginwhereusername='$u_name'");
while($baris=mysql_fetch_array($query))
{
echo"
<tr>
<td><tablewidth=\"674\"border=\"0\"align=\"center\"bgcolor=\"#FFFF
FF\"></td>
</tr>
<tr>
<tdcolspan=\"4\"><divalign=\"center\"class=\"style5\"><strong>".$c
ust_nm."PROFILE</strong><br></div></td>


<tr>";
if($baris[6]=="")
{
$gambar="../img/unavailablep.png";
}
else
{
$gambar=$baris[6];
}
echo"
<tdalign=\"center\"width=\"188\"rowspan=\"5\"><imgheight=\"125\"wi
dth=\"120\"src=".$gambar."title=".$cust_nm."PHOTO></td>
<tdwidth=\"122\"><divalign=\"right\">NAME</div></td>
<tdwidth=\"12\">:</td>
<tdwidth=\"500\">$baris[3]</td>
</tr>
<tr>
<td><divalign=\"right\">SEX</div></td>
```

```
<td>:</td>
<td>";
if($baris[4]==1)
{
echo"MALE";
}
else
{
echo"FEMALE";
}
echo"</td>";
echo"
</tr>
<tr>
<td><divalign=\"right\">PHONENUMBER</div></td>
<td>:</td>
<td>$baris[7]</td>
</tr>
<tr>
<td><divalign=\"right\">EMAIL</div></td>
<td>:</td>
<td>$baris[8]</td>
</tr>
<tr>
<td><divalign=\"right\">ADDRESS</div></td>
<td>:</td>
<td>$baris[9]</td>
</tr>
<tr>
<td><divid=\"v_mnu_01\">

<li><b><ahref=\"frm_edit_cust.php\">EDITPROFILE</a></li></b>
<li><b><ahref=\"frm_chpw_cust.php\"class=\"notopbrdr0xNone\">CHANG
EPASSWORD</a></b></li>
</div></td>
</tr>
</table>
</p>
</form>
";
}
}
?>
</tr>
<?php
}
else
{
include("../style/nav.php");
echo'<tralign="center"><td><divclass="style6">YouareNotAllowedToAc
cessThisPage,PleaseLogin!!!</td></tr></div>';
}?>
<tr>
<td><divalign="center"class="style3">Copyleftbygroovewarrior@gmail
.com</div></td>
</tr>
```

```
</table>
</p>
</center>
<divalign="center"></div>
</div>
</body>
</html>
```

frm_chpw_cust.php

```
<html>
<head>
<title>CHANGEPASSWORD</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<?phpsession_start();?>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#000000}
.style5{font-weight:bold}
.style6{font-weight:bold;color:#FFFFFF;font-size:13px}
.style7{font-weight:bold;color:#FF0000;font-size:10px;}
.style8{font-weight:bold;color:#0B0FA6;font-size:10px;}
}
-->
</style>
</head>
<body>
<center>
<formmethod="post"action="#">
<tablewidth="743"border="0"bgcolor="#860B0B">
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
<?php
if(!empty($_SESSION['nm']))
{
?>
<tr>
<center><?phpinclude("../style/navC.php");?></center>
</tr>
<tr>
<td> </td>
</tr>
<tr>
<tdheight="350"><tablewidth="491"height="275"border="0"align="cent
er"bgcolor="#FFFFFF">
<tr>
<tdcolspan="4"><divalign="center"class="style5"><strong>CHANGEPASS
WORD</strong></div></td>
</tr>
<tr><tdwidth="152"><spanclass="style7">*mustbefilled</tr>
<trbordercolor="#FF0000">
<td><divalign="right"class="style5"><spanclass="style5"><b>OLDPASS
WORD</b></font></span></div></td>
<td>:</td>
```

```
<tdcolspan="2"><inputtype="password"size="16"name="pwd">
<spanclass="style7">*</span></td>
</tr>
<trbordercolor="#FF0000">
<td><divalign="right"class="style5"><spanclass="style5"><b>NEWPASS
WORD</b></font></span></div></td>
<td>:</td>
<tdcolspan="2"><inputtype="password"size="16"name="n_pwd">
<spanclass="style7">*</span></td>
</tr>
<trbordercolor="#FF0000">
<td><divalign="right"class="style5"><spanclass="style5"><b>RE-
TYPENEWPASSWORD</b></font></span></div></td>
<td>:</td>
<tdcolspan="2"><inputtype="password"size="16"name="n_pwd1">
<spanclass="style7">*</span></td>
</tr>
<trbordercolor="#FF0000">
<tdcolspan="4"><divalign="right"spanclass="style2">
<inputname="submit"type="submit"value="SAVE">
</span><spanclass="style2">
<inputtype="reset"name="reset"value="CANCEL">
</span></div>
<center><?php
if(!empty($_POST['pwd'])&&!empty($_POST['n_pwd'])&&!empty($_POST['
n_pwd1']))
{
include("../config/koneksi.php");
$n_pwd=($_POST['n_pwd']);
$n_pwd1=($_POST['n_pwd1']);
$u_name=$_COOKIE['username'];
$pwd=($_POST['pwd']);
$query="SELECT*FROM017_loginWHEREusername='$u_name'ANDpwd='$pwd'";
$result=mysql_query($query);
$rows=mysql_num_rows($result);
if($rows>0)
{
if($n_pwd==$n_pwd1)
{
$sql="update017_loginsetpwd='$n_pwd'whereusername='$u_name'";
$query=mysql_query($sql);
echo'<divclass="style8">PASSWORDSUCCESFULLYCHANGED!!!</div>';
}
else
{
echo'<divclass="style7">NEWPASSWORDDOESN\'TMATCH!!!</div>';
}
}
else
{
echo"<divalign=\"center\"class=\"style7\">WRONGPASSWORD!!!</div>";
}
echo'</center>
<divalign="center"></div>
</div>';
}
```

```
else
{
echo'<divclass="style7">FILLINTHEBLANKFIELD!!!</div>';
}
?></center></td>
</tr>
</td>
</table></td>
<?php
}
else
{
include("../style/nav.php");
echo'<tralign="center"><td><divclass="style6">YouareNotAllowedToAc
cessThisPage,PleaseLogin!!!</td></tr></div>';
}?>
</tr>
<td><divalign="center"class="style3">
<divalign="center">Copyleftbygroovewarrior@gmail.com</div>
</div>
</table>
</p>
</form>
</body>
</html>
```

ORDER FILES

clear_all.php

```
<?php
session_start();
if(!empty($_SESSION['total'])&&!empty($_SESSION['cart']))
{
unset($_SESSION['cart']);
unset($_SESSION['total']);
unset($_SESSION['telp']);
header("location:../customer/index_cust.php");
?>
<?php
}
elseif(!empty($_SESSION['nm']))
{
header("location:../customer/index_cust.php");
}
else
{?>
<!DOCTYPEhtmlPUBLIC"-
//W3C//DTDXHTML1.0Transitional//EN""http://www.w3.org/TR/xhtml1/DT
D/xhtml1-transitional.dtd">
<htmlxmlns="http://www.w3.org/1999/xhtml">
<head>
<metahttp-equiv="Content-Type"content="text/html;charset=iso-8859-
1"/>
```

```
<title></title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#000000}
.style5{font-weight:bold}
.style6{font-weight:bold;color:#FFFFFF;}
-->
</style>
</head>
<body>
<center>
<tablewidth="743"border="0"bgcolor="#860B0B">
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
<tr>
</tr>
<tr>
<td>
</td>
</tr><?php
include("../style/nav.php");
echo'<tralign="center"><td><divclass="style6">YouareNotAllowedToAc
cessThisPage,PleaseLogin!!!</td></tr></div>';
}?>
<tr>
<td><divalign="center"class="style3">Copyleftbygroovewarrior@gmail
.com</div></td>
</tr>
</table>
</p>
</center>
<divalign="center"></div>
</div>
</body>
</html>
```

frm_a2cart.php

```
<?php
//IncludeMySQLclass
//require_once('../config/mysql.class.php');
//Includedatabaseconnection
require_once('../config/koneksi.php');
//Includefunctions
require_once('../config/orderfunc.php');
//Startthesession
session_start();
//Processactions
$cart=$_SESSION['cart'];
```

```
$action=$_GET['action'];
switch($action){
case'add':
if($cart){
$cart.=','.$_GET['id'];
}else{
$cart=$_GET['id'];
}
break;
case'delete':
if($cart){
$items=explode(',',$cart);
$newcart='';
foreach($itemsas$item){
if($_GET['id']!=$item){
if($newcart!=''){
$newcart.=','.$item;
}else{
$newcart=$item;
}
}
}
$cart=$newcart;
}
break;
case'update':
if($cart){
$newcart='';
foreach($_POSTas$key=>$value){
if(stristr($key,'qty')){
$id=str_replace('qty','',$key);
$items=($newcart!='')?explode(',',$newcart):explode(',',$cart);
$newcart='';
foreach($itemsas$item){
if($id!=$item){
if($newcart!=''){
$newcart.=','.$item;
}else{
$newcart=$item;
}
}
}
for($i=1;$i<=$value;$i++){
if($newcart!=''){
$newcart.=','.$id;
}else{
$newcart=$id;
}
}
}
}
}
$cart=$newcart;
break;
}
$_SESSION['cart']=$cart;
```

```
?><!DOCTYPEhtmlPUBLIC"-
//W3C//DTDXHTML1.0Strict//EN""http://www.w3.org/TR/xhtml1/DTD/xhtm
l1-strict.dtd">
<htmlxmlns="http://www.w3.org/1999/xhtml"xml:lang="en"lang="en">
<head>
<title><?phpprint$_SESSION['nm']?>ShoppingCart</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#000000;font-size:12px;}
.style5{font-weight:bold}
.style6{color:#000000;font-size:10px;}
.style7{font-weight:bold;color:#FF0000;font-size:10px;}
.style8{font-weight:bold;color:#FFFFFF;font-size:13px;}
a:link{
color:#FFFFFF;
}
a:visited{
color:#FFFFFF;
}
a:hover{
color:#FFFFFF;
}
a:active{
color:#FFFFFF;
}
-->
</style>
</head>
<body>
<center><tablewidth="441"height="0"border="0"bgcolor="#860B0B">
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
<?php
if(!empty($_SESSION['nm']))
{
?>
<tr>
<center><?phprequire_once("../style/navC.php");?></center>
</tr>
<tr>
<td><tablewidth="675"border="0"align="center"bgcolor="#ffffff"><tr
><tdcolspan="3"><br/>
<divalign="center"><fontcolor="#860B0B"><strong><?phpprint$_SESSIO
N['nm']?>ShoppingCart</strong></font></div>
</div><br/></td></tr>
<divid="shoppingcart">
</div>
<divid="contents">
<spanclass="style8"><marqueebehavior="alternate">PleaseCheckQuanti
ties...</marquee><br/>
<ahref="../product/show_pro.php">BacktoShop...</a><hr></span>
<tr><td>
```

```
<?php
echoshowCart();
?><formaction="frm_checkout.php"><center><inputtype="submit"name="
submit"value="Checkout"></center></form></td></tr>
</div>
<?php
}
else
{
include("../style/nav.php");
echo'<tralign="center"><td><divclass="style8">YouareNotAllowedToAc
cessThisPage,PleaseLogin!!!</td></tr></div>';
echo'<tr><td><divalign="center"class="style3">Copyleftbygroovewarr
ior@gmail.com</div></td></tr>';
}
?>
</table><tr><td><divalign="center"class="style3">Copyleftbygroovew
arrior@gmail.com</div></td></tr>
</body>
</html>
```

frm_checkout.php

```
<!DOCTYPEhtmlPUBLIC"-
//W3C//DTDXHTML1.0Transitional//EN""http://www.w3.org/TR/xhtml1/DT
D/xhtml1-transitional.dtd">
<htmlxmlns="http://www.w3.org/1999/xhtml">
<head>
<metahttp-equiv="Content-Type"content="text/html;charset=iso-8859-
1"/>
<title>CHECKOUT</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#000000}
.style5{font-weight:bold}
.style6{font-weight:bold;color:#FFFFFF;}
.style7{font-weight:bold;color:#FF0000;font-size:10px;}
-->
</style>
<scriptlanguage="javascript">
functiondinamis(tes)
{
varkode=tes.value;
window.location="?kd_hp="+kode;
}
</script>
</head>
<body>
<center>
<formmethod="post"enctype="multipart/form-data"action="#">
<tablewidth="441"height="0"border="0"bgcolor="#860B0B">
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
```

```
</tr>
<?php
require_once("../config/koneksi.php");
session_start();?><?php
if(!empty($_SESSION['cart']))
{
?>
<tr>
<center><?phpinclude("../style/navC.php");?></center>
</tr>
<tr>
<td>
<tablewidth="491"height="263"border="0"align="center"bgcolor="#FFF
FFF"></td></tr>
<tr>
<tdcolspan="3"><divalign="center"class="style5"><strong>CHECKOUT</
strong></div></td>
</tr>
<tr><tdheight="34"><spanclass="style7">*mustbefilled</tr>
<td>
<tr>
<?php
$ido=setID("select*from017_mst_ord","ORD");
?><td><divalign="right"class="style5"><b>ORDERID</b></div></td>
<td>:</td>
<tdcolspan="2"><?phpecho$ido;?>
</td>
</tr>
<tr>
<td><b><divalign="right"class="style5">ORDERDATE</div></b></td>
<td>:</td>
<td><?phpechodate("Y-m-d");?><spanclass="style7">(YYYY-MM-
DD)</span></td>
</tr>
<tr>
<td><b><divalign="right"class="style5">USERNAME</div></b></td>
<td>:</td>
<td><?phpprint$_SESSION['uname']?></td>
</tr>
<tr>
<td><b><divalign="right"class="style5">GRANDTOTAL</div></b></td>
<td>:</td>
<td>Rp<?phpprint$_SESSION['total']?></td>
</tr>
<tr>
<td><b><divalign="right"class="style5">ADDRESSTODELIVER</div></b><
/td>
<td>:</td>
<td><textareaname="alamat"rows="5"><?phpprint$_SESSION['alamat']?>
</textarea><spanclass="style7">*</span></td>
</tr>
<tr>
<td><b><divalign="right"class="style5">CONTACTNUMBER</div></b></td
>
<td>:</td>
<td><?phpprint$_SESSION['telp']?></td>
```

```
</tr>
<tr>
<td></td>
<td></td>
<tdcolspan="3"><inputtype="submit"name="submit"value="BACKTOCART">
<inputtype="submit"name="submit"value="CONFIRM"><inputtype="reset"
name="reset"value="CANCEL"></td>
</tr>
<?php
if(!empty($_POST['alamat'])&&$_POST['submit']=="CONFIRM")
{
$tgl_ord=date("Y-m-d");
$uname=$_SESSION['uname'];
$alm_ord=strtoupper($_POST['alamat']);
$total=$_SESSION['total'];
$cart=$_SESSION['cart'];
if($cart)
{
$items=explode(',',$cart);
$contents=array();
foreach($itemsas$item)
{
$contents[$item]=(isset($contents[$item]))?$contents[$item]+1:1;
}
foreach($contentsas$id=>$qty){
//$query=mysql_query("select*fromtes_cartorderbyid_product");
$query=mysql_query("SELECT*FROM017_dtl_hpWHEREid_pro='$id'");
while($baris=mysql_fetch_array($query))
{
$sum_dtl=$baris[4]*$qty;
$sqld="insertinto017_dtl_ordvalues('$ido','$baris[1]','$qty','$sum
_dtl')";
$queryd=mysql_query($sqld);
}
}
}
$sql="insertinto017_mst_ordvalues('$ido','$uname','$tgl_ord','$alm
_ord','$total',1,'','','')";
$query=mysql_query($sql);
header("location:frm_complete_ord.php");
echo"<scriptlanguage=\"JavaScript\">\n";
echo"alert(\"INPUTDATASUCCESS\");\n";
echo"</script>";
}
elseif($_POST['submit']=="BACKTOCART")
{
header("location:frm_a2cart.php");
}
else
//if(move_uploaded_file($lokasi_un,$direktori))
{
echo'<tr><tdcolspan="3"><divclass="style7"align="center">PLEASECOM
PLETEYOURINPUT!!!</div></td></tr>';
}
```

```
//echo'<tr><tdcolspan="3"><divclass="style7"align="center">PLEASEC
OMPLETEYOURINPUT!!!</div></td></tr>';

?>
</table>
<?php
}
elseif(!empty($_SESSION['cart']))
{
include("../style/navC.php");
echo'<tralign="center"><td><divclass="style6">YourShoppingCartWasE
mpty,OrderSomethingFirst!!!</td></tr></div>';
}
else
{
include("../style/navC.php");
echo'<tralign="center"><td><divclass="style6">YourShoppingCartWasE
mpty,OrderSomethingFirst!!!</td></tr></div>';
//include("../style/nav.php");
//echo'<tralign="center"><td><divclass="style6">YouareNotAllowedTo
AccessThisPage,PleaseLogin!!!</td></tr></div>';
}
echo'<tr><td><divalign="center"class="style3">Copyleftbygroovewarr
ior@gmail.com</div></td></tr>';?>
</table>
</form>
</body>
</html>
```

frm_complete_ord.php

```
<!DOCTYPEhtmlPUBLIC"-
//W3C//DTDXHTML1.0Transitional//EN""http://www.w3.org/TR/xhtml1/DT
D/xhtml1-transitional.dtd">
<htmlxmlns="http://www.w3.org/1999/xhtml">
<head>
<metahttp-equiv="Content-Type"content="text/html;charset=iso-8859-
1"/>
<title>YOURORDERHASBEENCOMPLETE</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#000000;font-size:12px;}
.style5{font-weight:bold}
.style6{font-weight:bold;color:#FFFFFF;}
.style7{font-weight:bold;color:#FF0000;font-size:10px;}
.style8{font-weight:bold;color:#FFFFFF;font-size:13px;}
a:link{
color:#860B0B;
}
a:visited{
color:#FF0000;
}
```

```
a:hover{
color:#FF0000;
}
a:active{
color:#860B0B;
}
-->
</style>
</head>
<body>
<center><tablewidth="441"height="0"border="0"bgcolor="#860B0B">
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
<tr>
</tr>
<?php
session_start();?><?php
if(!empty($_SESSION['nm']))
{
?>
<tr>
<td><tablewidth="799"border="0"align="center"bgcolor="#ffffff"><tr
><td>
<palign="center"><fontcolor="#860B0B"size="+2"><strong>THANKYOU,<?
phpprint$_SESSION['nm']?></strong></font></p>
<palign="center"><strong>.....
.....
...</strong></p>
</td></tr>
<tr>
<td>
<divalign="center">
<p><imgsrc="../img/NICE.gif"/></p>
<p>Wewilldeliveryourorderassoonaswereceiveyourpayment</p>
<p>Click<ahref="clear_all.php">Here</a>togotoyourhomepage</p>
</div>
</td>
</tr>
</table>
<?php
}
else
{?><?phpinclude("../style/nav.php");?>
<?phpecho'<tralign="center"><td><divclass="style6">YouareNotAllowe
dToAccessThisPage,PleaseLogin!!!</td></tr></div>';
}
//echo'<tr><td><divalign="center"class="style3">Copyleftbygroovewa
rrior@gmail.com</div></td></tr>';?>
<tr><td><divalign="center"class="style3">Copyleftbygroovewarrior@g
mail.com</div></td></tr></table>
</body>
</html>
```

frm_manage_ord.php

```
<html>
<head><title>MANAGEORDER</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#ffffff;font-size:12px;}
.style5{font-weight:bold}
.style6{color:#000000;font-size:10px;}
.style7{font-weight:bold;color:#ffffff;font-size:10px;}
.style8{font-weight:bold;color:#FFFFFF;font-size:13px;}
a:link{
color:#FFFFFF;
}
a:visited{
color:#FFFFFF;
}
a:hover{
color:#FFFFFF;
}
a:active{
color:#FFFFFF;
}
-->
</style>
<metahttp-equiv="Content-Type"content="text/html;charset=iso-8859-
1"></head>
<body>
<center><tablewidth="441"height="0"border="0"bgcolor="#860B0B">
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
<tr>
<center><?phpinclude("../style/navA.php");?></center>
</tr>
<tr>
<td><tablewidth="491"border="0"align="center"bgcolor="#FFFFFF"><tr
><tdcolspan="3"><divalign="center"class="style5">
<divalign="center"><strong>MANAGEORDER</strong></div>
</div></td></tr>
<tr><td><?php
include("../config/koneksi.php");
$hal=$_GET[hal];
if(!isset($_GET['hal'])){
$page=1;
}else{
$page=$_GET['hal'];
}
$max_results=5;
$from=(($page*$max_results)-$max_results);
$query=mysql_query("select*from017_MST_ORDorderbyid_ordascLIMIT$fr
om,$max_results");
//$jumlah=mysql_num_rows($query);
echo'<tablewidth="675"bordercolor="#000000"cellpadding="2"rules="r
ows"cellspacing="2"bgcolor="#ffffff">
```

```
<trbgcolor="#860B0B">
<th><spanclass="style7">IDORDER</span></th>
<th><spanclass="style7">USERNAME</span></th>
<th><spanclass="style7">ORDERDATE</span></th>
<th><spanclass="style7">ADDRESSTODELIVER</span></th>
<th><spanclass="style7">GRANDTOTAL</span></th>
<th><spanclass="style7">RECEIVEPAYMENTDATE</span></th>
<th><spanclass="style7">DELIVERDATE</span></th>
<th><spanclass="style7">ACCEPTDATE</span></th>
<th><spanclass="style7">STATUS</span></th>
<th><spanclass="style7">MENU</span></th>
</tr>';
$total_results=mysql_result(mysql_query("SELECTCOUNT(*)asNumFROM01
7_mst_ord"),0);
$total_pages=ceil($total_results/$max_results);
echo'<palign="left"><fontcolor="#000000"size=\"2\"><strong>'.$tota
l_results.'</strong>DataInThisTable</font></br>';
if($hal>1){
$prev=($page-1);
echo"<ahref=$_SERVER[PHP_SELF]?hal=1><imgsrc=\"../img/first.png\"h
eight=\"15\"width=\"15\"title=\"FIRST\"></a>";
echo"<ahref=$_SERVER[PHP_SELF]?hal=$prev><imgsrc=\"../img/prev.png
\"height=\"15\"width=\"15\"title=\"PREVIOUS\"></a>";
}
for($i=1;$i<=$total_pages;$i++){
if(($hal)==$i){
echo"$i";
}else{
echo"<ahref=$_SERVER[PHP_SELF]?hal=$i><fontcolor=\"#000000\"size=\
"2\">$i</font></a>";
}
}
if($hal<$total_pages){
$next=($page+1);
echo"<ahref=$_SERVER[PHP_SELF]?hal=$next><imgsrc=\"../img/next.png
\"height=\"15\"width=\"15\"title=\"NEXT\"></a>";
echo"<ahref=$_SERVER[PHP_SELF]?hal=1><imgsrc=\"../img/last.png\"he
ight=\"15\"width=\"15\"title=\"LAST\"></a>";
}
while($baris
=mysql_fetch_array($query))
{
echo'<tr>';
echo'
<td><spanclass="style6"><center>'.$baris[0].'</center></span></td>
<td><spanclass="style6"><center>'.$baris[1].'</center></span></td>
<td><spanclass="style6"><center>'.$baris[2].'</center></span></td>
<td><spanclass="style6"><center><textareareadonly="readonly"rows="
5">'.$baris[3].'</textarea></center></span></td>
<td><spanclass="style6"><center>'.$baris[4].'</center></span></td>
<td><spanclass="style6"><center>'.$baris[6].'</center></span></td>
<td><spanclass="style6"><center>'.$baris[7].'</center></span></td>
<td><spanclass="style6"><center>'.$baris[8].'</center></span></td>
';
if($baris[5]=='1')
{$status='pending';
```

```
echo'
<td><spanclass="style6"><center><imgtitle="STATUSPENDING"src="../i
mg/pend.ico"height="25"width="25"></center></span></td>
';
print"<td><ahref=\"frm_manage_ord.php?hal=$hal&id_ord=$baris[0]&st
at_ord=2\"><center><imgtitle=\"CHANGESTATUSTORECEIVED\"src=\"../im
g/rec.ico\"height=\"25\"width=\"25\"></center></a></td>";
}
elseif($baris[5]=='2')
{$status='receive';
echo'
<td><spanclass="style6"><center><imgtitle="STATUSRECEIVED"src="../
img/rec.ico"height="25"width="25"></center></span></td>
';
print"<td><ahref=\"frm_manage_ord.php?hal=$hal&id_ord=$baris[0]&st
at_ord=3\"><center><imgtitle=\"CHANGESTATUSTODELIVERED\"src=\"../i
mg/del.ico\"height=\"25\"width=\"25\"></center></a></td>";
}
elseif($baris[5]=='3')
{$status='deliver';
echo'
<td><spanclass="style6"><center><imgtitle="STATUSDELIVERED"src="..
/img/del.ico"height="25"width="25"></center></span></td>
';
print"<td><ahref=\"frm_manage_ord.php?hal=$hal&id_ord=$baris[0]&st
at_ord=4\"><center><imgtitle=\"CHANGESTATUSTOACCEPTED\"src=\"../im
g/acc.ico\"height=\"25\"width=\"25\"></center></a></td>";
}
elseif($baris[5]=='4')
{$status='accept';
echo'
<td><spanclass="style6"><center><imgtitle="STATUSACCEPTED"src="../
img/acc.ico"height="25"width="25"></center></span></td>
';
print"<td><ahref=\"frm_manage_ord.php?hal=$hal&id_ord=$baris[0]\">
<center><imgtitle=\"CETAKREPORT\"src=\"../img/pdf.ico\"height=\"25
\"width=\"25\"></center></a></td>";
}
echo'</td></tr>';
}
echo'</table></table><divalign="right"class="style3">
<divalign="center">Copyleftbygroovewarrior@gmail.com</div>
</div></table></center>';
?>
<?php
if(!empty($_GET['id_ord']))
{
$tgl_ord=date("Y-m-d");
$id_ord=strtoupper($_GET['id_ord']);
$stat_order=strtoupper($_GET['stat_ord']);
if($stat_order==2)
{
$query=mysql_query("update017_MST_ORDsetstat_ord='$stat_order',rec
_date='$tgl_ord'whereid_ord='$id_ord'");
}
elseif($stat_order==3)
```

```
{
$query=mysql_query("update017_MST_ORDsetstat_ord='$stat_order',del
_date='$tgl_ord'whereid_ord='$id_ord'");
}
elseif($stat_order==4)
{
$query=mysql_query("update017_MST_ORDsetstat_ord='$stat_order',acc
_date='$tgl_ord'whereid_ord='$id_ord'");
}
header("location:frm_manage_ord.php");
}
?>
</body>
</html>
```

frm_rep_all_ord.php

```
<?php
require('C:\wamp\www\fpdf\fpdf.php');
require_once('../config/koneksi.php');
classPDFextendsFPDF
{
functionLoadData()
{
$query="SELECTid_ord,username,dt_ord,alm,sum_mst_ord,rec_date,del_
date,acc_datefrom017_mst_ordwherestat_ord=4orderbyid_ord";
$result=mysql_query($query)ordie("Selecterror:".mysql_error());
$data=array();
$y=0;
while($a_row=mysql_fetch_row($result))
{
$x=0;
foreach($a_rowas$field)
{
$data[$y][$x]=stripslashes($field);
$x++;
}
$y++;
}
return$data;
echo'tes';
}
functionHeader()
{
$this->Image('nice.gif',10,8,35,35);
$this->SetFont('Arial','B',12);
$this->Cell(135);
$this->Cell(100,10,'OrderReport',1,0,'C');
$this->Ln(30);
$this->SetFillColor('Red','','');
}
functionFooter()
{
$this->SetY(-15);
$this->SetFont('Arial','I',8);
$this->Cell(0,10,'Page'.$this->PageNo().'/{nb}',0,0,'C');
```

```
}
functionFancyTable($header,$data)
{
//Colors,linewidthandboldfont
$this->SetFillColor(255,0,0);
$this->SetTextColor(255);
$this->SetDrawColor(128,0,0);
$this->SetLineWidth(.3);
$this->SetFont('','B');
//Header
$w=array(20,20,25,30,25,35,35,35);
for($i=0;$i<count($header);$i++)
$this->Cell($w[$i],8,$header[$i],1,0,'C',true);
$this->Ln();
//Colorandfontrestoration
$this->SetFillColor(224,235,255);
$this->SetTextColor(0);
$this->SetFont('');
//Data
$fill=false;
foreach($dataas$row)
{
$this->Cell($w[0],8,$row[0],'LR',0,'L',$fill);
$this->Cell($w[1],8,$row[1],'LR',0,'L',$fill);
$this->Cell($w[2],8,$row[2],'LR',0,'L',$fill);
$this->Cell($w[3],8,$row[3],'LR',0,'L',$fill);
$this->Cell($w[4],8,$row[4],'LR',0,'L',$fill);
$this->Cell($w[5],8,$row[5],'LR',0,'L',$fill);
$this->Cell($w[6],8,$row[6],'LR',0,'L',$fill);
$this->Cell($w[7],8,$row[7],'LR',0,'L',$fill);
$this->Ln();
$fill=!$fill;
}
$this->Cell(array_sum($w),0,'','T');
}
}
$pdf=newPDF('L','mm','A4');
$Header=array('IDORDER','USERNAME','ORDERDATE','ADDRESS','TOTAL','
RECEIVEDDATE','DELIVEREDDATE','ACCEPTEDDATE');
$data=$pdf->LoadData();
$pdf->SetFont('Arial','',8);
$pdf->AliasNbPages();
$pdf->AddPage();
$pdf->FancyTable($Header,$data);
$pdf->Output();
?>
```

frm_rep_ord.php

```
<?php
require('C:\wamp\www\fpdf\fpdf.php');
require_once('../config/koneksi.php');
classPDFextendsFPDF
{
functionLoadData()
{
```

```
$id_ord=strtoupper($_GET['id_ord']);
$query="SELECTid_pro,qty_ord,sum_dtl_ordfrom017_dtl_ordwhereid_ord
='$id_ord'";
$result=mysql_query($query)ordie("Selecterror:".mysql_error());
$data=array();
$y=0;
while($a_row=mysql_fetch_row($result))
{
$x=0;
foreach($a_rowas$field)
{
$data[$y][$x]=stripslashes($field);
$x++;
}
$y++;
}
return$data;
echo'tes';
}
functionHeader()
{
$this->Image('nice.gif',10,8,35,35);
$this->SetFont('Arial','B',12);
$this->Cell(135);
$this->Cell(100,10,'DetailOrderReport',1,0,'C');
$this->Ln(30);
$this->SetFillColor('Red','','');
}
functionFooter()
{
$this->SetY(-15);
$this->SetFont('Arial','I',8);
$this->Cell(0,10,'Page'.$this->PageNo().'/{nb}',0,0,'C');
}
functionFancyTable($header,$data)
{
//Colors,linewidthandboldfont
$this->SetFillColor(255,0,0);
$this->SetTextColor(255);
$this->SetDrawColor(128,0,0);
$this->SetLineWidth(.3);
$this->SetFont('','B');
//Header
$w=array(50,50,50);
for($i=0;$i<count($header);$i++)
$this->Cell($w[$i],8,$header[$i],1,0,'C',true);
$this->Ln();
//Colorandfontrestoration
$this->SetFillColor(224,235,255);
$this->SetTextColor(0);
$this->SetFont('');
//Data
$fill=false;
foreach($dataas$row)
{
$this->Cell($w[0],8,$row[0],'LR',0,'L',$fill);
```

```
$this->Cell($w[1],8,$row[1],'LR',0,'L',$fill);
$this->Cell($w[2],8,$row[2],'LR',0,'L',$fill);
$this->Ln();
$fill=!$fill;
}
$this->Cell(array_sum($w),0,'','T');
}
}
$pdf=newPDF('L','mm','A4');
$Header=array('IDPRODUCT','QUANTITY','TOTAL');
$data=$pdf->LoadData();
$pdf->SetFont('Arial','',8);
$pdf->AliasNbPages();
$pdf->AddPage();
$pdf->FancyTable($Header,$data);
$pdf->Output();
?>
```

PRODUCT FILES

Ambildata.php

```
<?php
require_once("../config/koneksi.php");
$kd_pro=$_GET['kd_pro'];
echo"<selectname='id_pro'>";
$rs=mysql_query("SELECTid_pro,nm_proFROM017_dtl_hpWHERE(kd_pro='$k
d_pro')");
while($r=mysql_fetch_array($rs))
echo"<optionvalue='$r[id_pro]'>$r[nm_pro]</option>";
echo"</select>";
?>
```

frm_edit_dtl_pro.php

```
<?phpsession_start();?>
<html>
<head>
<title>EDITDETAILPRODUCT</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#000000}
.style5{font-weight:bold}
.style6{font-weight:bold;color:#FFFFFF;font-size:13px;}
.style7{font-weight:bold;color:#FF0000;font-size:10px;}
-->
</style>
</head>
<body>
<center><formmethod="post"enctype="multipart/form-data"action="#">
<tablewidth="441"height="0"border="0"bgcolor="#860B0B">
<tr>
```

```
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
<?php
if(!empty($_SESSION['nm'])&&!empty($_SESSION['jns']))
{
?>
<tr>
<center><?phpinclude("../style/navA.php");?></center>
</tr>
<?php
include("../config/koneksi.php");
if(!empty($_GET['id_pro']))
{
$id_pro=strtoupper($_GET['id_pro']);
$query=mysql_query("select*from017_DTL_HPwhereid_pro='$id_pro'");
while($baris=mysql_fetch_array($query))
{
echo"
<tr>
<td><tablewidth=\"491\"height=\"263\"border=\"0\"align=\"center\"b
gcolor=\"#FFFFFF\"></td><inputtype=\"hidden\"value=\"$baris[0]\"na
me=\"kd_pro\">
</tr>
<tr>
<tdcolspan=\"3\"><divalign=\"center\"class=\"style5\"><strong>EDIT
DETAILPRODUCT</strong></div></td>
</tr><tr><tdheight=\"34\"><spanclass=\"style7\">*mustbefilled</tr>
<tr>
<td> </td>
</tr>
<tr>
<td><b><divalign=\"right\"class=\"style5\">PRODUCTID</div></b></td
>
<td>:</td>
<td><inputtype=\"text\"size=\"10\"readonly=\"readonly\"value=\"$ba
ris[1]\"name=\"id_pro\"/></td>
</tr>
<tr>
<td><b><divalign=\"right\"class=\"style5\">PRODUCTNAME</div></b></
td>
<td>:</td>
<td><inputtype=\"text\"size=\"30\"value=\"$baris[2]\"name=\"nm_pro
\"/><spanclass=\"style7\">*</span></td>
</tr>
<tr>
<td><b><divalign=\"right\"class=\"style5\">STATUS</div></b></font>
</td>
<td>:</td>
<td>";
if($baris[3]==1)
{
echo
"<selectname='jns_pro'>
<optionvalue='1'selected>Basah</option>
<optionvalue='2'>Kering</option>
<optionvalue='3'>Cake</option>
```

```
</select>";
}
elseif($baris[3]==2)
{
echo
"<selectname='jns_pro'>
<optionvalue='1'>Basah</option>
<optionvalue='2'selected>Kering</option>
<optionvalue='3'>Cake</option>
</select>";
}
elseif($baris[3]==3)
{
echo
"<selectname='jns_pro'>
<optionvalue='1'>Basah</option>
<optionvalue='2'>Kering</option>
<optionvalue='3'selected>Cake</option>
</select>";
}
echo"
</td>
</tr>
<tr>
<td><b><divalign=\"right\"class=\"style5\">PRODUCTPRICE</div></b><
/td>
<td>:</td>
<td>Rp<inputtype=\"text\"size=\"10\"value=\"$baris[4]\"name=\"hrg_
pro\"/><spanclass=\"style7\">*</span></td>
</tr>
<tr>
<td><b><divalign=\"right\"class=\"style5\">STATUS</div></b></font>
</td>
<td>:</td>
<td>";
if($baris[5]==0)
{
echo
"<selectname='stat_pro'>
<optionvalue='0'selected>AVAILABLE</option>
<optionvalue='1'>UNAVAILABLE</option>
</select>
";
}
else
{
echo
"
<selectname='stat_pro'>
<optionvalue='0'>AVAILABLE</option>
<optionvalue='1'selected>UNAVAILABLE</option>

</select>
";
}echo"
</td>
```

```
</tr>
<tr>
<td><divalign=\"right\"class=\"style5\"><b>IMAGE</b></div></td>
<td>:</td>
<td><inputtype=\"file\"name=\"fupload\"id=\"fupload\"/></td>
</tr>
      <tr>
<td><divalign=\"right\"class=\"style5\"><spanclass=\"style5\"><b>P
RODUCTSPECIFICATION</b></span></div></td>
<td>:</td>
<tdcolspan=\"2\"><textareaname=\"spec_pro\"rows=\"10\">$baris[8]</
textarea></td>
</tr>

<tr><td></td><td></td><td><inputtype=\"submit\"name=\"submit\"valu
e=\"UPDATE\"><inputtype=\"reset\"name=\"reset\"value=\"CANCEL\"></
td>";

if(!empty($_POST['nm_pro'])&&!empty($_POST['hrg_pro']))
{
$kd_pro=strtoupper($_POST['kd_pro']);
$id_pro=strtoupper($_POST['id_pro']);
$nm_pro=strtoupper($_POST['nm_pro']);
$hrg_pro=strtoupper($_POST['hrg_pro']);
$spec_pro=strtoupper($_POST['spec_pro']);
$lokasi_file=$_FILES['fupload']['tmp_name'];
$nama_file=$id_pro."."."jpeg";
$ukuran_file=$_FILES['fupload']['size'];
$type_file=$_FILES['fupload']['type'];
$direktori="img/$nama_file";
$stat_pro=strtoupper($_POST['stat_pro']);
$jns_pro=strtoupper($_POST['jns_pro']);
if($type_file!="image/gif"&&$type_file!="image/jpeg"&&$type_file!=
"image/png"&&$type_file!="image/jpg"&&$type_file!="")
{
//header("location:frm_inf_dtl_product_edit.php?id_product=$id_pro
&col_product=$warna");
echo'<divalign="center"class="style7">ONLYALLOWEDGIF,JPEG,JPG,PNGT
YPE!!!</div>';
}
if($ukuran_file>=102400)
{
//header("location:frm_inf_dtl_product_input.php");
echo'<divalign="center"class="style7">IMAGESIZEISTOOBIG(MAX.100KB)
!!!</div>';
}
else
{
if(move_uploaded_file($lokasi_file,$direktori))
{
$sql="update017_DTL_HPsetnm_pro='$nm_pro',jns_pro='$jns_pro',hrg_p
ro='$hrg_pro',stat_pro='$stat_pro',img_pro='$nama_file',dir_pro='$
direktori',spec_pro='$spec_pro'whereid_pro='$id_pro'";
$query=mysql_query($sql);
header("location:frm_edit_dtl_pro.php?id_pro=$id_pro");
}
```

```
else
{
$sql="update017_DTL_HPsetnm_pro='$nm_pro',jns_pro='$jns_pro',hrg_p
ro='$hrg_pro',stat_pro='$stat_pro',dir_pro='$direktori',spec_pro='
$spec_pro'whereid_pro='$id_pro'";
$query=mysql_query($sql);
header("location:frm_edit_dtl_pro.php?id_pro=$id_pro");
}
}
}else
{
echo'<tr><tdcolspan="3"><divclass="style7"align="center">PLEASECOM
PLETEYOURINPUT!!!</div></td></tr>';
}
print"</tr>
</table><divalign=\"center\"class=\"style3\">CopyrightbyDimasEkoPr
asetyo(0320070017)</div>
</p>
";
?>
<?php
}}}
else
{
include("../style/nav.php");
echo'<tralign="center"><td><divclass="style6">YouareNotAllowedToAc
cessThisPage,PleaseLogin!!!</td></tr></div>';
echo'<td><divalign="center"class="style3">Copyleftbygroovewarrior@
gmail.com</div></td>';
}
?>
</table></form>
</body>
</html>
```

frm_edit_mst_pro.php

```
<?phpsession_start();?>
<html>
<head>
<title>EDITMASTERPRODUCT</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#000000}
.style5{font-weight:bold}
.style6{font-weight:bold;color:#FFFFFF;font-size:13px;}
.style7{font-weight:bold;color:#FF0000;font-size:10px;}
-->
</style>
</head>
<body>
<center><formmethod="post"action="#">
<tablewidth="441"height="0"border="0"bgcolor="#860B0B">
```

```
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
<?php
if(!empty($_SESSION['nm'])&&!empty($_SESSION['jns']))
{
?>
<tr>
<center><?phpinclude("../style/navA.php");?></center>
</tr>
<?php
include("../config/koneksi.php");
if(!empty($_GET['kd_pro']))
{
$kd_pro=strtoupper($_GET['kd_pro']);
$query=mysql_query("select*from017_MST_HPwherekd_pro='$kd_pro'");
while($baris=mysql_fetch_array($query))
{
echo"
<tr>
<td><tablewidth=\"491\"height=\"263\"border=\"0\"align=\"center\"b
gcolor=\"#FFFFFF\"></td>
</tr>
<tr>
<tdcolspan=\"3\"><divalign=\"center\"class=\"style5\"><strong>EDIT
MASTERPRODUCT</strong></div></td>
</tr><tr><tdheight=\"34\"><spanclass=\"style7\">*mustbefilled</tr>
<tr>
<td><b><divalign=\"right\"class=\"style5\">PRODUCTCODE</div></b></
td>
<td>:</td>
<td><inputtype=\"text\"size=\"10\"readonly=\"readonly\"value=\"$ba
ris[0]\"name=\"kd_pro\"/></td>
</tr>
<tr>
<td><b><divalign=\"right\"class=\"style5\">PRODUCTBRAND</div></b><
/font></td>
<td>:</td>
<td><inputtype=\"text\"size=\"15\"value=\"$baris[1]\"name=\"mrk_pr
o\"/><spanclass=\"style7\">*</span></td>
</tr>
<tr>
<td><b><divalign=\"right\"class=\"style5\">PRODUCTDESCRIPTION</div
></b></td>
<td>:</td>
<td><textareaname=\"desc_pro\"rows=\"3\">$baris[2]</textarea></td>
</tr>
<td></td>
<tdcolspan=\"3\"><inputtype=\"submit\"name=\"submit\"value=\"UPDAT
E\"><inputtype=\"reset\"name=\"reset\"value=\"CANCEL\"></td>
</tr>";?>
<?php
if(!empty($_POST['mrk_pro']))
{
$kd_pro=strtoupper($_POST['kd_pro']);
$mrk_pro=strtoupper($_POST['mrk_pro']);
```

```
$desc_pro=strtoupper($_POST['desc_pro']);
$query=mysql_query("update017_mst_hpsetmrk_pro='$mrk_pro',desc_pro
='$desc_pro'wherekd_pro='$kd_pro'");
header("location:frm_view_mst_pro.php");
}
else
{
echo"<tr><tdcolspan=\"3\"><divalign=\"center\"class=\"style7\">PLE
ASECOMPLETEYOURDATA!!!</div></td></tr>";
}
?>
</table>
</p>
</form>
}
}
<?php
}}}
else
{
include("../style/nav.php");
echo'<tralign="center"><td><divclass="style6">YouareNotAllowedToAc
cessThisPage,PleaseLogin!!!</td></tr></div>';
}echo'<tralign="center"><td><divalign="center"class="style3">Copyl
eftbygroovewarrior@gmail.com</td></tr></div>';
?>
</table>
</body>
</html>
```

frm_inp_dtl_pro.php

```
<!DOCTYPEhtmlPUBLIC"-
//W3C//DTDXHTML1.0Transitional//EN""http://www.w3.org/TR/xhtml1/DT
D/xhtml1-transitional.dtd">
<htmlxmlns="http://www.w3.org/1999/xhtml">
<head>
<metahttp-equiv="Content-Type"content="text/html;charset=iso-8859-
1"/>
<title>INPUTDETAILPRODUCT</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#000000}
.style5{font-weight:bold}
.style6{font-weight:bold;color:#FFFFFF;}
.style7{font-weight:bold;color:#FF0000;font-size:10px;}
-->
</style>
<scriptlanguage="javascript">
functiondinamis(tes)
{
varkode=tes.value;
window.location="?kd_pro="+kode;
```

```
}
</script>
</head>
<body>
<center>
<formmethod="post"enctype="multipart/form-data"action="#">
<tablewidth="441"height="0"border="0"bgcolor="#860B0B">

<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
<?phpsession_start();?><?php
if(!empty($_SESSION['nm'])&&!empty($_SESSION['jns']))
{
?>
<tr>
<center><?phpinclude("../style/navA.php");?></center>
</tr>
<tr>
<td>
<tablewidth="491"height="263"border="0"align="center"bgcolor="#FFF
FFF"></td></tr>
<tr>
<tdcolspan="3"><divalign="center"class="style5"><strong>INPUTDETAI
LPRODUCT</strong></div></td>
</tr>
<tr><tdheight="34"><spanclass="style7">*mustbefilled</tr>
<td><b><divalign="right"class="style5">PRODUCTCODE</div></b></td>
<td>:</td>
<tdwidth="235"><selectname="kd_pro"onchange="dinamis(this)">
<?php
require_once("../config/koneksi.php");
$sql2="SELECTkd_profrom017_mst_hp";
$query2=mysql_query($sql2);
while($row2=mysql_fetch_row($query2))
{
if(isset($_GET["kd_pro"])&&$row2[0]==$_GET["kd_pro"])
{
?>
<optionvalue="<?phpecho$row2[0];?>"selected="selected"><?phpecho$r
ow2[0];?>
</option>
<?php}else{?>
<optionvalue="<?phpecho$row2[0];?>"><?phpecho$row2[0];?></option>
<?php}}?></select></td>
</tr>
<tr>
<td>
<?php
$id=setID("select*from017_dtl_hpwherekd_pro='$_GET[kd_pro]'","");
?><divalign="right"class="style5"><b>PRODUCTID</b></div></td>
<td>:</td>
<tdcolspan="2"><inputtype="text"readonly="readonly"size="10"name="
id_pro"value="<?phpecho$id;?>"/>
</td>
</tr>
```

```
<td><b><divalign="right"class="style5">PRODUCTNAME</div></b></td>
<td>:</td>
<td><inputtype="text"size="30"name="nm_pro"><spanclass="style7">*<
/span></td>
</tr>
</tr>
<tr>
<td><b><divalign="right"class="style5">TYPE</div></b></font></td>
<td>:</td>
<td>
<selectname='jns_pro'>
<optionvalue='1'>CDMA</option>
<optionvalue='2'>GSM</option>
<optionvalue='3'>DUAL</option>
</select>
</td>
</tr>
<tr>
<td><b><divalign="right"class="style5">PRODUCTPRICE</div></b></td>
<td>:</td>
<td>Rp<inputtype="text"size="10"name="hrg_pro"><spanclass="style7"
>*</span></td>
</tr>
<tr>
<td><b><divalign="right"class="style5">PRODUCTIMAGE</div></b></td>
<td>:</td>
<td><inputtype="file"name="fupload"id="fupload"/></td>
</tr>
<tr>
<td><divalign="right"class="style5"><spanclass="style5"><b>PRODUCT
SPECIFICATION</b></span></div></td>
<td>:</td>
<tdcolspan="2"><textareaname="spec_pro"rows="10"></textarea></td>
</tr>
<tr>
<td></td>
<td></td>
<tdcolspan="3"><inputtype="submit"name="submit"value="SAVE"><input
type="reset"name="reset"value="CANCEL"></td>
</tr>
<?php
if(!empty($_POST['nm_pro'])&&!empty($_POST['hrg_pro']))
{
$kd_pro=strtoupper($_POST['kd_pro']);
$id_pro=strtoupper($_POST['id_pro']);
$nm_pro=strtoupper($_POST['nm_pro']);
$hrg_pro=strtoupper($_POST['hrg_pro']);
$spec_pro=strtoupper($_POST['spec_pro']);
$lokasi_file=$_FILES['fupload']['tmp_name'];
$id_img=$kd_pro."".$id_pro;
$nama_file=$id_img."."."jpeg";
$ukuran_file=$_FILES['fupload']['size'];
$type_file=$_FILES['fupload']['type'];
$direktori="img/$nama_file";
//$stat_pro==0;
$jns_pro=$_POST['jns_pro'];
```

```
//$lokasi_un="localhost/img/unavailable.png";
//$desc_pro=strtoupper($_POST['desc_pro']);
$idp=$kd_pro."".$id_pro;
//$query1=mysql_query("select*from017_DTL_HP");
//while($baris=mysql_fetch_array($query1))
//{
//echo'<td>'.$baris[2].'</td>';
//}
if($type_file!="image/gif"&&$type_file!="image/jpeg"&&$type_file!=
"image/png"&&$type_file!="image/jpg"&&$type_file!="")
{
header("location:frm_inp_dtl_pro.php");
echo'<divalign="center"class="style7">ONLYALLOWEDGIF,JPEG,JPG,PNGT
YPE!!!</div>';
}
else
{
if(file_exists($direktori))
{
header("location:frm_inp_dtl_pro.php");
echo'<divalign="center"class="style7">IMAGEALREADYSAVEDBEFORE!!!</
div>';
}
else
{
if($ukuran_file>=102400){
header("location:frm_inp_dtl_pro.php");
echo'<divalign="center"class="style7">IMAGESIZEISTOOBIG(MAX.100KB)
!!!</div>';
}
else
{
if(move_uploaded_file($lokasi_file,$direktori))
{
$sql="insertinto017_dtl_hpvalues('$kd_pro','$idp','$nm_pro','$jns_
pro','$hrg_pro','0','$nama_file','$direktori','$spec_pro')";
$query=mysql_query($sql);
header("location:frm_inp_dtl_pro.php?kd_pro=$kd_pro");
echo"<scriptlanguage=\"JavaScript\">\n";
echo"alert(\"INPUTDATASUCCESS\");\n";
echo"</script>";
}
else
//if(move_uploaded_file($lokasi_un,$direktori))
{
$sql="insertinto017_dtl_hpvalues('$kd_pro','$idp','$nm_pro','$jns_
pro','$hrg_pro','0','','','$spec_pro')";
//$sql="insertinto017_dtl_hpvalues('$kd_pro','$idp','$nm_pro','$st
ok_hp','$hrg_pro','$stat_pro','unavailable.gif','$direktori')";
$query=mysql_query($sql);
header("location:frm_inp_dtl_pro.php?kd_pro=$kd_pro");
//echo'WINDOW.ALERT(INPUTDATASUCCESS!!!)';
}
}}
}
}
```

```
else
{
echo'<tr><tdcolspan="3"><divclass="style7"align="center">PLEASECOM
PLETEYOURINPUT!!!</div></td></tr>';
      }
?>
</table>
<?php
}
else
{
include("../style/nav.php");
echo'<tralign="center"><td><divclass="style6">YouareNotAllowedToAc
cessThisPage,PleaseLogin!!!</td></tr></div>';
}
echo'<tr><td><divalign="center"class="style3">Copyleftbygroovewarr
ior@gmail.com</div></td></tr>';?>
</table>
</form>
</body>
</html>
```

frm_inp_mst_pro.php

```
<html>
<head>
<title>INPUTMASTERPRODUCT</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#000000}
.style5{font-weight:bold}
.style6{font-weight:bold;color:#FFFFFF;font-size:13px;}
.style7{font-weight:bold;color:#FF0000;font-size:10px;}
-->
</style></head>
<body>
<center><formmethod="post"action="#">
<tablewidth="441"height="0"border="0"bgcolor="#860B0B">
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
<tr><?phpsession_start();?>
<?php
if(!empty($_SESSION['nm'])&&!empty($_SESSION['jns']))
{
?>
<center><?phpinclude("../style/navA.php");?></center>
</tr>
<tr>
<td>
<tablewidth="491"height="263"border="0"align="center"bgcolor="#FFF
FFF">
```

```
<tr><tdheight="66"colspan="3"><divalign="center"class="style5"><st
rong>INPUTMASTERPRODUCT</strong></div></td></tr>
<tr><tdheight="34"><spanclass="style7">*mustbefilled</tr>
<tr>
<tdheight="48"><b><divalign="right"class="style5">PRODUCTCODE</div
></b></td>
<td>:</td>
<td><inputtype="text"size="10"name="kd_pro"><spanclass="style7">*<
/span></td>
</tr>
<tr>
<tdheight="48"><b><divalign="right"class="style5">PRODUCTBRAND</di
v></b></td>
<td>:</td>
<td><inputtype="text"size="15"name="mrk_pro"><spanclass="style7">*
</span></td>
</tr>
<tr>
<td><divalign="right"class="style5"><spanclass="style5"><b>PRODUCT
DESCRIPTION</b></span></div></td>
<td>:</td>
<tdcolspan="2"><textareaname="desc_pro"rows="3"></textarea></td>
</tr>
<tr>
<tdheight="56"></td>
<td></td>
<tdcolspan="3"><inputtype="submit"name="submit"value="SAVE">
<inputtype="reset"name="reset"value="CANCEL"></td>
<tr>
<?php
//
include("../config/koneksi.php");
if(!empty($_POST['kd_pro'])&&!empty($_POST['mrk_pro']))
{
$kd_pro=strtoupper($_POST['kd_pro']);
$mrk_pro=strtoupper($_POST['mrk_pro']);
$desc_pro=strtoupper($_POST['desc_pro']);
$query="INSERTINTO017_MST_HPvalues('$kd_pro','$mrk_pro','$desc_pro
')";
$result=mysql_query($query)
ordie("InsertError".mysql_error());
header("location:frm_inp_mst_pro.php");
}
else
{
echo'<tr><tdcolspan="3"><divclass="style7"align="center">PLEASECOM
PLETEYOURINPUT!!!</div></td></tr>';
}
?>
</table>
</p>
<?php
}
else
{
include("../style/nav.php");
```

```
echo'<tralign="center"><td><divclass="style6">YouareNotAllowedToAc
cessThisPage,PleaseLogin!!!</td></tr></div>';
}echo'<tr><td><divalign="center"class="style3">Copyleftbygroovewar
rior@gmail.com</div></td></tr>';?>
</form>
</center>
</body>
</html>
```

frm_rep_pro.php

```
<?php
require('C:\wamp\www\fpdf\fpdf.php');
require_once('../config/koneksi.php');
classPDFextendsFPDF
{
functionLoadData()
{
$query="SELECT017_mst_hp.kd_pro,017_mst_hp.mrk_pro,017_dtl_hp.nm_p
ro,017_dtl_hp.hrg_pro,017_dtl_hp.spec_proFROM017_mst_hp,017_dtl_hp
where017_mst_hp.kd_pro=017_dtl_hp.kd_proorderby017_dtl_hp.id_pro";
$result=mysql_query($query)ordie("Selecterror:".mysql_error());
$data=array();
$y=0;
while($a_row=mysql_fetch_row($result))
{
$x=0;
foreach($a_rowas$field)
{
$data[$y][$x]=stripslashes($field);
$x++;
}
$y++;
}
return$data;
echo'tes';
}
functionHeader()
{
$this->Image('nice.gif',10,8,35,35);
$this->SetFont('Arial','B',12);
$this->Cell(135);
$this->Cell(100,10,'ProductReport',1,0,'C');
$this->Ln(30);
$this->SetFillColor('Red','','');
}
functionFooter()
{
$this->SetY(-15);
$this->SetFont('Arial','I',8);
$this->Cell(0,10,'Page'.$this->PageNo().'/{nb}',0,0,'C');
}
functionFancyTable($header,$data)
{
//Colors,linewidthandboldfont
$this->SetFillColor(255,0,0);
```

```
$this->SetTextColor(255);
$this->SetDrawColor(128,0,0);
$this->SetLineWidth(.3);
$this->SetFont('','B');
//Header
$w=array(20,30,70,30);
for($i=0;$i<count($header);$i++)
$this->Cell($w[$i],5,$header[$i],1,0,'C',true);
$this->Ln();
//Colorandfontrestoration
$this->SetFillColor(224,235,255);
$this->SetTextColor(0);
$this->SetFont('');
//Data
$fill=false;
foreach($dataas$row)
{
$this->Cell($w[0],8,$row[0],'LR',0,'L',$fill);
$this->Cell($w[1],8,$row[1],'LR',0,'L',$fill);
$this->Cell($w[2],8,$row[2],'LR',0,'L',$fill);
$this->Cell($w[3],8,$row[3],'LR',0,'L',$fill);
$this->Ln();
$fill=!$fill;
}
$this->Cell(array_sum($w),0,'','T');
}
}
$pdf=newPDF('L','mm','A4');
$Header=array('CODE','BRAND','NAME','PRICE(Rp)');
$data=$pdf->LoadData();
$pdf->SetFont('Arial','',8);
$pdf->AliasNbPages();
$pdf->AddPage();
$pdf->FancyTable($Header,$data);
$pdf->Output();
?>
```

frm_view_mst_pro.php

```
<?phpsession_start();?>
<html>
<head><title>MASTERPRODUCT</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#ffffff;font-size:12px;}
.style5{font-weight:bold}
.style6{color:#000000;font-size:10px;}
.style7{font-weight:bold;color:#FF0000;font-size:10px;}
.style8{font-weight:bold;color:#FFFFFF;font-size:13px;}
a:link{
color:#FFFFFF;
}
a:visited{
```

```
color:#FFFFFF;
}
a:hover{
color:#FFFFFF;
}
a:active{
color:#FFFFFF;
}
-->
</style>
<metahttp-equiv="Content-Type"content="text/html;charset=iso-8859-
1"></head>
<body>
<center><tablewidth="441"height="0"border="0"bgcolor="#860B0B">
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
<?php
if(!empty($_SESSION['nm'])&&!empty($_SESSION['jns']))
{
?>
<tr>
<center><?phpinclude("../style/navA.php");?></center>
</tr>
<tr>
<td><tablewidth="491"border="0"align="center"bgcolor="#ffffff"><tr
><tdcolspan="3">
<divalign="center"><fontcolor="#860B0B"><strong>MASTERPRODUCT</str
ong></font></div>
</div></td></tr>
<tr><td><?php
include("../config/koneksi.php");
$hal=$_GET[hal];
if(!isset($_GET['hal'])){
$page=1;
}else{
$page=$_GET['hal'];
}
$max_results=5;
$from=(($page*$max_results)-$max_results);
$query=mysql_query("select*from017_mst_hporderbykd_proascLIMIT$fro
m,$max_results");
//$jumlah=mysql_num_rows($query);
echo'<center><tablewidth="850"bordercolor="#860B0B"cellpadding="2"
rules="rows"cellspacing="2"bgcolor="#ffffff">
<trbgcolor="#860B0B">
<th><spanclass="style4">INPUTDETAIL</span></th>
<th><spanclass="style4">PRODUCTCODE</span></th>
<th><spanclass="style4">PRODUCTBRAND</span></th>
<th><spanclass="style4">PRODUCTDESCRIPTION</span></th>
<th><spanclass="style4">MENU</span></th>
</tr></center>';
$total_results=mysql_result(mysql_query("SELECTCOUNT(*)asNumFROM01
7_mst_hp"),0);
$total_pages=ceil($total_results/$max_results);
```

```
echo'<palign="left"><fontcolor="#000000"size=\"2\"><strong>'.$tota
l_results.'</strong>DataInThisTable</font></br>';
if($hal>1){
$prev=($page-1);
      echo"<ahref=$_SERVER[PHP_SELF]?hal=1><imgsrc=\"../img/first.
png\"height=\"15\"width=\"15\"title=\"FIRST\"></a>";
echo"<ahref=$_SERVER[PHP_SELF]?hal=$prev><imgsrc=\"../img/prev.png
\"height=\"15\"width=\"15\"title=\"PREVIOUS\"></a>";
}
for($i=1;$i<=$total_pages;$i++){
if(($hal)==$i){
echo"$i";
}else{
echo"<ahref=$_SERVER[PHP_SELF]?hal=$i><fontcolor=\"#000000\"size=\
"2\">$i</font></a>";
}
}
if($i!=1&&$hal<$total_pages){
$next=($page+1);
echo"<ahref=$_SERVER[PHP_SELF]?hal=$next><imgsrc=\"../img/next.png
\"height=\"15\"width=\"15\"title=\"NEXT\"></a>";
echo"<ahref=$_SERVER[PHP_SELF]?hal=1><imgsrc=\"../img/last.png\"he
ight=\"15\"width=\"15\"title=\"LAST\"></a>";
}
while($baris
=mysql_fetch_array($query))
{
echo'<tralign="center">';
print"<td><ahref=\"frm_inp_dtl_pro.php?kd_pro=$baris[0]\"><center>
<imgtitle=\"INPUTDETAIL\"src=\"../img/btn_add.gif\"></center></a><
/td>";
echo'
<td><spanclass="style6">'.$baris[0].'</span></td>
<td><spanclass="style6">'.$baris[1].'</span></td>
<td><spanclass="style6">'.$baris[2].'</span></td>
';
print"<td><ahref=\"frm_edit_mst_pro.php?kd_pro=$baris[0]\"><center
><imgtitle=\"EDIT\"src=\"../img/btn_edit.gif\"></center></a></td>"
;
echo'</td></tr>';
}
echo'</table></center>';
if($hal>1){
$prev=($page-1);
echo"<ahref=$_SERVER[PHP_SELF]?hal=$prev><imgsrc=\"../img/prev.png
\"height=\"15\"width=\"15\"title=\"PREVIOUS\"></a>";
}
for($i=1;$i<=$total_pages;$i++){
if(($hal)==$i){
echo"$i";
}else{
echo"<ahref=$_SERVER[PHP_SELF]?hal=$i><fontcolor=\"#000000\"size=\
"2\">$i</font></a>";
}
}
if($i!=1&&$hal<$total_pages){
```

```
$next=($page+1);
echo"<ahref=$_SERVER[PHP_SELF]?hal=$next><imgsrc=\"../img/next.png
\"height=\"15\"width=\"15\"title=\"NEXT\"></p></a>";
}
echo'<palign="left"><fontcolor="#000000"size=\"2\"><strong>'.$tota
l_results.'</strong>DataInThisTable</font></br>';
echo'</table>';
echo'<divalign="center"class="style3">Copyleftbygroovewarrior@gmai
l.com</div></table></center>';
?>
<?php
}
else
{
include("../style/nav.php");
echo'<tralign="center"><td><divclass="style8">YouareNotAllowedToAc
cessThisPage,PleaseLogin!!!</td></tr></div>';
echo'<td><divalign="center"class="style3">Copyleftbygroovewarrior@
gmail.com</div></td>';
}?>
</body>
</html>
```

frm_view_dtl_pro.php

```
<?phpsession_start();?>
<html>
<head><title>DETAILPRODUCT</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#ffffff;font-size:12px;}
.style5{font-weight:bold}
.style6{color:#000000;font-size:10px;}
.style7{font-weight:bold;color:#FF0000;font-size:10px;}
.style8{font-weight:bold;color:#FFFFFF;font-size:13px;}
a:link{
color:#FFFFFF;
}
a:visited{
color:#FFFFFF;
}
a:hover{
color:#FFFFFF;
}
a:active{
color:#FFFFFF;
}
-->
</style>
</head>
<body>
<center><tablewidth="441"height="0"border="0"bgcolor="#860B0B">
```

```
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr><?php
if(!empty($_SESSION['nm'])&&!empty($_SESSION['jns']))
{
?>
<tr>
<center><?phpinclude("../style/navA.php");?></center>
</tr>
<tr>
<td><tablewidth="491"border="0"align="center"bgcolor="#FFFFFF"><di
valign="center"class="style5">
<tdcolspan="3"><divalign="center"class="style5">
<divalign="center"><strong>DETAILPRODUCT</strong></div>
</div></td></td>
<tr><td><?php
include("../config/koneksi.php");
$hal=$_GET[hal];
if(!isset($_GET['hal'])){
$page=1;
}else{
$page=$_GET['hal'];
}
$max_results=10;
$from=(($page*$max_results)-$max_results);
$query=mysql_query("select*from017_DTL_HPorderbyid_proascLIMIT$fro
m,$max_results");
//$jumlah=mysql_num_rows($query);
echo'<tablewidth="850"bordercolor="#860B0B"cellpadding="2"rules="r
ows"cellspacing="2"bgcolor="#ffffff">
<trbgcolor="#860B0B">
<th><spanclass="style4">IDPRODUCT</span></th>
<th><spanclass="style4">PRODUCTNAME</span></th>
<th><spanclass="style4">TYPE</span></th>
<th><spanclass="style4">PRICE/UNIT</span></th>
<th><spanclass="style4">STATUS</span></th>
<th><spanclass="style4">SPEC</th>
<th><spanclass="style4">IMAGE</span></th>
<th><spanclass="style4">MENU</span></th>
</tr>';
$total_results=mysql_result(mysql_query("SELECTCOUNT(*)asNumFROM01
7_DTL_HP"),0);
$total_pages=ceil($total_results/$max_results);
echo'<palign="left"><fontcolor="#000000"size=\"2\"><strong>'.$tota
l_results.'</strong>DataInThisTable</font></br>';
if($hal>1){
$prev=($page-1);
echo"<ahref=$_SERVER[PHP_SELF]?hal=1><imgsrc=\"../img/first.png\"h
eight=\"15\"width=\"15\"title=\"FIRST\"></a>";
echo"<ahref=$_SERVER[PHP_SELF]?hal=$prev><imgsrc=\"../img/prev.png
\"height=\"15\"width=\"15\"title=\"PREVIOUS\"></a>";
}
for($i=1;$i<=$total_pages;$i++){
if(($hal)==$i){
echo"$i";
}else{
```

```
echo"<ahref=$_SERVER[PHP_SELF]?hal=$i><fontcolor=\"#000000\"size=\
"2\">$i</font></a>";
}
}
if($hal<$total_pages){
$next=($page+1);
echo"<ahref=$_SERVER[PHP_SELF]?hal=$next><imgsrc=\"../img/next.png
\"height=\"15\"width=\"15\"title=\"NEXT\"></a>";
echo"<ahref=$_SERVER[PHP_SELF]?hal=1><imgsrc=\"../img/last.png\"he
ight=\"15\"width=\"15\"title=\"LAST\"></a>";
}
while($baris=mysql_fetch_array($query))
{
if($baris[5]==0)
{
$nilai="AVAILABLE";
}
elseif($baris[5]==1)
{
$nilai="UNAVAILABLE";
}
if($baris[3]==1)
{
$jenis="Kering";
}
elseif($baris[3]==2)
{
$jenis="Basah";
}
elseif($baris[3]==3)
{
$jenis="Cake";
}

echo'<trbgcolor="#FFFFFF"align="center">
<td><spanclass="style6">'.$baris[1].'</span></td>
<td><spanclass="style6">'.$baris[2].'</span></td>
<td><spanclass="style6">'.$jenis.'</span></td>
<td><spanclass="style6">Rp'.$baris[4].'</span></td>
<td><spanclass="style6">'.$nilai.'</span></td>
<td><spanclass="style6"><textarearows="3"readonly="readonly">'.$ba
ris[8].'</textarea></span></td>
';
if($baris[7]=="")
{
$gambar="../img/unavailable.png";
}
else
{
$gambar=$baris[7];
}
echo"
<td><spanclass=\"style6\"><imgheight=\"55\"width=\"35\"src=".$gamb
ar."title=\"$baris[2]\"></span></td>";
```

```
print"<td><ahref=\"frm_edit_dtl_pro.php?id_pro=$baris[1]\"><center
><imgtitle=\"EDIT\"src=\"../img/btn_edit.gif\"></center></a></td>"
;
echo'</td></tr>';
}
echo'</table>';
if($hal>1){
$prev=($page-1);
echo"<ahref=$_SERVER[PHP_SELF]?hal=$prev><imgsrc=\"../img/prev.png
\"height=\"15\"width=\"15\"title=\"PREVIOUS\"></a>";
}
for($i=1;$i<=$total_pages;$i++){
if(($hal)==$i){
echo"$i";
}else{
echo"<ahref=$_SERVER[PHP_SELF]?hal=$i><fontcolor=\"#000000\"size=\
"2\">$i</font></a>";
}
}
if($hal<$total_pages){
$next=($page+1);
echo"<ahref=$_SERVER[PHP_SELF]?hal=$next><imgsrc=\"../img/next.png
\"height=\"15\"width=\"15\"title=\"NEXT\"></p></a>";
}
echo'<palign="left"><fontcolor="#000000"size=\"2\"><strong>'.$tota
l_results.'</strong>DataInThisTable</font></br>';
echo'</table>';
echo'<divalign="center"class="style3">Copyleftbygroovewarrior@gmai
l.com</div></table></center>';
?>
<?php
}
else
{
include("../style/nav.php");
echo'<tralign="center"><td><divclass="style8">YouareNotAllowedToAc
cessThisPage,PleaseLogin!!!</td></tr></div>';
echo'<td><divalign="center"class="style3">Copyleftbygroovewarrior@
gmail.com</div></td>';
}?>
</body>
</html>
```

show_pro.php

```
<?php
require_once('../config/orderfunc.php');
session_start();
?>
<!DOCTYPEhtmlPUBLIC"-
//W3C//DTDXHTML1.0Transitional//EN""http://www.w3.org/TR/xhtml1/DT
D/xhtml1-transitional.dtd">
<htmlxmlns="http://www.w3.org/1999/xhtml">
<head>
```

```
<metahttp-equiv="Content-Type"content="text/html;charset=iso-8859-
1"/>
<title>PRODUCTS</title>
<linkrel="stylesheet"type="text/css"href="../style/style.css"/>
<styletype="text/css">
<!--
.style2{font-weight:bold}
.style3{font-weight:bold;color:#FFFFFF;font-size:10px;}
.style4{color:#000000}
.style5{font-weight:bold}
.style6{font-weight:bold;color:#FFFFFF;}
.style1{font-weight:bold;color:#000000;font-size:10px;}
a:link{
color:#FFFFFF;
}
a:visited{
color:#FFFFFF;
}
a:hover{
color:#FFFFFF;
}
a:active{
color:#FFFFFF;
}
-->
</style>
<scriptlanguage="javascript">
functiondinamis(tes)
{
varkd_pro=tes.value;
window.location="?kd_pro="+kd_pro;
}
functiondinamis1(tes)
{
vartipe_hp=tes.value;
window.location="?tipe_hp="+tipe_hp;
}
functiondinamis2(tes)
{
varhrg_pro=tes.value;
window.location="?hrg_pro="+hrg_pro;
}
</script>
</head>
<body>
<center>
<tablewidth="743"border="0"bgcolor="#860B0B">
<tr>
<tdalign="center"><imgsrc="../img/logo.png"width="890"></td>
</tr>
<tr>
<center><?php
if(!empty($_SESSION['nm']))
{include("../style/navC.php");}
else
{include("../style/nav.php");}
```

```
?></center>
</tr>
<tr>
<td>
<divclass="style6"align="right"><formmethod="post"action="#">
<tablewidth="888"height="50"border="0">
<tr><td><?phpechowriteShoppingCart();?></td>
<td></td><td><selectname="kd_pro"onchange="dinamis(this)">
<?php
require_once("../config/koneksi.php");
$sql="selectdistinct017_mst_hp.kd_pro,017_mst_hp.mrk_profrom017_ms
t_hp,017_dtl_hpwhere017_mst_hp.kd_pro=017_dtl_hp.kd_proorderby017_
mst_hp.mrk_pro";
$query=mysql_query($sql);
while($row=mysql_fetch_row($query))
{
if(isset($_GET["kd_pro"])&&$row[0]==$_GET["kd_pro"]){
?>
<optionvalue="<?phpecho$row[0];?>"selected="selected"><?phpecho$ro
w[1];?></option>
<?php}
else
{?>
<optionvalue="<?phpecho$row[0];?>"><?phpecho$row[1];?></option>
<?php}
}?>
</select>
</td>
<td>TYPE</td><td></td>

<td></td>
<td>
</td>
</tr>
</table>
<tablewidth="888">
<tr>
<thwidth="">PICTURE</th>
<thwidth=""align="center">BRAND</th>
<thwidth=""align="center">NAME</th>
<thwidth=""align="center">TYPE</th>
<thwidth=""align="center">SPECIFICATION</th>
<thwidth=""align="center">PRICE</th>
<thwidth=""align="center">MENU</th>
</tr>
<?php
if(isset($_GET["kd_pro"]))
{
$tampil=mysql_query("SELECT017_dtl_hp.dir_pro,017_mst_hp.mrk_pro,0
17_dtl_hp.nm_pro,017_dtl_hp.jns_pro,017_dtl_hp.hrg_pro,017_dtl_hp.
spec_pro,017_dtl_hp.id_proFROM017_mst_hp,017_dtl_hpWHERE017_mst_hp
.kd_pro=017_dtl_hp.kd_proand017_dtl_hp.stat_pro=0and017_mst_hp.kd_
pro='$_GET[kd_pro]'orderby017_mst_hp.mrk_pro");
}
elseif(isset($_GET["tipe_hp"]))
{
```

```
$tampil=mysql_query("SELECT017_dtl_hp.dir_pro,017_mst_hp.mrk_pro,0
17_dtl_hp.nm_pro,017_dtl_hp.jns_pro,017_dtl_hp.hrg_pro,017_dtl_hp.
spec_pro,017_dtl_hp.id_proFROM017_mst_hp,017_dtl_hpWHERE017_mst_hp
.kd_pro=017_dtl_hp.kd_proand017_dtl_hp.stat_pro=0and017_dtl_hp.jns
_pro='$_GET[tipe_hp]'orderby017_mst_hp.mrk_pro");
}
elseif(isset($_GET["hrg_pro"]))
{
$tampil=mysql_query("SELECT017_dtl_hp.dir_pro,017_mst_hp.mrk_pro,0
17_dtl_hp.nm_pro,017_dtl_hp.jns_pro,017_dtl_hp.hrg_pro,017_dtl_hp.
spec_pro,017_dtl_hp.id_proFROM017_mst_hp,017_dtl_hpWHERE017_mst_hp
.kd_pro=017_dtl_hp.kd_proand017_dtl_hp.stat_pro=0and017_dtl_hp.hrg
_pro$_GET[hrg_pro]orderby017_mst_hp.mrk_pro");
}
else
{
$tampil=mysql_query("SELECT017_dtl_hp.dir_pro,017_mst_hp.mrk_pro,0
17_dtl_hp.nm_pro,017_dtl_hp.jns_pro,017_dtl_hp.hrg_pro,017_dtl_hp.
spec_pro,017_dtl_hp.id_proFROM017_mst_hp,017_dtl_hpWHERE017_mst_hp
.kd_pro=017_dtl_hp.kd_proand017_dtl_hp.stat_pro=0orderby017_mst_hp
.mrk_pro");
}
//$jumlah=mysql_num_rows($query);
while($data=mysql_fetch_array($tampil))
{
if($data[3]==1)
{
$jenis="Kering";
}
elseif($data[3]==2)
{
$jenis="Basah";
}
elseif($data[3]==3)
{
$jenis="Cake";
}
?><tralign="center">
<tdbgcolor="#FFFFFF">
<?php
if($data[0]=="")
{
$gambar="../img/unavailable.png";
}
else
{
$gambar=$data[0];
}
?>
<imgsrc="<?phpecho$gambar?>"height="55"width="35"title="<?phpecho$
data[2];?>"/></td>
<tdbgcolor="#FFFFFF"><spanclass="style1"><?phpecho$data[1]?></span
></td>
<tdbgcolor="#FFFFFF"><spanclass="style1"><?phpecho$data[2]?></span
></td>
```

```
<tdbgcolor="#FFFFFF"><spanclass="style1"><?phpecho$jenis?></span><
/td>
<tdbgcolor="#FFFFFF"><spanclass="style1"><textarearows="3"readonly
="readonly"><?phpecho$data[5]?></textarea></span></td>
<tdbgcolor="#FFFFFF"><spanclass="style1">Rp<?phpecho$data[4]?></sp
an></td>
<tdbgcolor="#FFFFFF"><spanclass="style1">
<?phpif(!empty($_SESSION['nm']))
{
echo'<ahref="../order/frm_a2cart.php?action=add&id='.$data[6].'"><
imgsrc="../img/shopping_cart_accept.ico"height="35"width="35"title
="AddToCart"/></a>';
?><?php
}
else
{
echo'LOGINTOORDER';
}?>
</span></td>
<?php}?>
</tr>
</table>
<tr>
<td><divalign="center"class="style3">Copyleftbygroovewarrior@gmail
.com</div></td>
</tr>
</table>
</p>
</center>
<divalign="center"></div>
</div></form>
</body>
</html>
```