Daftar Isi

Lembar Pengesahan i
Lembar Pernyataan..... ii
Lembar Peruntukan iii
Abstrak iv
Kata Pengantar v
Daftar Isi..... vii
Daftar Tabel xvi
Daftar Gambar..... xxiii
Daftar Lampiran xxiv

Bab 1 Pendahuluan 1
1.1. Latar Belakang 1
1.2. Identifikasi Masalah..... 3
1.3. Tujuan Penelitian 3
1.4. Pembatasan Masalah..... 3
1.5. Sistematika Penulisan 4

Bab 2 Landasan Teori..... 6
2.1. Bahan Baku 6
2.2. Persediaan 6
2.2.1. Jenis-jenis Persediaan Menurut Fungsinya 6
2.2.2. Persediaan Menurut Jenis dan Posisi Barang..... 7
2.2.3. Pengawasan Persediaan..... 8
2.2.4. Persediaan Pengamanan (*Safety Stock*)..... 8
2.2.5. Fungsi-fungsi Persediaan 9
2.2.6. Jenis-jenis Persediaan..... 11
2.3. Manajemen Persediaan..... 11
2.4. Definisi Perencanaan Kebutuhan Material (MRP) 12

2.4.1. Kemempuan Sistem MRP 12
2.4.2. *Input* dan *Output* MRP 13
2.4.2.1. *Input* MRP 13
2.4.2.2. *Output* Sistem MRP 13
2.5. Konsep Dasar Manajemen Permintaan 15
2.6. Konsep Dasar Sistem Peramalan dalam Manajemen Permintaan.. 17
2.7. Dinamika MRP 18
2.8. Penyusun MRP 19
2.9. Teknik-teknik *Lot Sizing* 25

Bab 3 Kerangka Pemikiran 26
3.1. *Flow Chart* Penelitian 26
3.2. Langkah-langkah Penelitian 27

Bab 4 Pengumpulan dan Pengolahan Data 29
4.1. Pengumpulan Data 29
4.1.1. Standar Kebutuhan Material per Order untuk Sepatu Tomkins 29
4.1.1.1. Standar Kebutuhan Material per Order untuk Sepatu Tomkins “Storm Junior” 30
4.1.1.2. Standar Kebutuhan Material per Order untuk Sepatu Tomkins “Phillips Junior” 35
4.1.1.3. Standar Kebutuhan Material per Order untuk Sepatu Tomkins “Peabody Women” 40
4.1.1.4. Standar Kebutuhan Material per Order untuk Sepatu Tomkins “Adaline Women” 47
4.1.1.5. Standar Kebutuhan Material per Order untuk Sepatu Tomkins “Hellion Junior” 52
4.2. Pengolahan Data 57
4.2.1. Struktur Produk Sepatu Tomkins 57
4.2.1.1. Struktur Produk Sepatu Tomkins “Storm Junior” 57

4.2.1.2. Struktur Produk Sepatu Tomkins “Phillips Junior” 58
4.2.1.3. Struktur Produk Sepatu Tomkins “Peabody Women”... 59
4.2.1.4. Struktur Produk Sepatu Tomkins “Adaline Women”.... 60
4.2.1.5. Struktur Produk Sepatu Tomkins “Hellion Junior” 61
4.2.2. Material Pembentuk Sepatu Tomkins Sesuai dengan Standar Kebutuhan per Order 62
4.2.2.1. Material Pembentuk Sepatu Tomkins “Storm Junior” Sesuai dengan Standar Kebutuhan per Order..... 62
4.2.2.2. Material Pembentuk Sepatu Tomkins “Phillips Junior” Sesuai dengan Standar Kebutuhan per Order..... 65
4.2.2.3. Material Pembentuk Sepatu Tomkins “Peabody Women” Sesuai dengan Standar Kebutuhan per Order 67
4.2.2.4. Material Pembentuk Sepatu Tomkins “Storm Junior” Sesuai dengan Standar Kebutuhan per Order..... 69
4.2.2.5. Material Pembentuk Sepatu Tomkins “Storm Junior” Sesuai dengan Standar Kebutuhan per Order..... 71
4.2.3. Klasifikasi Gabungan Material Sesuai dengan Standar Kebutuhan per Order dari Setiap Model..... 73
4.2.4. Penjadwalan Produksi Induk (MPS)..... 75
4.2.5. *Material Requirement Planning* (MRP) dengan Teknik *Lot For Lot*..... 76
4.2.5.1. *MATERIAL REQUIREMENT PLANNING* (MRP) PVC R-38 EMB - POLY TC BACKING (TUMBLED) 1.2 MM (SOFTNESS 2.5 -2.7) 54"..... 77
4.2.5.2. *MATERIAL REQUIREMENT PLANNING* (MRP) PVC R-61 EMB - POLY TC BACKING 1.2 MM (SOFTNESS 2.5 -2.7) 54"..... 78
4.2.5.3. *MATERIAL REQUIREMENT PLANNING* (MRP) CANVAS 11 OZ 44” 79
4.2.5.4. *MATERIAL REQUIREMENT PLANNING* (MRP) CANVAS 10 OZ 60” 80

4.2.5.5. *MATERIAL REQUIREMENT PLANNING* (MRP) CANVAS MATJOTO 60” 81
4.2.5.6. *MATERIAL REQUIREMENT PLANNING* (MRP) DENIM JEANS 11 OZ (CODE:DGT 28531) 60”..... 82
4.2.5.7. *Material Requirement Planning* (MRP) MERABORN 0.15 MM 44" 83
4.2.5.8. *MATERIAL REQUIREMENT PLANNING* (MRP) MERABORM 0.6 MM 44”..... 84
4.2.5.9. *MATERIAL REQUIREMENT PLANNING* (MRP) FOAM LD (HARDNESS 30-40) 4 MM 44”..... 85
4.2.5.10. *MATERIAL REQUIREMENT PLANNING* (MRP) FOAM MD (HARDNESS 65-75) 4 MM 44”..... 86
4.2.5.11. *MATERIAL REQUIREMENT PLANNING* (MRP) COSMO 130 G/M (PP16) 44”..... 87
4.2.5.12. *MATERIAL REQUIREMENT PLANNING* (MRP) BUJIKPO 1.3 MM 54” 88
4.2.5.13. *MATERIAL REQUIREMENT PLANNING* (MRP) SUPERTUFF 6700 0.6 MM 54”..... 89
4.2.5.14. *MATERIAL REQUIREMENT PLANNING* (MRP) CHEMISHEET 2.0 MM 36” 90
4.2.5.15. *MATERIAL REQUIREMENT PLANNING* (MRP) PU R-61 EMB 0.6 MM 40”..... 91
4.2.5.16. *MATERIAL REQUIREMENT PLANNING* (MRP) MESH HX POLY 003 54"..... 92
4.2.5.17. *MATERIAL REQUIREMENT PLANNING* (MRP) SOFT EVA FOAM (HARDNESS 20-22) 1.0 MM 54" 93
4.2.5.18. *MATERIAL REQUIREMENT PLANNING* (MRP) PVC VINYL 0.6 MM 54" 94
4.2.5.19. *MATERIAL REQUIREMENT PLANNING* (MRP) CODRA (LOCAL) 44"..... 95

4.2.5.20. *MATERIAL REQUIREMENT PLANNING* (MRP) MERRY MESH 44" 96
4.2.5.21. *MATERIAL REQUIREMENT PLANNING* (MRP) MAGIC TAPE HOOK 10 CM 97
4.2.5.22. *MATERIAL REQUIREMENT PLANNING* (MRP) MAGIC TAPE LOOP 10 CM 98
4.2.5.23. *MATERIAL REQUIREMENT PLANNING* (MRP) EMBOSS ONLY "TOMKINS" BALOK NEW FONT 30 MM..... 99
4.2.5.24. *MATERIAL REQUIREMENT PLANNING* (MRP) ZIPPER YKK CFC-36 DALH E P12 580 WITH DOUBLE STOPPER..... 100
4.2.5.25. *MATERIAL REQUIREMENT PLANNING* (MRP) EMBRODERRY "C" AS DESIGN QUARTER LOGO 40 MM 101
4.2.5.26. *MATERIAL REQUIREMENT PLANNING* (MRP) WOVEN LABEL "TOMKINS BASE" + TOMKINS EIGHTY SIXTH 28 X 28 MM 101
4.2.5.27. *MATERIAL REQUIREMENT PLANNING* (MRP) POLY FLAT LACE (ASAHI) 8 MM 103
4.2.5.28. *MATERIAL REQUIREMENT PLANNING* (MRP) HEAT SEAL LABEL 28 X 22 MM..... 104
4.2.5.29. *MATERIAL REQUIREMENT PLANNING* (MRP) THREAD 210D NYLON 3/PLY (2000 ME)..... 105
4.2.5.30. *MATERIAL REQUIREMENT PLANNING* (MRP) ZIGZAG 30 SPUM 3/PLY (2250) 106
4.2.5.31. *MATERIAL REQUIREMENT PLANNING* (MRP) VISA TERRY (reversed) 44" 107
4.2.5.32. *MATERIAL REQUIREMENT PLANNING* (MRP) TEXON 1.25 MM 40" X 54” 108

4.2.5.33. *MATERIAL REQUIREMENT PLANNING* (MRP) HEAT TRANSPAPER "TOMKINS+R' (BALOK) NEW FONT 35 MM 109
4.2.5.34. *MATERIAL REQUIREMENT PLANNING* (MRP) EVA PE (HARD 57+/-3) 10 MM 1000 X 1500 MM (7 X 3 110
4.2.5.35. *MATERIAL REQUIREMENT PLANNING* (MRP) HEAT TRANSPAPER "TOMKINS+R" (BALOK) NEW 45 MM 111
4.2.5.36. *MATERIAL REQUIREMENT PLANNING* (MRP) LEM PU 112
4.2.5.37. *MATERIAL REQUIREMENT PLANNING* (MRP) PROSES HOLE 0.8 MM (KODE #103) 54" 113
4.2.5.38. *MATERIAL REQUIREMENT PLANNING* (MRP) PRINTING "86" AS DESIGN 33 X 37 MM 114
4.2.5.39. *MATERIAL REQUIREMENT PLANNING* (MRP) METAL EYELET #300 LENGTH 6 MM W/ BTM "FLAT" KONTRUKSI (ALUMINIUM) 115
4.2.5.40. *MATERIAL REQUIREMENT PLANNING* (MRP) METAL EYELET #300 LENGTH 5 MM W/ BTM "FLAT" 116
4.2.5.41. *MATERIAL REQUIREMENT PLANNING* (MRP) PU R-61 EMB 0.6 MM 40”..... 117
4.2.5.42. *MATERIAL REQUIREMENT PLANNING* (MRP) EVA SCRAFT 1.5 MM 110 X 180 CM..... 118
4.2.5.43. *MATERIAL REQUIREMENT PLANNING* (MRP) EVA SCRAFT 2.0 MM 110 X 180 CM..... 119
4.2.5.44. *MATERIAL REQUIREMENT PLANNING* (MRP) ELION MESH 44" + EVA (HARD 50+/-3) 0.8 MM 120

4.2.5.45. *MATERIAL REQUIREMENT PLANNING* (MRP) MULTI SPAN TENUN SILANG 44" + EVA (HARD 50+/-3)..... 121
4.2.5.46. *MATERIAL REQUIREMENT PLANNING* (MRP) EVA (HARD 50+/-3) 0.8 MM 122
4.2.5.47. *MATERIAL REQUIREMENT PLANNING* (MRP) PRINTING "POLKADOT" AS DESIGN TONGUE MIDDEL DECO..... 123
4.2.5.48. *MATERIAL REQUIREMENT PLANNING* (MRP) THREAD 280D NYLON 3/PLY (1500 ME)..... 124
4.2.5.49. *MATERIAL REQUIREMENT PLANNING* (MRP) CF POLYESTER 120 D/2 (5000 ME)..... 125
4.2.5.50. *MATERIAL REQUIREMENT PLANNING* (MRP) HOTMELT LAMINATION..... 126
4.2.5.51. *MATERIAL REQUIREMENT PLANNING* (MRP) HOIN SOFT 127
4.2.5.52 *MATERIAL REQUIREMENT PLANNING* (MRP) MICRO PU 1.0 MM 54" 128
4.2.5.53. *MATERIAL REQUIREMENT PLANNING* (MRP) NYLON 210 D 44" + S/T..... 129
4.2.5.54. *MATERIAL REQUIREMENT PLANNING* (MRP) 210 D NYLON + S/T CUT 10 MM 130
4.2.5.55. *MATERIAL REQUIREMENT PLANNING* (MRP) SUMMER PLASTIC 0.34 MM 88 CM 131
4.2.5.56. *MATERIAL REQUIREMENT PLANNING* (MRP) PRINTING 3D "TOMKINS" NEW FONT AS DESIGN 30 MM 132
4.2.5.57. *MATERIAL REQUIREMENT PLANNING* (MRP) PRINTING MOTIF "TRIBAL" AS DESIGN..... 133

4.2.5.58. *MATERIAL REQUIREMENT PLANNING* (MRP) THREAD 210D NYLON SN6 (NON BONDED0 3/PLY (2000 ME) 134
4.2.5.59. *MATERIAL REQUIREMENT PLANNING* (MRP) TREAD NYLON 66 BONDED 420 D/3 (1000 ME) 135
4.2.5.60. *MATERIAL REQUIREMENT PLANNING* (MRP) EMBROIDERRY "TOMKINS JEANS" ONLY 136
4.2.5.61. *MATERIAL REQUIREMENT PLANNING* (MRP) OUTSOLE COMPRESSION MOLDED SOLID RUBBER HARD 62+/-3 137
4.2.5.62. *MATERIAL REQUIREMENT PLANNING* (MRP) OUTSOLE COMPRESSION MOLDED SOLID RUBBER HARD 62+/-3 BS/BS LG/WALL/ STRIPE (PAI-048) 138
4.2.5.63. *MATERIAL REQUIREMENT PLANNING* (MRP) OUTSOLE COMPRESSION MOLDED SOLID RUBBER HARD 62+/-3 BS/BS LG/WALL/STRIPE (PAI-117) 139
4.2.5.64. *MATERIAL REQUIREMENT PLANNING* (MRP) OUTSOLE COMPRESSION MOLDED SOLID RUBBER HARD 62+/-2 (PAI-128) BASE/BASE LOGO/WALL/STRIPE TOP/STRIPE MIDDLE .. 140
4.2.5.65. *MATERIAL REQUIREMENT PLANNING* (MRP) COMPRESSION MOLDED SOLID RUBBER "C" HD 62+/-3 (PAI 125) BASE/BS LOGO/WALL/ STRIPE YELLOW MARKING 141

Bab 5 Analisis 142
5.1. Struktur Produk Sepatu Tomkins 142
5.2. Material Pembentuk Sepatu Tomkins Sesuai dengan Standar

Kebutuhan per Order 144
5.3. Klasifikasi Gabungan Material Sesuai dengan Standar Kebutuhan per Order dari Setiap Model 145
5.4. Penjadwalan Produksi Induk (MPS) 146
5.5. *Material Requirement Planning* (MRP) dengan Teknik *Lot For Lot* 147

Bab 6 Kesimpulan dan Saran 179
6.1. Kesimpulan 179
6.1.1. Struktur Produk Sepatu Tomkins 179
6.1.2. *Material Requirement Planning* (MRP) dengan Teknik *Lot For Lot* 180
6.2. Saran 181

Daftar Pustaka 183
Lampiran 184