DAFTAR PUSTAKA

[1] A. Puspita, "Aplikasi Penghitung Jumlah Orang Berbasis Webcam Dengan Analisis Multi Centroid," *Skripsi*, Universitas Telkom, 2012.

[2] "People Counting," [Online]. Available: http://v-count.com/people-counting/. [Diakses 1 April 2017].

[3] Haryansyah dan Y. Kristian, "Deteksi dan Penghitungan Manusia Pada Video Pengunjung Instansi Pemerinahan di Tarakan Menggunakan Metode Histogram of Oriented Gradient," *Seminar Nasional Inovasi dalam Desain dan Teknologi*, 2015.

[4] Z. Ahmadipour, M. Afraisabi dan H. Khotanlou, *Multiple Human Detection in Images Based on Differential Evolution and HOG-LBP*, 2016.

[5] R. A. Sutoyo, "Analisis dan Penerapan Perhitungan Orang Menggunakan Metode Histogram Of Oriented Gradients Studi Kasus Perhitungan Orang Dalam Kelas," *Skripsi*, Universitas Telkom, 2015.

[6] M. Pietkainen, A. Hadid, G. Zhao dan T. Ahonen, *Computer vision using local binary patterns* , vol. 40, no. Springer Science & Business Media, 2011.

[7] N. D.T., W. Li dan P. Ogunbona, *Human detection from images and videos: A survey*, *Pattern Recognition*, vol. 51, pp. 148-175, 2016.

[8] M. Nazir, Metode Penelitian Cetakan ke-6, Bogor: Ghalia Indah, 2005.

[9] R. S. Pressman, "Rekayasa Perangkat Lunak," dalam *Pendekatan Praktisi*, Andi, 2002.

[10] Gunawan, dalam *Pencatatan Jumlah Pengunjung Suatu Ruangan Berbasis Pengolahan Video Dengan Metode Deteksi Gerakan*, Bandung, Universitas Telkom, 2009.

[11] G. Sulistiawan, Analisis Centroid Untuk Meningkatkan Kehandalan Pada Alat Pemantau Ruangan Secara Real Time Berbasis Webcam Dengan Metode Frame Different, Bandung: Universitas Telkom, 2010.

[12] R. Munir, Pengolahan Citra Digital, Ghalia Indonesia, 2005.

[13] T. GIMP, "The GIMP Documentation 5.10. Desaturate," GIMPP, 05 Agustus 2014. [Online]. Available: http://docs.gimp.org/2.8/en/gimp-tool-desaturate.html. [Diakses 18 April 2017].

[14] I. T. Union, "BT.709 :Parameter values for the HDTV standards for production and international programme exchange," Juni 2011. [Online]. Available: http://www.itu.int/rec/R-REC-BT.709-6-201506-I/en. [Diakses 18 April 2017].

[15] I. T. Union, "BT.601 : Studio encoding parameters of digital television for standard 4:3 and wide screen 16:9 aspect ratios," [Online]. Available: http://www.itu.int/rec/R-REC-BT.601-7-201103-I/en. [Diakses 18 April 2017].

[16] N. D dan T. B, "Histogram of Oriented Gradients for Human Detection," 2005. [Online]. Available: http://lear.inrialpes.fr/people/triggs/pubs/Dalal-cvpr05.pdf. [Diakses 5 4 2017].

[17] Pietikanen, Matti, A. Hadid, Guoying, Zhao dan T. Ahonen, *Computer Vision Using Local Binary Pattern*, 2011.

[18] Y. Takayanagi dan J. Katto, "International Workshop on Advanced Image Technology," *Human Detection Using HOG with Additional color features,* 2010.

[19] S. Yang, X. Liao dan U. Borasy, "A Pedestrian Detection Method Based on the HOG-LBP Feature and," *International Journal of Advancements in Computing Technology(IJACT)* , 2012.

[20] A. Nugroho, A. Witarto dan D. Handoko, "Support Vector Machine Teori dan Aplikasinya dalam Bioinformatika," Ilmu Komputer.com, 2003. [Online]. Available: http://www.asnugroho.net/papers/ikcsvm.pdf..

[21] S. Fidler, "Computer Science University of Toronto," [Online]. Available: http://www.cs.utoronto.ca/~fidler/slides/CSC420/lecture17.pdf. [Diakses 10 07 2017].

[22] A. Rosebrock, “Pyimagesearch,” 17 11 2014. [Online]. Available: http://www.pyimagesearch.com/2014/11/17/non-maximum-suppression-object-detection-python/. [Diakses 04 06 2017].

[23] “INRIA Person Dataset,” INRIA, [Online]. Available: http://pascal.inrialpes.fr/data/human/. [Diakses 4 April 2017].

[24] H. J, K. KM dan J. Pei, “Data Mining Concepts and Techniques,” dalam *3rd ed*, Waltham, USA, Morgan Kaufman, 2012.