

ISBN 978-602-203-055-3

# PROCEEDINGS

The 12th International Conference on  
Sustainable Environment and Architecture (SENVAR)

“Nusantara” (Local) Wisdom for  
The Better Future of Sustainable Architecture

University of Brawijaya  
Malang - Indonesia  
10 - 11 November 2011



Department of Architecture  
Faculty of Engineering  
University of Brawijaya



SEMEN GRESIK



**NIRO GRANITE**  
THE SWISS QUALITY TILE



**PANCANAKA** Property  
on the move...  
[www.pancanakagroup.com](http://www.pancanakagroup.com)



**FUTURARC**

**Kosa Matra Graha**  
ENGINEERING CONSULTANT




# PROCEEDINGS

The 12<sup>th</sup> International Conference on  
Sustainable Environment and Architecture (SENVAR)

**“Nusantara” (Local) Wisdom for The Better  
Future of Sustainable Architecture**

**10-11 November 2011  
University of Brawijaya  
Malang – Indonesia**

**ISBN 978-602-203-055-3**





## **Disclaimer**

*All of statements and opinions in this proceeding are those of the paper authors. The authors are responsible for due acknowledgements and references in their paper. Editor and the seminar committee are not responsible for erroneous statements or expressed opinions.*

## **Photo Cover Resources:**

*Gibbs, 1987, @ARSITEKTUR NUSANTARA BAHARI by Galih Wijil Pangarsa, 2006  
Yori Antar @ Freemag Architects+ Vol.1, [www.indo-architectplus.com](http://www.indo-architectplus.com), 2009*

Proceedings

The 12<sup>th</sup> International Conference on

**Sustainable Environment and Architecture (SENVAR XII):**

***"Nusantara" (Local) Wisdom for the Better Future of Sustainable Architecture***

*Edited by*

Agung Murti N.,  
Subhan Ramdlani.,  
Ema Yunita T.,  
Cynthia Permata D.,  
Andika C.

*Cover designed by*

Yusfan Adiputera Y.  
Andika C.

*Published by*

Department of Architecture Faculty of Engineering  
University of Brawijaya (UB), Malang - Indonesia


ISBN 978-602-203-055-3

Copyright ©2011

ISBN 978-602-203-055-3







Proceedings

**The 12<sup>th</sup> International Conference on  
Sustainable Environment and Architecture  
(SENA XII)**

Malang, 10-11 November 2011

**Committee**

**Steering Committee**

Dr. Agung Murti Nugroho, St., Mt., (Chairperson)

Prof. Ir. Antariksa, M.Eng., Ph.D.

Dr. Ir. Galih Widjil Pangarsa, Dea.

Ir. Jenny Ernawati, Msp, Ph.D.

Dr. Ir. Joko Triwinarto, Msa.

**Organizing Committee**

Subhan Ramdlani, ST., MT (Chairperson)

Triandriani Mustikawati, ST., MT. (Secretary#1)

Ir. Damayanti A., MT. (Secretary#2)

Cynthia Permata Dewi, ST (Secretary#3)

Noviani Suryasari, ST., MT. (Treasurer)

Wulan Astrini, St., M.Ds. (Sponsorship & Public Relation)

Yusfan Adiputera Y, ST, MT (Abstract Manager)

Ema Yunita T., ST., MT. ( Fullpaper Manager)

Abraham M Ridjal, ST, MT (Program & Schedulling Manager)

Tito Haripradianto, ST., MT. (Publication & Documentation Manager)

M Satya Adhitama, ST, MT. (Supporting Manager)

Beta Suryokusumo, ST., MT. (Acomodation & Tranportation Manager)

Ir. Rinawati Puji Handayani, MT. (F & B Manager)

**Reviewers**

Prof. Dr. Antariksa (University Of Brawijaya, Indonesia)

Prof Hamdan Ahmad (Universiti Teknologi Malaysia, Malaysia)

Prof. Prasasto Satwiko (Atmajaya University, Indonesia)

Prof. Triharso Karyono (Tarumanegara University, Indonesia)

Associate Prof. Ismail Said (Universiti Teknologi Malaysia, Malaysia)

Associate Prof. Dr. Tetsu Kubota (Hiroshima University, Jepang)

Associate Prof. Dr. Bagoes W (Universiti Teknologi Malaysia, Malaysia)

Dr. Galih Widjil Pangarsa, Dea (University Of Brawijaya, Indonesia)


Dr. Eka Sediadi Rasyad (Universiti Teknologi Malaysia, Malaysia)

Dr. Agung Murti Nugroho, ST., MT. ( University Of Brawijaya, Indonesia)

Ir. Jenny Ernawati, Msp, Ph.D. (University Of Brawijaya, Indonesia)

Dr. Ir. Joko Triwinarto, MSA. (University Of Brawijaya, Indonesia)

Dr. Lisa Dwi Wulandari, ST., MT. (University Of Brawijaya, Indonesia)



ISBN 978-602-203-055-3

All Right Reserved. © 2011 by

Department of Architecture

Faculty of Engineering

University of Brawijaya (UB)

Jl. MT. Haryono 167, Malang, INDONESIA

Tlp/Fax. +62-341-567486, Cell. +6281945542322; +6282139302244

e-mail. [senvar12@gmail.com](mailto:senvar12@gmail.com), Weblog: <http://senvar12.ub.ac.id>



## Copyright and Reprinted Permission

### Foreword

### Introduction,

### Aim and Scope

### Steering Committee, Organizing Committee, and Reviewer Team

### Table of Contents

1	Keynote Speakers	
1.1.	Local Wisdom in Malaysian Vernacular Architecture: Comparison of Thermal Environment between Traditional and Modern Houses - <i>Dr. Tetsu Kubota (Hiroshima University - Japan)</i> .....	
1.2.	Sustainability and the Built Environment: In the Search for Ethics of Future Development Policy based on Environment and Social Responsibility - <i>Assoc. Prof. Bagoes P. Wiryomarto (UTM - Malaysia)</i> .....	
1.3.	Shape Grammar for Sustainable Buildings in the Hot Humid Tropics - <i>Prof. Hamdan Ahmad (UTM - Malaysia)</i> .....	
1.4.	The Death of Traditional Architecture (The Birth of Nusantara Architecture) - <i>Dr. Ir. Galih W. Pangarsa, DEA (University of Brawijaya - Indonesia)</i> .....	
1.5.	Architecture and Sustainability - <i>Duangrit Bunnag (Duangrit Bunnag Architect Limited - Thailand)</i> .....	
2	Parallel Session's Speakers	
2.1	Sub-Theme A:	
2.1.1	A. 1. Sustainable City	
2.1.1.1	Sustainable Architectural Design in Indonesia: Responding the Current Environmental Challenges - <i>Gunawan Tanuwidjaja, Lo Leonardo</i> .....	A1
2.1.1.2.	Application Of Malay Traditional Architecture Elements as Regional Identity towards Sustainable City - <i>Wahyu Hidayat</i> .....	A1
2.1.1.3.	Questioning the Effectiveness Of Balance Neighbourhood Idea in the Creating Sustainable Urban Housing in Bandung - <i>A. Adib Abadi</i> .....	A1
2.1.1.4.	Local Wisdom of Settlement Growth in the Urban Fringe Areas - <i>Bambang Setioko</i> ...	A1
2.1.1.5.	Environmentally Friendly Surface Run-Off Control of Malang City - <i>Tri Mulyani Sunarharum</i> .....	A1
2.1.2.	A.2. Government Cultural Policy or Strategy in Environmental Change and Sustainability	
2.1.2.1.	The Green Material Concepts Adaptation of Vernacular Architecture in Indonesia - <i>Wasiska Iyati</i> .....	A
2.1.2.2.	Local Policy as Guideline towards Sustainable Architecture Addressing the Use of Local Materials Applied for Traditional Houses - <i>Dianisari Rinda Astoeti, Desak Putu Damayanti, Iwan Suprijanto</i> .....	A
2.1.2.3.	Implementing Sustainable Green Development in Urban Residential Environment through Participatory Approach - <i>Ady Rizalsyah Thahir</i> .....	A2
2.1.2.4.	Tourism Facilities on Balinese Traditional Housing Extensions in Ubud Village Bali (In Term of Environmental Sustainability) - <i>I Dewa Gede Agung Diasana Putra</i> .....	A2
2.1.2.5.	Application of New Technologies for Sustainable Office Buildings in Malaysia - <i>Mohd Hamdan Ahmad, Syed Iskandar Ariffin, Yaik-Wah Lim</i> .....	A2
2.1.2.6.	Zoning Regulation as Land Use Control Instrument in Environmental Sustainability: Lesson Learned from United States of America and Singapore - <i>Korlena, Achmad Djunaedi, Leksono Probosubanu, Nurhasan Ismail</i> .....	A2



2.1.3.	<b>A.3. Harmony with Nature in Urban-Rural Environment</b>	
2.1.3.1.	Architectural Sustainability in Small Island Settlements: Case of Lae Lae and Barrang Lompo Islands in Makassar, Indonesia - <i>Ria Wikantari</i> .....	A
2.1.3.2.	Agropolitan and Local Plant in a Harmony with Urban-Rural Environment - <i>Paulus Hariyono</i> .....	A
2.1.3.3.	The Harmony of Nature and Built Environment : Its Impact for Children Growth in Karangantu Eco-Village - <i>Dhini Dewiyanti Tantarto, Dianna Astrid Hertoety</i> .....	A3
2.1.3.4.	Living in Harmony with the Natural Environment in the Boat Culture; Critical Analysis of Vernacular Architecture in Flores - <i>Martinus Bambang Susetyarto, Eko Budihardjo, Galih Widjil Pangarsa, Gagoek Hardiman</i> .....	A3
2.1.4.	<b>A.4. Human Sustainability and Contrast of Economic Paradigm in Architecture</b>	
2.1.4.1.	Measurement of Kampung Performance as Basic Strategy towards a Resilient City: Evidence from CASBEE-UD and LEED-ND's Results - <i>Muhammad Sani Roychansyah</i> .....	I
2.1.4.2.	Human Sustainability: Contrasting Informal Housing Delivery Pattern between Nigeria and Bangladesh - <i>Moukhtar Mohammed Mai, Mahbubur Rahman, Shuhana Shamsuddin</i> .....	I
2.1.5.	<b>A.5. Role of Architecture as Science and Its Education Toward Sustainable Environment</b>	
2.1.5.1.	Architecture As Dialogue: A Sustainable View - <i>Yenny Gunawan</i> .....	I
2.1.5.2.	Environmental Evaluation of Simple Houses Materials In Bandung, Indonesia - <i>Wahyu Wuryanti</i> .....	I
2.2.	<b>Sub Theme B:</b>	
2.2.1.	<b>B.1. The Local Wisdom of Heritage, Traditional, and Vernacular in Tropical Architecture</b>	
2.2.1.1.	Method to Elicit Local Wisdom in Perceiving the Transformation of Historical Living Environment - <i>Widya Fransiska F. Anwar, Ismail Said, Dilhsan R Ossen, Muh. Hisyam Rasyidi</i> .....	I
2.2.1.2.	The Influence of Ritual Space to Formation Occupancy Space of the Ammatoa Community Indigenous Regions - <i>Mimi Arifin, Happy Ratna Santosa, Purwanita Setijanti</i> .....	B:
2.2.1.3.	Local Wisdom and Settlement Culture in Kampung Adat Ciptagelar Kabupaten Sukabumi - <i>Yuni Sri Wahyuni</i> .....	B:
2.2.1.4.	Bioclimatic's Vernacular Wisdom in Modern Building, Comparative Study: Highrise Envelope Design in Indonesia and Malaysia - <i>Marcus Gartiwa</i> .....	B:
2.2.1.5.	Local Wisdom on Baduy Community in the Use of Materials to Build Houses and Settlement in Harmony With Nature - <i>Mohammad Ischak, Rudi Mustiaji</i> .....	B:
2.2.1.6.	Tectonic in Architecture of Toraja Traditional House - <i>Marly Valenti Patandianan</i> .....	B:
2.2.1.7.	Local Wisdom as the Basis for Site Engineering on Wetland Settlements in Banjarmasin - <i>Dahliani, Indah Mutia</i> .....	B:
2.2.1.8.	A House is a Figure between the Earth and the Sky, Case Study: Batak Toba House in Samosir Island - <i>Himasari Hanan</i> .....	B:
2.2.1.9.	Protruding Saddle Roof Structure of Toraja, Minang and Toba Batak House: Learning from Traditional Structure System - <i>Esti Asih Nurdiah</i> .....	B:
2.2.1.10.	Reactualisation of Local Wisdom for Settlement Improvement Program Based on Sustainability in Tropical Climate - <i>Putri Herlia Pramitasari, Maria Bernadet Karina Dewi</i> .....	B:
2.2.1.11.	Local Wisdom, the Half Part of Postmodern Indonesian Architecture; An	B:



2.2.1.12.	Opportunity to Culture Sustainability in Architecture - <i>A. Rudyanto Soesilo</i> .....	B1
	Sustainable Architecture within the Local Wisdom Concept of the Acehese Traditional House - <i>Erna Meutia</i> .....	B1
2.2.2	<b>B.2. Climate Responsive as a Basic Concept of Tropical Intelligent Building</b>	
2.2.2.1.	The Potency of Bamboo as Noise Reduction - <i>Ernaning Setiyowati, Aulia Fikriarini Muchlis</i> .....	E
2.2.2.2.	Determining Overall Heat Transfer Coefficient and Shading Coefficient of Double-skin Facade - <i>Rosady Mulyadi</i> .....	B2
2.2.2.3.	The Influence of Roof Form on the Building Thermal Performance; Study on the Traditional Houses of Kaka Pu'u and Sonaf - <i>Muhammad Nur Fajri Alfata, I Ketut Suwantara</i> .....	B2
2.2.2.4.	Thermal Performance of Sao Ria Traditional Houses in Ngalupolo and Nggela (Rainy and Dry Period) - <i>I Ketut Suwantara, Rini Nugrahaeni, Iwan Suprijanto</i> .....	B2
2.2.2.5.	Islamic Concept Approach as Foundation of Sustainable Responsive Tropical Architectural Planning - <i>Utami</i> .....	B2
2.2.2.6.	The Impact of Modern Roof Material to the Traditional House of Batak Toba - <i>Himasari Hanan, Surjamanto</i> .....	B2
2.2.2.7.	A Preliminary Study on Indoor Spaciousness - <i>Rahmawati Hidayah, Naoyuki Oi, Hironobu Takahashi</i> .....	B2
2.2.2.8.	Thermoacoustic Analysis for City Terrain Roughness of Warm Humid Climate - <i>FX Teddy Badai Samodra</i> .....	B2
2.2.2.9.	Pakis-Stem Blocks as Natural Heat Insulation Diminished Room Thermal in Surabaya - <i>Danny Santoso Mintorogo, Mohd. Hamdan Ahmad</i> .....	B2
2.2.3.	<b>B.3. Convenience Living Space and People Dimension in Architecture Development</b>	
2.2.3.1.	Circle of People Life, Circle of Living Convenience, Impact of Architecture Development - <i>Edy Darmawan, Hermin Werdiningsih</i> .....	I
2.2.3.2.	The Proxemics Approach of Ngadisari Village Society's Spatial Arrangements, Probolinggo - East Java - <i>Alvera Getse Roshita</i> .....	I
2.2.3.3.	A Review on Children's Favorite Place in the Context of Rural, Suburban and Urban Environments - <i>Noor Ain Yatiman and Ismail Said</i> .....	B3
2.2.3.4.	"Places for Children" versus "Children's Places": A Review of Children's Independent Mobility and Participation - <i>Mohammad Mehdi Mehran, Ismail Said</i> .....	B3
2.2.3.5.	The Pleasure of Aesthetic of Place on Pangerebongan by Pelawatan Ida Ratu Ayu Ring Singgi - <i>A. A. Ayu Oka Saraswati, Josef Prijotomo, Purwanita Setijanti</i> .....	B3
2.2.3.6.	Towards Bridging the Generation Gap: Exploring Old Adults and Adolescent Youths' Perceptions of Open Spaces Supportive of their Social Interaction Needs - <i>Najmeh Ramezani, Loon Wai Chau</i> .....	B3
2.2.4.	<b>B.4. Comfort and Quality of Tropical Indoor and Outdoor Space</b>	
2.2.4.1.	Comparison of Thermal Comfort Levels for Two Traditional Bugis Houses in Malaysia - <i>Aminatuzuhariah Megat Abdullah, Mohd. Zin Kandar</i> .....	I
2.2.4.2.	The Analyzis of Visual Comfort in the Lecture Room (A Case Study in a Lecture Room of Jutap UGM) - <i>Nurul Jamala</i> .....	I
2.2.4.3.	Trees Configuration Model for Hot Humid Tropic Urban Parks - <i>Jono Wardoyo, Eko Budihardjo, Eddy Prianto, Muh. Nur</i> .....	B4
2.2.4.4.	Impact of Land Surface Changes to Outdoor Thermal Performance and Climate Condition - <i>Mustamin Rahim, Jun Yoshino, Takashi Yasuda</i> .....	B4
2.2.4.5.	Ventilation Design Performance of Difference Level and Similar Room Arrangement - <i>FX Teddy Badai Samodra</i> .....	B4
2.2.4.6.	Simulation Study of Natural Ventilation in Traditional and Contemporary Javanese	



	Houses in Yogyakarta - <i>Tri Yuni Iswati</i> .....	B <sup>4</sup>
2.2.4.7.	The Role of Courtyard in Kudus Traditional House - <i>Agung Budi Sardjono</i> .....	B <sup>4</sup>
2.2.4.8.	Thermal Comfort in Naturally Ventilated and Air Conditioned Room: A Comparison between PMV and Actual Vote - <i>Abdul Munir, Sofyan, Muslimsyah</i> .....	B <sup>4</sup>
2.2.4.9.	The Application Of Ecological Concepts on the Flats' Roof in Humid Tropical Region - <i>Sri Yuliani</i> .....	B <sup>4</sup>
<b>2.2.5.</b>	<b>B.5. Green and Energy Efficient Architecture</b>	
2.2.5.1.	Evaluating the Impact of Vertical Greenery System on Cooling Effect on High Rise Buildings and Surroundings: A Review - <i>Badruzaman Jaafar, Ismail Said, Mohd Hisham Rasidi</i> .....	I
2.2.5.2.	House with Repulped Paper-Walled that has Heat Energy Efficient - <i>Vincentius Totok Noerwasito</i> .....	B <sup>1</sup>
2.2.5.3.	Method of Feasibility Study for Green Roof in Reducing Temperature in the Central Business District in Johor Bahru, Malaysia - <i>Juliana Johari, Mohd Hisham Rasidi, Ismail Said</i> .....	B <sup>1</sup>
2.2.5.4.	Opening of <i>Joglo</i> Roof House as Passive Cooling Strategy - <i>Mohammad Pranoto Soedjarwo</i> .....	B <sup>1</sup>
2.2.5.5.	The Impact of Different Types of Permeable Pavement Utilization on Air Temperature and Building Energy Consumption - <i>Andika Citraningrum</i> .....	B <sup>1</sup>
2.2.5.6.	Energy Efficiency: Comparison between GREENSHIP and LEED - <i>Baharuddin, Ramli Rahim</i> .....	B <sup>1</sup>
2.2.5.7.	Towards Sustainable Campus: Analysing Building Performance of UPI Campus Building - <i>Ilhamdaniah, Johar Maknun</i> .....	B <sup>1</sup>
2.2.5.8.	Prospect and Challenges of the Regulation on Green Building in Indonesia: A Critical Review from LEED Point of View - <i>Mohd. Syarif Hidayat</i> .....	B <sup>1</sup>
<b>2.2.6.</b>	<b>B.6. Integrated Design Approach for Human Living in Southeast Asian Archipelago and the Other Comparative Region</b>	
2.2.6.1.	One Level Hierarchy of G-Feet Reversible Structural Joint System and Its Application on Vernacular Architecture - <i>Ridho Prawiro, Fardilla R., Febreyne C.D.A., Prajnaparamita N.K.W., Yunidita S., V. Totok N.</i> .....	I
2.2.6.2.	A Multidisciplinary Approach for the Carved Fenestration in Floral Design of Malay Vernacular Architecture - <i>Nursuriani Binti Shaffee, Ismail Bin Said</i> .....	I
2.2.6.3.	Sustainable Design Practice in Government's Office Buildings in Malaysia: A Brief Literature - <i>Yakubu Aminu Dodo, Mohd Zin Kandar, Dilshan Remaz Ossen, Yaik-Wah Lim, Yong Razidah Rashid, Mohammad Sabere Sulaiman</i> .....	B <sup>1</sup>
2.2.6.4.	Service - Learning Program as an Alternative Integrated Design Approach for Improving Low-income Settlements in Indonesia - <i>Paulus Bawole</i> .....	B <sup>1</sup>



Ecological design according to Van der Ryn (1996) is based on 5 principles:

- To know the site characteristic, condition and its limitation.
- To consider ecological values, such as the amount of natural resources, and also the damage of the environment had already happened.
- To incorporate natural element in design, in nature, material keeps on moving to form a basic components to build a new life.
- Anyone can act as designer. To van der Ryn, a good design is when the designer follows the will of the nature, so there are no exact solutions for every problem. The solution grow organically depends on the situation, process and communication pattern.
- Naturally design is needed, a design stressing the nature potentials.

Another thing that needs to be taken into consideration is the activity occurs in any built environment. Each activity must have input and output as a process of life. Input and output that occurs naturally requires ecological consideration, i.e. how much use of natural elements as input and how much waste occurs as the output activity on natural process. Therefore we can conclude several aspects of planning that considers the ecological concept (Astrid, Dianna, 2000)

Table 1: Planning Based on Ecological Concept

ASPECTS	ECOLOGY CONCEPT PLANNING ELEMENTS
ARCHITECTURAL ASPECTS	<ul style="list-style-type: none"> <li>• At construction stage; attempted use of local materials, minimizing the use of tools that produce CO<sub>2</sub></li> <li>• Use of remanufactured/reuse materials</li> <li>• multipurpose room order and flexible forms in connection with the ratio of the mass dimension of the surface soil</li> <li>• the use of natural energy to optimize buildings orientation (wind, solar)</li> </ul>
WASTE MANAGEMENT ASPECTS	<ul style="list-style-type: none"> <li>• 4R concept for the management of rainwater, wastewater and solid waste as well as other forms of pollution</li> </ul>
LANDSCAPE ASPECTS	<ul style="list-style-type: none"> <li>• Minimize the percentage of land on the soil surface wounds, such as not to cut and fill, while maintaining the open green spaces, etc..</li> <li>• Maintaining groundwater ecosystems, habitats of land, rivers and others from contamination</li> <li>• Maintaining continuity of microclimate quality such as by reforestation and others.</li> </ul>

Source: (Astrid, Diana, 2000)

Humans, including children, as part of the ecosystem has the characteristics, needs and desires that need to be accommodated appropriately in order to live healthy. For that, development planning needs to conduct an ecological approach to the characteristics, needs and desires of man, in this case children, which can be tolerated by the natural environment.

### 2.2 Ecological Thought on the Process of Children Growth

Stage of development and children’s concept of thinking vary according to age and neighborhood. If the child is born in a healthy condition, then the growth will be in accordance with increasing age. Still there is a possibility of distortion in the process of growth if the built environment where he lived did not provide the necessary stimulation.

Jean Piaget said that children develop and grow according to developmental age (which affects cognitive ability) in interacting with their environment. A good environment is a physical environment that still has the natural elements (the potentials of nature such as vegetation, topography, rivers, mountains, seas and so on). Therefore, children who grow up in environments rich of natural element, will be different than children who are raised in crowded environments.

In the built environment, the role of the architectural meanings in an environmental element becomes important. Meaning affects human behavior, in which the human reaction to the environment will greatly depend on the meaning of the environment captured by the man himself (Altman, Irwin). Meaning of place forms the man self-concept, including children. The meaning of space will greatly affect the behavior, and emerging environmental behavior can be different due to the interpretation of any different meaning, depending on each individual child. It is the children’s Age who will determine the ability of capturing the meaning, then to reflect it in their behavior. (Dewiyanti, Dhini, 2010).

The study was conducted from two directions to evaluate the Eco Village development using indicators of ecological planning and management of development of the child’s behavior, the presence of the Eco Village. Direction of the child’s behavior is designed for children aged 9-12 years (grade 5) with consideration that those children already have the concept of thinking and socialization, as well as the already have well developed communication. Evaluation is done by distributing questionnaire and observation techniques, as well as a number of interviews on parties considered to be related like parents, teachers, or the government. The



Table 2: Developmental Stages Based on Aged and Self Concepts

CONCEPTS	EGOCENTRIC PHASE	SPECIFIC PARTICIPATION PHASE	MUTUAL PHASE	FAMILIARITY PHASE
	Age 2-4 year	Age 5-8 year	Age 9-11 year	Age 11-14 year
THINK CONCEPTS	<ul style="list-style-type: none"> <li>Massive (everyone is him/herself) and total thinking (you and me are I) /self concept</li> </ul>	<ul style="list-style-type: none"> <li>Participatory thinking (me, him, her, you are my group, the others are not belong to my group) only not based on the status</li> </ul>	<ul style="list-style-type: none"> <li>Participatory-selective thinking based on sex, race, social-economy status</li> <li>On the other hand, tolerance for other is developed</li> </ul>	<ul style="list-style-type: none"> <li>Make an evaluation empirically, according to the ability to think and to see.</li> </ul>
SPACE CONCEPTS	<ul style="list-style-type: none"> <li>Recognize the distance not more than 2 inch, where the relationship and position between children and their environment is topographic, related to near, far, order, dislogic.</li> <li>Landmark is a move mother rather than static one.</li> <li>To recognize simple horizontal and vertical aspects.</li> </ul>	<ul style="list-style-type: none"> <li>Understanding of metric measurement, composition, configuration, left-right and front-back.</li> <li>Recognizing a landmark automatically.</li> <li>Learning a concept of <i>geometric order</i>.</li> <li>Started to interest in knowing the place</li> </ul>	<ul style="list-style-type: none"> <li>Using tools to know the distance (ruler, weight, etc.) accurately measure in meter, kg, etc.</li> <li>To know the site landmark, with the ability to mention the object form articulation.</li> <li>Diagonal concept, able to recognize the spatial space relationship and accurately mention the place.</li> <li>Able to mention space/place along with context and geographical condition around.</li> </ul>	<ul style="list-style-type: none"> <li>Able to compare between spaces.</li> <li>Abe to use direction concept.</li> </ul>

Source: (Dewiyanti, Dhini, 2010)

From the stage, it seems clear that at the age of 5-8 years children begin to think participatory, interacting with the environment and begin to recognize the place. Meanwhile, at the age of 9-11 years self-concepts is growing more concrete, selective and tolerant. It is understandable that when he/she is mature, the person will behave in accordance with the environment in which he/she lived.

Built environment planned and built with the basics of ecological thinking, will greatly affect the child's self-concept and behavior in the process of growth. This happens because children are involved as part of the existing ecosystem. Children will be aware of its contribution to environmental sustainability of the natural and built environment in which he grew up. Introduction to optimization and energy efficiency, waste management and processing along with treatment of the natural environment itself will appear according to the architectural meaning absorbed.


### 2.3 Karangantu Eco Village Serang

Karangantu Eco Village is located on the north coast of Serang city overlooking the Bay of Banten, Java Sea. The extent of approximately 4 acres, built on sand and mud ponds. Almost the entire area is brackish water, fortified from the blows of the waves by a belt of mangroves, the rest is mud mixed with sand, used as a footpath for access and sludge disposal sites of the Milkfish farmers. Only the weeds and shrub, just a few specific plants, such as *Petai Cina* and *asem* grow on dry and barren land.

Eco Village is very close to the Karangantu harbor, Serang, formerly known as an international trade port in Banten sultanate era. Now the port is no longer used as its first function. Condition of the harbor and the surrounding settlements and activities are currently experiencing a loss of quality, therefore Eco Village development plans around the port is expected to increase again the quality of the environment, social and economic value there.

The growth of the area addressed to become a minapolitan city, a village, based on the lives of fishermen, which gives more attention to the balance of environmental, economic, education, and energy.






Source: (Syuhada, Mukodas, 2010)  
Figure 1: The Concept of Tapak Bumi Ecovillage

Another purpose of this development is the use of farm milk fish ponds, on the coast north of Serang, while building an independent economy. Development begins with establishing several houses and social buildings such as multipurpose buildings and libraries. Supporting facilities such as electricity obtained through the concept of wind turbines, while the clean water obtained from seawater distillation techniques using wind energy (drinking with the wind)


Floating building with the size of 5.6 m 11.2 m was built on the ponds and fish, to deal with the ups and downs, while the social construction built to the design stage on a narrow area (galangan/embankment) among ponds. The material used is a local bamboo and reeds as the roof cover. So far the buildings and facilities have been built is still a model settlement that will be developed further



Source: (Dewiyanti, Dhini, 2011)  
Figure 2: Multipurpose Building



Source: (Dewiyanti, Dhini, 2011)  
Figure 3: Floating House




Source: (Dewiyanti, Dhini, 2011)  
Figure 4: Reception Building



Source: (Dewiyanti, Dhini, 2011)  
Figure 5: Bamboo Library



Source: (Dewiyanti, Dhini, 2011)  
Figure 6: Path between the mangrove forest



Source: (Dewiyanti, Dhini, 2011)  
Figure 7: Windmill as the power source and landmark

### 3. Methodology

The study was conducted from two directions; to evaluate the Eco Village development using indicators of ecological planning, and evaluation of development of the child's behavior in the presence of the Eco Village. Evaluation of the child's behavior is doing for children aged 9-11 years (grade 5) with consideration that those children already have the concept of thinking and socialization, as well as the already been well developed communication. Evaluation is done by distributing questionnaires and observation techniques, as well as a number of interviews on parties considered to be related, like parents, teachers, or the government. The



results of this research are expected to get an idea of the extent of influence of the development of Eco Village over the children's process of development.

#### 4. Results and Discussions



##### Environment Elements as Children Development Stimulator

From the observation, questionnaires and interviews, it can be concluded that there are some elements of the environment at the center of attention of children, as well as stimulators their growth process.

##### 4.1. Accessibility/Pedestrian/Footpath

Levees/fish ponds that serve as access to location is an interesting built environment element for the children. The number of alternative accessibility provides its own fantasy for children.

A land bridge connecting the mainland also became part of interest to children. At this place the kids do a lot of adventure games or role playing. The bridge and path served as one of the environmental elements stimulating the growth process.



Source: (Dewiyanti, Dhini, 2011)

Figure 8: The bridge and path served as one of the environmental elements

##### 4.2. Building Mass

Several buildings gave a good stimulation to children:

###### - The house

Built above the pool in the floating concept. The concept and building forms are made to anticipate the possibility of high tides, in addition to aiming the land optimization. The fact is, this concept gave birth to children creative thinking, as well as awareness of the different characteristics of water and soil. The distance between the mainland and the floating house, also helps the concept of strategy and estimates on children's cognitive, as well as awareness for mutual aid/cooperation at the time to reach the floating house.

###### - Multi function building

2 levels building, built on the dike has a width of approximately 4 m, made with a system of houses on stilts. This is done also to anticipate the possibility of high tide. Versatile functions on the ground floor was very effective facilitate the activities with local communities, as well as for children. The addition of library functions on the 2nd floor adds charm to stop off and make it a place to play while learning. Separation of functions on the upper zone and lower zone turned out to provide children awareness about group and territory.

###### - Mushola

Function to give a spiritual consciousness to children, as well as to develop a time concept.

###### - Windmill

Serves as a power plant, the main attraction for children because of the shape and how it works. Children are aware of the nature of the role of wind in meeting the needs of their lives,

Windmill form is different compared to the surrounding buildings; it could become a landmark for the location of the Eco Village. Children aged 9-11 years are in the process of understanding the concept of space and thus require landmarks / landmarks to understand the space and the existence of a location.






Source: (Dewiyanti, Dhini, 2011)  
Figure 9: The distance between the mainland and the floating attract children



Source: (Dewiyanti, Dhini, 2011)  
Figure 10: Reception Building



Source: (Dewiyanti, Dhini, 2011)  
Figure 11: Floating Mosque



Source: (Dewiyanti, Dhini, 2011)  
Figure 12: Widmill as the main attraction for children

#### 4.3. Space in Between

Spaces between buildings that is not too wide, becoming a space of transition from one function to another. The space is used as playing fields, running, sitting etc. This kind of space increasing the level of familiarity with each other

#### 4.4. Flora and Fauna

Bamboo plants that grow in the vicinity of Serang, can be used as alternative building materials. Characteristics of bamboo must be understood, so that strengths and weaknesses can be tailored to the needs of planning. The use of local materials raising the children awareness regarding the role of vegetation in their environment. Another example is the presence of mangrove trees, as the seat belt on the beach.

Milkfish aquaculture in fish ponds, require the preservation of ecosystems. The aim is that these fish can be used as commodities to improve the economic welfare of local communities. Children are very aware of it, so it grows in their mind to participate in preserving the fish ecosystem

#### 4.5. Water

Brackish water ponds around the eco village are helping the children to recognize different types of water and habitat characteristics. Children around the Eco village also recognize the ocean as part of nature. With the diverse types of water and habitat around them, children can be more creative and have more developed motor skills, leading to increased intelligence.



Source: (Dewiyanti, Dhini, 2011)  
Figure 13: Tree House inspiring togetherness



Source: (Dewiyanti, Dhini, 2011)  
Figure 14: Fish Pond as Learning Area



Source: (Dewiyanti, Dhini, 2011)  
Figure 15: Water has always attracted the intention of children

The description above can be making a systematic explanation of the relationship between the natural and built elements of child development, as follows:



Table 3: Relationship between The Natural and Built Elements in Child Development

ECOLOGICAL INDICATOR	ECO VILLAGE KARANGANTU SERANG	IMPACT ON CHILDREN AGE 9-11 YEAR DEVELOPMENT		
		SOCIAL CONCEPTS	THINKING CONCEPTS	SPACE CONCEPTS
Material and construction	Local materials: Bamboo with dowel construction.	Working together	To realize all the nature potential	-
Space order	Stage building 1 storey → Multipurpose room stage 2 → library	The children play while still with the parents	Understand the characteristic along with group activity	To know area/territory/zone
Building orientation	Facing north-south to avoid direct sunlight	-	To know nature potential	-
Fresh - Black water	Water desalination	-	To understand applied technology	-
Light and ventilation	Using wind turbine to produce electricity	-	To understand applied technology	To understand landmark
Ground wound percent	Building on ground → stage Building on water → floating	The children learn to work together helping each other	Causal thinking	The ability to recognize land, water
Ecosystem	Cultivation of fish according to brackish water conditions	Children learn to work together	To know ecosystem concepts	To know ecosystem concepts
Micro climate	Dry, rare vegetation except for <i>asem</i> and <i>petai cina</i>	-	To understand the importance of greening	To understand the concept of guarding space

Source: (Dewiyanti, Dhini, 2011)

## 5. Conclusion

Built environment is actually part of the natural environment, so more and more of the built environment is built it will be able to disrupt the ecosystem balance in the natural environment and consequently lead to imbalances in the ecosystem.

Children are part of both natural and artificial ecosystems that grow and thrive in it. Responsive architectural elements will produce a positive meaning that can change behavior. Hence with this awareness, development actors; architects, owners, society and government should be able to make this step of planning, which is based on the impact of child development.

By studying the cases in the Eco Village Karangantu, Serang, some things can be a concern for the perpetrators of such development:

1. To realize that children are part of the ecosystem means a "user" has to be put into consideration on the decision making.
2. Using architectural elements that can stimulate the development of the children, including: the use of landmarks, the clarity of the space group, using of environmental friendly materials, safe and comfortable textures and colors and the availability of open space. Games range, scale and proportion can be taken into consideration in order to foster the concept of thinking of them; systematic thinking, creative, strategy and children planning.
3. Maintaining the natural elements, such as water, soil, air, light, topography and the flora and fauna. These elements can be used directly or through a particular technology. This practice problem solving skills, socialization, empathy, and strategies on children.
4. Use of safe appropriate technology for the environment. It can stimulate the concept of children's thinking in terms of "problem solving" and tolerance, especially in natural ecosystem.
5. Social facilities or public facilities should prepare magnets activities to accommodate the development of the child with regard to children security and safety, as well as the possible distance range

Further testing needs to be done at other locations in order to produce the more accurate conclusion can be used as a permanent reference for the development actors.

## Acknowledgement

This research is based on a research conducted as part of a study entitled "Settlements Model Which Responsive to The Children Needs: Case Study Karangantu Village, Serang, Banten" supported by multi years competitive grants (DP2M) awarded by the Indonesia Ministry of Education. Also thanks to Mr. Mukoddas Syuhada, creator of Tapak Bumi Ecovillage.



## References

- Altman, Irwin; Stokol, Daniel. (1987). *Handbook of Environment Psychology*. John Willey & Sons, Inc
- Dewiyanti, Dhini. (2000). *Karakteristik Ruang Bermain sebagai Tanggapan Anak Terhadap Lingkungan*. Institut Teknologi Bandung
- Dewiyanti, Dhini. (2010) *Pola Bermain Anak Sebagai Pertimbangan Perencanaan Lingkungan*, Universitas Gajah Mada
- Hertoety, Dianna Astrid. (2000). *Model permukiman Industri Kecil Yang Mandiri Secara Ekologis*. Institut Teknologi Bandung
- Snyder, James C; Catanese, Anthony J. (1979). *Introduction to Architecture*. Mc Graw-Hill Book Company
- Van der Ryn, Sim & Cowan, Stuart. (1996). *Ecological Design*. Island Press, California



## Minutes report

Day & Date	: Thursday, November 10 <sup>th</sup> 2011
Session	: Parallel Session 2
Time	: 14.15-14.35
Room	: A (Bari House)
Speaker	: Dhini Dewiyanti Tartanto, Dianna Astrid Hertoety
Speech/Paper Title	: The Harmony of Nature and Built Environment : Its impact For Children Growth in Karangantu Eco-Village

### GENERAL NOTES

This paper discusses about the harmony between nature and its physical development. Two directions as its focus; to evaluate the Eco Village Concept using indicators of ecological planning, and evaluation of development of the child's behavior at Bugis Village as the user of the Tapak Bumi Ecovillage.

### DISCUSSION

Question	Answer
Would you identify where do most children go to play? Do you also consider about the interaction between children and the environment when they play? i.e. windmill. Do they use the element to increase their skill?	Most of children playing around in land and water. Their parents also supervised their play time and area. At school time, parents do not let them play. Children also increase their skill when playing around. They learn how the windmill works, so they are playing and studying at the same time. Beside it, they want waterboom as the most dream of building.

### CONCLUSION

The built environment may disrupt the ecosystem balance of the natural environment and consequently lead to imbalances in the ecosystem. Responsive architectural elements will also produce a positive meaning that can change children behavior. With this awareness, development actors; architects, owners, society and government should be able to make this step of planning, which is based on the impact of child development.



12th  
senvar

ISBN 978-602-203-055-3



9 786022 030553

